

IQSDA10

Reclocking SD-SDI Distribution Amplifier

Performs equalization and re-clocking of serial 4:2:2 and DVB-ASI signals.


The IQSDA10 from Grass Valley provides up seven reclocked noninverting outputs suitable for 270 Mb/s DVB-ASI signals.

Why should you choose this module?

- Reclocking distribution amplifier ensures there are no jitter problems in the system
- Input equalization ensure maximum cable lengths can be used
- Can be used in either serial 4:2:2 or DVB-ASI systems
- RollCall remote control and monitoring

KEY FEATURES

- Performs equalization and re-clocking of serial 4:2:2 and DVB-ASI signals
- Provides up to seven buffered outputs for SDI signals and DVB-ASI signals
- Input equalizer and reclocking allows for use as a line receiver/distribution amplifier
- Input signal loss indicator
- RollCall remote control and monitoring



Block Diagram for IQSDA1001-1A

SPECIFICATIONS

Inputs and Outputs

Signal Inputs

Standards: SMPTE ST 259-C-1997, DVB-ASI

Connector/format: BNC/75Ω panel jack on standard GV connector panel

Signal Outputs

Serial digital: 7 SDI/DVB-ASI

Standards: SMPTE ST 259-C-1997, DVB-ASI

Connector/format: BNC/75Ω panel jack on standard GV connector panel

Card Edge and RollCall Controls

Functions Available via RollCall Only

Input status: Present, Loss

Logging: Input status

RollTrack controls: On/Off, Index, Source, Address, Command, Status, Sending

RollTrack outputs (1-16):

Unused

Input OK

Input Lost

Indicators

Status OK (Green), Warning (Yellow), Error (Red)

General Specifications

Input return loss: Better than 15 dB to 270 MHz

Maximum input cable length: 220m

Output return loss: Better than 15 dB to 270 MHz

Insertion delay: 20 ns nominal

SDI output level: 800 mV nominal

Power Consumption

Module power consumption:

3.5 W (A Frames)


3 PR (B Frames)

ORDERING

IQSDA1001-1A

Reclocking SDI/DVB-ASI DA with RollCall control and monitoring. 1 SDI/DVB-ASI input, 7 SDI/DVB-ASI outputs.

For more details on enclosure types please refer to the IQ Modular Enclosures datasheet.



GVB-2-0848A-EN-DS



WWW.GRASSVALLEY.COM

Join the Conversation at [GrassValleyLive](#) on Facebook, Twitter, YouTube and [Grass Valley - A Belden Brand](#) on LinkedIn.



www.grassvalley.com/blog

This product may be protected by one or more patents. For further information, please visit: www.grassvalley.com/patents.

Belden®, Belden Sending All The Right Signals®, the Belden logo, Grass Valley®, GV® and the Grass Valley logo are trademarks or registered trademarks of Belden Inc. or its affiliated companies in the United States and other jurisdictions. Grass Valley products listed above are trademarks or registered trademarks of Belden Inc., GVBH Holdings S.A.R.L. or Grass Valley Canada. Belden Inc., GVBH Holdings S.A.R.L., Grass Valley Canada and other parties may also have trademark rights in other terms used herein.

Copyright © 2019 Grass Valley Canada. All rights reserved. Specifications subject to change without notice.