

Aurora Edit FAST TURN PRODUCTION TOOLS	
User Guide	
SOFTWARE VERSION 6.5	
071-8500-04 NOVEMBER 2008	



Copyright

Copyright © 2008 Grass Valley, Inc. All rights reserved. Printed in the United States of America. Portions of software © 2000 – 2008, Microsoft Corporation. All rights reserved. This document may not be copied in whole or in part, or otherwise reproduced except as specifically permitted under U.S. copyright law, without the prior written consent of Grass Valley, Inc., P.O. Box 59900, Nevada City, California 95959-7900. This product may be covered by one or more U.S. and foreign patents.

Disclaimer

Product options and specifications subject to change without notice. The information in this manual is furnished for informational use only, is subject to change without notice, and should not be construed as a commitment by Grass Valley, Inc. Grass Valley, Inc. assumes no responsibility or liability for any errors or inaccuracies that may appear in this publication.

U.S. Government Restricted Rights Legend

Use, duplication, or disclosure by the United States Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of the Rights in Technical Data and Computer Software clause at DFARS 252.277-7013 or in subparagraph c(1) and (2) of the Commercial Computer Software Restricted Rights clause at FAR 52.227-19, as applicable. Manufacturer is Grass Valley, Inc., P.O. Box 59900, Nevada City, California 95959-7900 U.S.A.

Trademarks and Logos

Grass Valley, K2, Aurora, Summit, Dyno, Infinity, Turbo, M-Series, Profile, Profile XP, NetCentral, NewsBrowse, NewsEdit, NewsQ, NewsShare, NewsQ Pro, and Media Manager are either registered trademarks or trademarks of Grass Valley, Inc. in the United States and/ or other countries. Grass Valley, Inc. products are covered by U.S. and foreign patents, issued and pending. Additional information regarding Grass Valley, Inc. trademarks and other proprietary rights may be found at www.thomsongrassvalley.com.

Other trademarks and logos used in this document are either registered trademarks or trademarks of the manufacturers or vendors of the associated products, such as Microsoft® Windows® operating system, Windows Media® player, Internet Explorer® internet browser, and SQL Server™. QuickTime and the QuickTime logo are trademarks or registered trademarks of Apple Computer, Inc., used under license therefrom.

Software Licenses

If this product requires a software license in the manual, then the license, as well as any copyright, disclaimer, warranty, trademark, or logo information is located in the Appendix of this document.



Revision Status

2

Rev Date	Description
June 30, 2006	Release 071-8500-00 for Software Version 6.0
October 26, 2006	Release 071-8500-01 for Software Version 6.0a
May 3, 2007	Release 071-8500-02 for Software Version 6.1
September 7, 2007	Release 071-8500-03 for Software Version 6.3
November 21, 2008	Release 071-8500-04 for Software Version 6.5
•	•

Grass Valley Product Support	11
Web Technical Support	11
Telephone Support	11
International Support Centers	11
Authorized Local Support Representative	11
Chapter 1: Introducing Aurora Edit	13
What is Aurora Edit?	
Quick overview of editing with Aurora Edit	
Supported formats	
Tour of the Aurora Edit window	
Main toolbar	
Bin	
Timeline	18
Dynamic tool window	20
Viewing monitor	
Storyboard	
Audio mixer	22
The Assignment List Manager	23
Aurora Edit tools	24
Timeline Tool	24
Source Tool	25
Trim Tool	26
Transition Tool	27
Audio Mixer Tool	28
Video Effects Tool	29
The Aurora Edit keyboard	30
Tool selection keys	30
Deck control and transport command keys	31
Editing and clip/track selection keys	32
Mark point keys	33
Track selection keys	32
Other Aurora Edit keys	35
Chapter 2: Working in the Bin	39
About the Rin window	10

	Creating a new bin	40
F	How to organize your Bins	41
S	Saving the Bin position	42
V	/iewing clips in your Bin	42
	Details view	42
	Thumbnail view	44
V	Norking with clips in the Bin	45
	Searching for a clip or sequence	45
	Copying a clip or sequence	46
	Moving a clip or sequence	46
	Renaming bins and media files	46
	Deleting clips and sequences	46
	Changing master clip properties	47
S	SmartBins	47
	Understanding SmartBins	47
	Creating a Transfer SmartBin	47
	Creating a Shared SmartBin	48
	Creating a Media Import SmartBin	48
_	oter 3: Using MediaFrame to manage me	
l l		=-
	Jnderstanding MediaFrame	
	Searching for media	50
	Searching for media Setting search criteria	50 50
	Searching for media Setting search criteria Tips for using search criteria	50 50 51
	Searching for media Setting search criteria Tips for using search criteria Saving a search	50 50 51 53
	Searching for media Setting search criteria Tips for using search criteria Saving a search Working with searches	
S	Searching for media Setting search criteria Tips for using search criteria Saving a search Working with searches Using filters to refine a search	50 51 53 54
S	Searching for media Setting search criteria Tips for using search criteria Saving a search Working with searches Using filters to refine a search Jsing Explore to bookmark locations	
S	Searching for media Setting search criteria Tips for using search criteria Saving a search Working with searches Using filters to refine a search Jsing Explore to bookmark locations Jsing Collections to categorize clips	
S	Searching for media	
S	Searching for media Setting search criteria Tips for using search criteria Saving a search Working with searches Using filters to refine a search Jsing Explore to bookmark locations Jsing Collections to categorize clips About Collections Creating a collection	
S	Searching for media Setting search criteria Tips for using search criteria Saving a search Working with searches Using filters to refine a search Jsing Explore to bookmark locations Jsing Collections to categorize clips About Collections Creating a collection Modifying Collections	
S	Searching for media	
S L	Searching for media Setting search criteria Tips for using search criteria Saving a search Working with searches Using filters to refine a search Jsing Explore to bookmark locations Jsing Collections to categorize clips About Collections Creating a collection Modifying Collections Viewing Collection contents Adding clips to a Collection	
S L	Searching for media	
S L	Searching for media Setting search criteria Tips for using search criteria Saving a search Working with searches Using filters to refine a search Jsing Explore to bookmark locations Jsing Collections to categorize clips About Collections Creating a collection Modifying Collections Viewing Collection contents Adding clips to a Collection Jsing metadata to define clips About metadata	50 50 51 53 54 54 56 57 57 57 58 58 58 59
S L	Searching for media Setting search criteria Tips for using search criteria Saving a search Working with searches Using filters to refine a search Jsing Explore to bookmark locations Jsing Collections to categorize clips About Collections Creating a collection Modifying Collections Viewing Collection contents Adding clips to a Collection Jsing metadata to define clips About metadata Adding general information	50 50 51 53 54 54 56 57 57 57 57 58 58 58 58 59
S L	Searching for media Setting search criteria Tips for using search criteria Saving a search Working with searches Using filters to refine a search Jsing Explore to bookmark locations Jsing Collections to categorize clips About Collections Creating a collection Modifying Collections Viewing Collection contents Adding clips to a Collection Jsing metadata to define clips About metadata Adding general information Using keywords to define clips	50 50 51 53 54 54 56 57 57 57 58 58 58 58 59 59
S L	Searching for media Setting search criteria Tips for using search criteria Saving a search Working with searches Using filters to refine a search Jsing Explore to bookmark locations Jsing Collections to categorize clips About Collections Creating a collection Modifying Collections Viewing Collection contents Adding clips to a Collection Jsing metadata to define clips About metadata Adding general information	50 50 51 53 54 54 55 57 57 57 57 58 58 58 58 59 59 60

Printing metadata	63
Chapter 4: Acquiring media	65
Using clips stored in the Bin	
Using a clip source	
Using a clip source	00
Chapter 5: Preparing to edit	67
Creating a new sequence	68
Changing sequence properties	69
Selecting and deselecting tracks	69
About editing modes	70
Naming source tapes	70
Routing audio tracks	70
Using variable speed record	71
Selecting your source	72
Using a clip source	72
Changing sources	72
Using auxiliary input	72
Linking to an existing news or sports story	73
Story View functions	75
Adjusting the read count in Story View	76
Using the Assignment List Manager	76
Editing and Aurora Playout	78
Creating placeholders in the Assignment List	
Viewing by category in the Assignment List	80
Changing the clip category in the Assignment List	80
Identifying missing clips	80
Deleting placeholders in the Assignment List	81
Chapter 6: Working in the Timeline	83
Understanding Aurora Edit's Agile Timeline	
Mark Points	
About Mark Points	
Marking In and Out Points	
Setting up a split edit	
Controlling a deck from Aurora Edit	
Zooming in on a clip source	
Tips for using the zoom controls	
Changing the Timeline view manually	

U	Ising Auto-Scale to adjust the Timeline view automatically	89
T	oggling tracks on the fly	89
N	Noving clips	90
	Moving clips in the Timeline	90
	Moving audio clips	91
	Copying clips to the Timeline	91
	Copying and pasting clips	91
	Copying a selected area of a sequence	91
U	Jsing Quick Edit mode	92
C	Creating your clips	92
Р	Playing a sequence	92
S	Saving a sequence	93
S	Splitting clips	94
L	ifting clips	94
	Lifting clips from the Timeline	94
	Lifting an area of a sequence	95
D	Peleting clips	96
	Deleting a clip from your sequence	96
	Deleting an area from a sequence	96
S	Saving the Timeline track configuration	97
Chap	ter 7: Trimming clips	99
Т	rimming your clips	100
U	Ising handles to add frames to your clips	100
L	ocking the duration of a clip	100
Р	Playing Past Out	101
E	xtending your edits	101
Т	rimming your media clips in the Bin	102
	Creating SubClips	102
	Copying a clip to the Timeline	102
	A quick way to edit	102
Chan	ter 8: Transitions	105
-		
	ransitions in Aurora Edit	
U	Inderstanding transition types	
	Dissolves	
	Wipes	
	Pushes	
_	Slides	
(C	Creating a transition	108

Changing t	transitions	109
Creating w	ipes	110
Addi	ing a border to a wipe	110
Char	nging the border color of a Wipe	111
Reve	ersing a Wipe	111
Rendering	transitions	111
Creating tra	ansitions for an area of the sequence	112
Deleting tra	ansitions	112
Audio cross	sfades	112
Abou	ut audio crossfades	112
Appl	lying crossfades to the audio tracks only	113
Appl	lying crossfades automatically with transitions	113
Chapter 9: A	Audio	115
Adjusting a	audio levels	116
Abou	ut adjusting audio levels in Aurora Edit	116
View	ving audio levels on the Timeline	116
Char	nging audio levels in a clip	118
Rem	noving fade control points	118
Gan	ging and adjusting multiple audio tracks	118
Monitoring	audio tracks	119
Solo	ing an audio track	119
Muti	ng an audio track	119
Usin	g the Master Audio Sliders to set output level	120
Setting Tim	neline audio settings	120
Adjusting a	udio gain	121
Using Audio	o Automation	122
Show	wing Audio Automation	122
Rem	noving Audio Automation	122
Adding aud	lio narration	123
Chapter 10:	Advanced editing	125
-	clip aspect ratios	
_	ut aspect ratio conversion	
	ect ratio conversion types	
	ually converting a clip aspect ratio	
	ating an aspect ratio preset	
	ler between clips	
	Fit To Fill	
_	eeze frame to your sequence	

8

Varying the s	speed of a clip	130
Using contro	ol track	131
Using Match	Frame	131
Match	Frame to Bin	131
Match	Frame to source	131
Keyboard sh	ortcuts	132
Aurora	a Edit keyboard shortcuts	132
Edit s	etup keyboard shortcuts	133
Play s	speed keyboard shortcuts	133
Select	ting and moving keyboard shortcuts	134
Tracks	s keyboard shortcuts	134
Transp	ports keyboard shortcuts	135
Video	effects keyboard shortcuts	136
Chapter 11: \	/ideo effects	137
Creating vide	eo effects - overview	138
Understandir	ng video effects	139
Moving the fo	oreground image within the viewer window	139
Movin	g foreground image—dragging image	140
Movin	g foreground image—using the joystick	140
Movin	g foreground image—moving the resize slider	140
Movin	g foreground image—adjusting the dials	140
Movin	g foreground image—using the keyboard	141
Adding a vid	eo effect to the Timeline	141
Other	ways to add a video effect to the Timeline	141
Chang	ging the duration of a video effect	142
Using	saved effects in your sequence	142
Impor	ting video effects	143
Choosing a v	video effect	143
Using	video effect options	144
Addin	g effect properties	145
Working with	keyframes	145
Under	rstanding keyframes	145
Insert	ing keyframes	146
Modify	ying keyframes	146
Setting a pat	h for your video effect	147
Video	effect paths	147
Viewing vide	o effects within your sequence	148
Saving video	effects	148
Rendering vi	ideo effects	140

	Layering video effects	149
	Exporting video effects	150
	Effects & what they do	150
	How video effects work together	150
	Understanding video effects and keyframes	150
	Resize video effect	152
	Key Shape video effect	153
	Blur & mosaic video effects	153
	Color Effect	155
	Proc Amp video effect	156
	Color correction video effect	156
	Mirror Vertical video effect	158
	Mirror Horizontal video effect	158
	Luma Key video effect	158
	Options for resize or key shape effects	159
	Blend options for Resize and Key Shape effects	159
	Border options for Resize and Key Shape effects	159
	Cropping options for Resize effects	160
	Drop shadows for Resize and Key Shape effects	161
	Path Control for keyframes	162
٥.		400
Ch	napter 12: Sending and exporting output	
	Sending sequences	
	Associating a sequence with an Aurora Playout placeholder	
	Storing sequences on Aurora Edit	
	Exporting a Final Cut Pro EDL	
	Using the Conform Manager	167
۸ ۵	anondiy A. Softwara Licenses	160
Αþ	pendix A: Software Licenses	
	cmemdc	
	cping	
	CSizingToolBar	
	CTextProgressCtrl	
	MIT	
	mozilla	
	Paintlib	
	resizeable lib	
	tconvert	
٠.	zlib	
Glo	ossary	185

Grass Valley Product Support

To get technical assistance, check on the status of a question, or to report a new issuse, contact Grass Valley Product Support via e-mail, the Web, or by phone or fax.

Web Technical Support

To access support information on the Web, visit the product support Web page on the Grass Valley Web site. You can download software or find solutions to problems by searching our Frequently Asked Questions (FAQ) database.

World Wide Web: http://www.thomsongrassvalley.com/support/

Technical Support E-mail Address: gvgtechsupport@thomson.net

Telephone Support

Use the following information to contact Product Support by phone.

International Support Centers

Our international support centers are available 24 hours a day, 7 days a week.

Support Center	Toll free	In country
France	+800 80 80 20 20	+33 1 48 25 20 20
United States	+1 800 547 8949	+1 530 478 4148

Authorized Local Support Representative

A local support representative may be available in your country. To locate a support center during normal local business hours, refer to the following list. This list is regularly updated on the website for Thomson Grass Valley Product Support

(http://www.thomsongrassvalley.com/support/contact/phone/).

After-hours local phone support is also available for warranty and contract customers.

Region	County	Telephone
Asia	China	+861 066 0159 450
	Hong Kong, Taiwan, Korea, Macau	+852 2531 3058
	Japan	+81 3 5484 6868
	Southeast Asia - Malaysia	+603 7805 3884
	Southeast Asia - Singapore	+65 6379 1313

11

Grass Valley Product Support

12

Region	County	Telephone
	Indian Subcontinent	+91 11 515 282 502; +91 11 515 282 504
Pacific	Australia, New Zealand	+61 1300 721 495
Central America, South America	All	+55 11 5509 3440
North America	North America, Mexico, Caribbean	+1 800 547 8949; +1 530 478 4148
Europe	UK, Ireland, Israel	+44 118 923 0499
	Benelux – Netherlands	+31 (0) 35 62 38 421
	Benelux – Belgium	+32 (0) 2 334 90 30
	France	+800 80 80 20 20; +33 1 48 25 20 20
	Germany, Austria, Eastern Europe	+49 6150 104 444
	Belarus, Russia, Tadzhikistan, Ukraine, Uzbekistan	+7 095 258 09 20; +33 (0) 2 334 90 30
	Nordics (Norway, Sweden, Finland, Denmark, Iceland)	+45 40 47 22 37
	Southern Europe – Italy	+39 02 24 13 16 01; +39 06 87 20 35 42
	Southern Europe – Spain	+34 91 512 03 50
Middle East, Near East, Africa	Middle East	+971 4 299 64 40
	Near East and Africa	+800 80 80 20 20; +33 1 48 25 20 20

Chapter 1

Introducing Aurora Edit

This section contains the following topics:

- What is Aurora Edit?
- Quick overview of editing with Aurora Edit
- Supported formats
- Tour of the Aurora Edit window
- Aurora Edit tools
- The Aurora Edit keyboard

21 November 2008 Aurora Edit LD User Guide

13

What is Aurora Edit?

Aurora Edit is a digital nonlinear editing solution designed specifically for editing news stories. It replaces record decks and effects switchers by displaying edits in real time.

Nonlinear editing systems provide greater efficiency, accuracy, and flexibility than analog tape-based systems. For instance, you do not need to edit chronologically--you can edit shots in any order without re-recording all of your edits after a change.

Breaking stories can be edited quickly, saved, and then different versions can be cut. Re-editing stories, fixing mistakes, and adding shots in a tape-to-tape environment can require valuable time in a business where time isn't always available. With nonlinear editing, however, changes can be made at anytime during the editing process.

Aurora Edit's unique dynamic display updates automatically to provide you, the editor, with the tools necessary for every edit. Because the audio and video are stored digitally, you can repeatedly use media without duplication or degradation.

Quick overview of editing with Aurora Edit

You create a news or sports story with Aurora Edit in three stages: record footage, edit and fine-tune the story, send the story for playout to air.

1. Record your raw footage or feed directly to the Aurora Edit Timeline or Bin.

You can also import clips and sequences from other third-party sources or other Aurora Edit workstations.

2. Edit the story and fine tune it.

Use basic editing procedures to create simple cuts. Add dissolve, wipe, or slide transitions. Add video effects such as blurs, color effects, or Picture-in-Picture. Adjust the audio or add new audio. Add graphics or titles.

3. Save your final story to a network server, record it to tape for airing, play it directly to air with an Aurora Edit playlist or a playback system like Aurora Playout.

Supported formats

Aurora Edit supports a large variety of audio, video and media formats you can use to create sequences.

Aurora Edit supports these media formats for both NTSC and PAL video standards:

• DV

14

- DVCAM
- DVCPRO (25/50/100)

- MPEG
- IMX
- AVC-Intra
- JPEG 2000

Aurora Edit supports these video formats:

	Format	Aurora Edit LD	Aurora Edit HD	Aurora Edit HDR
Input	Component			X
	Composite			X
	FireWire, AVC and RMI		X	X
	SDI			X
	S-Video			X
Output	Component			X
	Composite			X
	Dual VGA	X	X	X
	FireWire (IEEE 1394)		X	X
	SDI			X
	S-Video			X


Aurora Edit supports these audio formats:

	Format	Aurora Edit LD	Aurora Edit HD	Aurora Edit HDR
Input	AES-BNC			2/1
	AES-XLR			2/1
	ANALOG-RCA	X	X	X
	ANALOG-XLR			2
	SDI Embedded			8
Output	AES-BNC			2/1
	AES-XLR			2/1
	ANALOG-RCA	X	X	2
	ANALOG-XLR			2
	SDI Embedded			8

Tour of the Aurora Edit window

The Aurora Edit window consists of a main toolbar, a Bin to hold files, a record/playback monitor, an audio mixer, an editing Timeline, and a dynamic window that changes depending on the tool selected.

If you are using MediaFrame, you also have a storyboard that display scene detection thumbnails.



Main toolbar

16

The main toolbar provides access to common Aurora Edit functions.

lcon	Name	Function
.	Send To File	Sends a clip or sequence to another destination
*	Conform Manager	Opens the Conform Manager where you can monitor sends using a Conformance Server
	Timeline View	Displays the main view with the selected sequence on the Timeline
%<	Trimmer View	Opens the selected clip in the Trimmer for editing
	Story View	Displays the script for the selected sequence, if there is one
=	Play to Tape	Records the selected clip or sequence to tape


Icon	Name	Function
	Properties	Displays the properties for the currently selected clip or sequence, including the description, creation date, and location

Bin

The Bin is a database where clips and sequences are stored and organized.

The top-level Bin appears by default when you start Aurora Edit. You create additional bins to organize your media. You can also customize the information about each clip and then search specific fields in the database.

If you are using MediaFrame, you have more searching and organizing capabilities.



Bin toolbar

The Bin toolbar lets you view and organize the folders in your database, as well as search for clips.

Icon	Name	Description
£	Tree View	Lets you toggle between seeing the entire Bin structure and seeing contents of a selected Bin
p	Search	Allows you to search your database for clips and metadata assets
<u>o</u>	Explore	Allows you to browse your network and save network locations
<u>\$</u>	Collections	Lets you organize and sort clips in the Bin for easy access

Bin contents toolbar

The Bin contents toolbar lets you access common Bin functions.


Icon	Name	Description
+	Bins	View the content of the selected Bin, not all Bins in tree view
£	Up One Level	View the bins at the next highest level
555	View Thumbnails	Toggle between displaying your clips and sequences as text or as thumbnails
*	New Sequence	Create a new sequence in your bin
6	New Bin	Create a new bin
	Column Manager	Select the columns to view in your bin; only available when viewing bin contents as text, not as thumbnails

Timeline

18

The Aurora Edit Timeline is an all-purpose editing window that replaces a record deck in the editing process.

The Timeline provides a graphic representation of your sequence in a single window, displaying its tracks, the name of each clip, and the current frame's location.



Timeline toolbar

The Timeline has its own toolbar, which provides access to each of the Aurora Edit tools, lets you select your editing mode, and other common Timeline functions.

Icon	Name	Description
	Save	Saves your sequence in the Bin
k	Timeline Tool	Selects the Timeline Tool
<u>=</u>	Source Tool	Selects the Source Tool
}<	Trim Tool	Selects the Trim Tool
×	Transition Tool	Selects the Transition Tool
□ (1 ≤	Audio Mixer Tool	Selects the Audio Mixer Tool
	Video Effects Tool	Selects the Video Effects Tool
±	Overwrite Mode	Selects Overwrite Edit Mode
;	Splice Mode	Selects Splice Mode
≯	Fit To Fill	Activates Fit To Fill
%	Split Clip	Splits a clip at the cursor point
[×6	Cut Mark In	Trims the top of the selected clip on the Timeline


Icon	Name	Description
%<]	Cut Mark Out	Trims the tail of the selected clip on the Timeline
×	Delete Selected	Deletes selected clips
*	Lift	Lifts selected clips off the Timeline
	Zoom In	Zooms in on the view in the Timeline
Q	Zoom Out	Zooms out on the view in the Timeline
6	Undo	Undoes the latest action
0	Redo	Redoes the latest action
	Sequence Properties	Opens the Sequence Properties window
	Show/Hide Storyboard	Toggles the display of the Storyboard

Dynamic tool window

20

The dynamic tool window changes functionality based on the Aurora Edit tool you select.

Each Aurora Edit tool lets you create, edit, refine, and enhance your sequences as you create stories for playing to air.



Viewing monitor

The viewing monitor is where you view your media, play through a clip to find footage, and play your sequence.



Storyboard

The storyboard displays video thumbnails of scene changes in your media, providing an easy way to see what the clip includes.



You can have the storyboard display in your Aurora Edit timeline or you can hide it by clicking the **Storyboard** button in the Timeline toolbar.

Audio mixer


The audio mixer lets you adjust audio output levels, gang audio tracks, and mute channels.

Five of Aurora Edit LD's tools contain the audio mixer:

• Timeline Tool

- Source Tool
- Trim Tool
- · Transition Tool
- Audio Mixer Tool


For further audio editing capabilities, use the Audio Mixer Tool.



The Assignment List Manager

The Assignment List Manager is for editors to receive assignments from the producer, to create additional placeholders for clips, and to reassign placeholders to other editors.

The Assignment List Manager runs on the Aurora Edit workstation and integrates with Aurora Edit. The Aurora Edit toolbar displays part of the Assignment List so editors can see at a glance how many stories need video.




Aurora Edit tools

Each of the nine Aurora Edit tools displays in the dynamic window, leaving the Timeline unchanged. You select the tools from the Timeline toolbar.

Timeline Tool

24


The Timeline Tool \ opens by default when you first create a sequence. You can select and move clips or audio tracks, play sequences, mark in and out points, and adjust master output audio sliders.



Source Tool

The Source Tool
digitizes raw material directly to the Timeline.


This is the fastest and most efficient way to generate clips from a source tape. You can also use other sources for your footage, such as video feeds or microphones.



Trim Tool

26


The Trim Tool & changes the head or tail of a clip to change its duration.



Transition Tool

The Transition Tool **★** creates transition effects between clips in a sequence.

You can create dissolves or wipes between any two edits by selecting the transition you want and clicking at the point you want the effect to appear.




Audio Mixer Tool

28

The Audio Mixer Tool of adjusts the audio settings in a sequence, including the level, the pan, and output channel routing.


You can raise or lower the audio on each audio track, or ride the audio on the fly using the Write Automation option.



Video Effects Tool

The Video Effects Tool 😝 is optional and creates effects for one or two video tracks, depending on the effect.

An effects track on the Timeline lets you create the effect using keyframes and review the clip with the effect applied to it.



The Aurora Edit keyboard

Aurora Edit's keyboard uses color-coded keys that correspond to Aurora Edit functions, allowing you to edit more quickly and easily.

Tool selection keys

30


The first eight dark blue keys activate the Aurora Edit tools. The last two dark blue keys move clips between cut points in the Timeline.



Icon	Key	Name	Function
K	1	Timeline Tool	Selects and moves items on the Timeline
<u>_•</u>	2	Source Tool	Views the source
%	3	Trim Tool	Trims Mark In and Mark Out points in clips
+ +	4	Cut Point Edit Tool	Trims the cut points between adjacent clips (Edit HD only)
X	5	Transition Tool	Add transition effects to clips
□ {{	6	Audio Mixer Tool	Adjust the audio tracks in clips
Æ	7	Audio Effects Tool	Adjusts the Audio EQ in clips and disguises voices (Edit HD only)
	8	Video Effects Tool	Creates video effects to us on clips, such as blurs and Picture-in-Picture
K	Z	Move Clip Previous Cut Point	Moves the selected clip to the previous cut point
K	X	Move Clip Next Cut Point	Moves the selected clip to the next cut point

Deck control and transport command keys

The light purple keys act as deck controls for playing sequences and remote sources. The avocado green keys control movement within a clip. The red key starts a record.




lcon	Key	Name	Function
•	~	Play	Plays the Timeline, source or clip

lcon	Key	Name	Function
 	Q	Play From Start	Plays sequence or clip starting at the beginning
•	W	Play	Plays the Timeline, source or clip
44	Е	Rewind	Rewinds the footage for both Timeline and source
>>	R	Fast Forward	Fast forwards the footage for both Timeline and source
0	F12	Record	Starts recording from source or source bin
<	A	Back 1 Frame	Moves cursor one frame back on the Timeline
>	S	Forward 1 Frame	Moves cursor one frame forward on the Timeline
	D	Back 10 Frames	Moves cursor 10 frames back on the Timeline
>>	F	Forward 10 Frames	Moves cursor 10 frames forward on the Timeline
+	G	Previous Cut Point	Moves cursor to the previous cut point
+	Н	Next Cut Point	Moves cursor to the next cut point

Editing and clip/track selection keys

The yellow keys perform cut point edits. The gray keys select the different edit modes. The peach keys select clips and tracks on the Timeline.



Icon	Key	Name	Function
+] →	T	Trim Mark Out	Trims the Out point in the Cut Point Edit Tool; changes the duration of the sequence (Edit HD only)
← [→	Y	Trim Mark In	Trims the In point in the Cut Point Edit Tool; changes the duration of the sequence (Edit HD only)
+][+	U	Trim Both	Trims both the In and Out points in the Cut Point Edit Tool; doesn't change the duration of the sequence (Edit HD only)
1	F9	Overwrite Mode	Allows you to overwrite clips to the Timeline
	F10	Splice Mode	Allows you to splice clips to the Timeline
7	F11	Fit To Fill	Lets you create fit to fill clips
*	С	Copy To Timeline	Copies selected clips from Bin as well as Timeline clip sources to the Timeline. In the Record to Bin window, adds a clip to the Batch Capture list.
4	M	Select Previous Clip	Selects the previous clip in the sequence
-	<	Select Next Clip	Selects the next clip in the sequence
^	>	Select Previous Track	Selects a clip on the previous track in the sequence
•	?	Select Next Track	Selects a clip in the next track in the sequence

Mark point keys

The dark purple keys set and control the mark In and Out points.



Icon	Key	Name	Function	
V ₁	F3	Match Frame to Bin	Matches the selected frame in the Timeline to the exact frame in the Bin and becomes the Clip Source	
1 /2	F4	Match Frame to Source	Matches the exact frame of the clip and loads the timecode into the Mark In of the first remote source	
<u>~</u>	F5	Cut Mark In	Cuts the beginning of the clip (the top)	
E-6		Refresh	off the selected clips on the Timeline; in the Bin, refreshes bin folders and displays any newly imported files	
≫	F6	Cut Mark Out	Cuts the end of the clip (the tail) off the selected clips on the Timeline	
\ +	F7	Go to Mark In	Moves to the Mark In point	
→ 🔽	F8	Go to Mark Out	Moves to the Mark Out point	
1	I	Mark In	Marks an In point	
	О	Mark Out	Marks an Out point	
	Р	Clear Mark In	Clears the In point	
	[Clear Mark Out	Clears the Out point	
+ [] →	V	Extend Edit	Extends an edit past the end of the clip using handles	
CTL	В	Timecode/Control Track	Toggles between Timecode and Control Track modes	
+0+	N	Reset Control Track	Resets the Control Track to 00:00:00:00	

Track selection keys

34


The light blue keys zoom the view in the Timeline and select clip tracks.



lcon	Key	Name	Function
Q	-	Zoom out	Zooms the view in the Timeline out
⊕	+	Zoom in	Zooms the view in the Timeline in
V	J	Video 1	Toggles video track V1 on and off
A1	K	Audio 1	Toggles audio track A1 on and off
A2	L	Audio 2	Toggles audio track A2 on and off
А3	;	Audio 3	Toggles audio track A3 on and off
A 4	,	Audio 4	Toggles audio track A4 on and off

Other Aurora Edit keys

The green and black keys perform miscellaneous editing functions.



Icon	Key	Name	Function
	F2	Send	Lets you send a clip or sequence to another destination
*	9	Input Tools	Lets you adjust the Audio EQ in a clip while it is recording (Aurora Edit HD only)
	0	Collapse Sequence	Collapses a clip in a sequence to close a gap between media
<u></u>]	Lift Selection	Lifts the selected clip out of the sequence, leaving black and silence
~	\	Split Clip	Splits the selected clip at the cursor point
Pause	Pause	Enable Vary Speed	Enables variable speed controls in the Source Tool
Break			
Insert	Insert	Insert Keyframe	In the Video Effects Tool, adds a keyframe to the currently selected effect
Home	Home	Go to Start	Moves the position to the beginning of a clip or sequence
Page Up	Page Up	Previous Vary Speed	In the Source Tool or Trimmer, selects the previously set variable speed
Delete	Delete	Delete Selection	Deletes the selected clip from the Bin or Timeline
End	End	Go to End	Moves the position to the end of a clip of sequence
Page Down	Page Down	Next Vary Speed	In the Source Tool or Trimmer, selects the next variable speed

Icon	Key	Name	Function
-	Left arrow	Shuttle Rewind	Shuttles left in increments of -50%, -75%, -1x, -2x, -3x
→	Right arrow	Shuttle Fast Forward	Shuttles left in increments o +50%, +75%, +1x, +2x, +3x
†	Up arrow	Shuttle Default Speed	Resets the shuttle speed to its default speed
 	Down arrow	Shuttle Prevous Speed	Selects previous shuttle speed
←	Numberpad 4	Move Clip Left 1 Frame	Moves the selected clip on the Timeline backwards one frame
→	Numberpad 6	Move Clip Right 1 Frame	Moves the selected clip on the Timeline forward one frame

Chapter 2 Working in the Bin


This section contains the following topics:

- About the Bin window
- Creating a new bin
- How to organize your Bins
- Saving the Bin position
- Viewing clips in your Bin
- Working with clips in the Bin
- **SmartBins**

21 November 2008 Aurora Edit LD User Guide 39

About the Bin window

The Bin window consists of two main components — a toolbar and the area that holds your files. The toolbar lets you create new bins and sequences, search for specific files, and change the way you view bins.



Creating a new bin

The Bin window is empty when you open Aurora Edit for the first time. Before you can begin using Aurora Edit, you need to create bins to store your work.

You can create and organize your bins to suit your work style. For instance, you could create a bin for each day of the week and within those set up a bin for each individual story or for each editor.

1. Click the New Bin button on the Bin contents toolbar.

The Bin Properties window appears.

- 2. Enter the bin Name.
- 3. Enter a bin Description and Keywords (optional).


You can use the keywords to search for a specific bin.

- 4. Click **Browse** and select a location for the Bin, if different than the default.
- 5. Click **OK**.

How to organize your Bins

There are several ways to organize your bins, and the organization you choose depends mostly on your job function as well as your organizational style.

A typical setup might be:



Name of Bin	Description
1-Monday to 7-Sunday	Used for everyday stories
Effects	Holds saved video effects
HFR (Hold For Release)	Used when you are editing a story on one day but airing it on another
Imports	Set up as a single location where other Aurora Edit workstations can send clips over the network to you
Misc.	Holds any clips to be saved, such as Whiteflash, Black, Color Bars and Tone, Reporter Outcues, repeated effects, etc.

It is also important that, within each day of the week, you create another bin with the title of the specific project you are working on. This helps to keep the bins organized, especially with more than one editor working on the same Aurora Edit system.

Aurora Edit automatically monitors your bins and refreshes the display if anyone places a file in one of your bins. For instance, as a breaking story develops, station staff can place the latest footage in a given directory. It then appears in your Bin where you can use it in your sequence.

Saving the Bin position

In Aurora Edit, you can create a workspace that remains each time you open and close the application.

Choose Window | Save Bin Postions.

Your Bin position is saved. Each time you open Aurora Edit, the Bin opens in this position.

Viewing clips in your Bin

Viewing Bins in details view

In this view, each clip or sequence is represented by an icon, the name of the file, and other information about the file, such as timecode, description, and keywords.

The information acts as a database that you can customize by entering information about your clips. You can also search the information for clips that match certain criteria.



Displaying columns

You can hide or display multiple text columns in the Bin.

- 1. Click the View Thumbnails button in the Bin Toolbar, if you need to change to thumbnail mode.
- 2. Click to select a Bin; the contents display in the window below.

If you are in the highest-level bin, you will not see all of the column choices.

- 3. Click the [Column Manager button in the Bin Toolbar.
- 4. Select the columns you want to display or click the **Reset** button to display all of the columns.
 - Name Displays the name of the clip or sequence.
 - Description Displays the description of the clip or sequence.
 - Keywords Displays any keywords entered; keywords help to identify and search for specific clips.
 - Created Displays the date the clip or sequence was created.
 - Folder Displays the directory where the clip files are stored.
 - Duration Displays the length of the clip or sequence.
 - Mark In Displays the Mark In timecode.
 - Mark Out Displays the Mark Out timecode.
 - Video Format Displays the video format used for the media.
 - Video Aspect Displays the video aspect for the media, 4:3 or 16:9.
 - Video Resolution Displays the video resolution for the media.
 - Compression Displays the video compression type for the clip or sequence; e.g., DV25, DV50, MPEG2, IMX30, IMX40, IMX50.
 - Chroma Format Displays the chroma ratio for the media, 4:1:1, 4:2:0 or 4:2:2.
 - Tracks Displays the tracks present in the clip.
 - Tape ID Displays the name of the source VTR tape where the media in this clip came from.
 - Modified Displays the date of the last time the clip was modified.
 - Status Displays the clip status: All, Good, Bad, or Marked.

A checkmark appears next to the selected options.

5. Click **OK**.

The Bin displays your new column choices.

Sorting your media files

You can arrange clips in numeric or alphabetical order according to the columns you select.

For example, you can sort the Bin by the Mark In column to display all of the clips in timecode order.

- Click the heading of the column by which you want to sort the Bin.
 The clips and sequences display in alphabetical or numerical order depending on the column you selected.
- 2. Click the column again to reverse the order of the sort.
- 3. Right-click in the Bin and select **Restore Default Sort** to return to the original sort order.

Viewing Bins in thumbnail view

The Thumbnail view provides a visual representation of the type of media file in each bin. Each clip or sequence is represented by a single frame, allowing you to see the content of the material.



Changing thumbnail size

44

Aurora Edit offers two thumbnail sizes in this view: 4:3 (SD) and 16:9 (HD).

- 1. Click the View Thumbnails button on the Bin Toolbar.
- 2. Choose the thumbnail size you want from the View menu.

Selecting the head frame

Aurora Edit allows you to change the head frame for your media.

Each clip or sequence in Thumbnail view is represented by a single frame, called the head frame. By default, Aurora Edit uses the first frame from the clip or sequence. However, you can choose any frame within the clip or sequence to represent the file in the view.

- 1. Double-click the clip or sequence to open it.
 - Clips open in the Trimmer window; sequences open in the Timeline Tool.
- 2. Play through the clip until you find the frame you want to use.
- 3. Click Set Head Frame From Current Frame.
- 4. Click **OK**.

Working with clips in the Bin

Searching for a clip or sequence

You can search for clips and sequences in the Bin. You can search for all clips that meet specific criteria or for a specific clip.

1. Select Tools | Find.

The Find In View window appears.

- 2. Choose the appropriate options:
 - Fields Check the boxes for the field(s) on which you want to search.
 - Query Enter the text you want to search for.
 - Match case Check this checkbox to do a case-sensitive search.
 - Match whole query only Check this checkbox to search only for clips with text matching the query text exactly.
 - All bins Select this option to search all Aurora Edit bins.
 - Viewed bin and sub-bins Select to search all of the bins within the bin you selected.
 - Viewed bin only Select to search the bin you are currently viewing.

3. Click OK.

Clips and sequences matching your search result appear in the Bin window.

When you are done with your search, click the Search Results button off to restore the normal bin view and allow you to continue working in the Bin. To see your search results again, click the Search Results button to its on position.

Copying a clip or sequence

You can copy clips and sequences between bins.

If you copy a master clip, Aurora Edit pastes it as a subclip.

- 1. In the Bin, select the item you want to copy.
- 2. Right-click on the item and choose **Copy**.
- 3. Open the bin where you want to paste the item.
- 4. Right-click and choose Paste.

Moving a clip or sequence

You can move clips or sequences from one bin to another.

- 1. Choose **View | Bins** to open a second Bin window.
- 2. In the second Bin window, navigate to the destination bin.
- 3. Drag the sequence or clip from the first Bin window to the second.

Renaming bins and media files

You can change the name of any bin, clip or sequence.

- 1. Select the item you want to rename.
- 2. Choose Edit | Rename.

You can also press **Shift + R** on the keyboard or right-click on the item and choose **Rename**.

3. Enter the new name of the item and press **Enter**.

Deleting clips and sequences

46

You can delete unused clips or sequences you no longer need. However, you cannot delete files if they are being used in any existing sequences or subclips.

- 1. Select the clip or sequence you want to remove. Hold down the **Ctrl** key to select multiple items.
- 2. Press **Delete** on the keyboard.

A dialog box prompts you to confirm the deletion.

3. Click **Yes** to delete the file.

Changing master clip properties

You can change the video aspect of a master clip, add a description and keywords, and view file information.

- 1. Highlight the clip in the Bin, right-click and select **Properties**.
 - The Master Clip Properties window appears.
- 2. Add a description for the clip, or add keywords that can be used to search for this file.
- 3. Select the video aspect for the clip: 4:3 or 16:9.
- 4. Click OK.

SmartBins

Understanding SmartBins

Using Aurora Edit in shared mode, you can automatically update clips, map folders, or automatically import files from a Media Server to one of your bins, known as SmartBins.

Aurora Edit monitors the server folder specified and automatically updates the SmartBin when new clips or updated feeds appear. You don't need to go into the server directory and copy the media into your Aurora Edit bin in order to use it for editing.

Creating a Transfer SmartBin

The Transfer SmartBin sets up automatic clip transferring from a Media Server to an Aurora Edit Bin.

- 1. Click the New Bin button on the Bin toolbar.
- 2. In the SmartBin Type drop-down list, select Transfer SmartBin.
- 3. Click **Browse** to the right of the Server Path field.
 - The Select Server Bin window appears.
- 4. If you are using a Network attached Storage server, enter the name of the server and click **Connect**.

You only need to enter the name of the server the first time you connect; the server connects automatically once you've set it up.

5. Select the bin to monitor and click **OK**.

The Server Path fills in with the selected Bin and the Enable SmartBin checkbox gets checked.

6. Click **OK** to create the SmartBin.

Aurora Edit now monitors the Media Server folder and automatically adds new media to this bin.

Creating a Shared SmartBin

Shared SmartBins set up a link for an Aurora Edit bin to monitor a folder on the media server.

Media is not moved between the server and bin; instead, media is mapped into the two directory structures — a process known as "mirroring".

- 1. Click the New Bin button on the Bin toolbar.
- 2. In the SmartBin Type drop-down list, select **Shared SmartBin**.
- 3. Click **Browse** to the right of the Server Path field.

The Select Server Bin window appears.

- 4. Select the bin to map with and click **OK**.
- 5. Click **OK** to create the SmartBin.

Once the mapping association is made, the SmartBin Service automatically keeps the bins synchronized.

Creating a Media Import SmartBin

Media Import SmartBins allow you to automatically import QuickTime DV25 and DV50 .mov files into Aurora Edit.

This allows you to use Apple's Final Cut Pro video editing application, within a NAS environment, to create news or sports footage and then import it into Aurora Edit. Once set up, whenever you export a file into the source folder, it is automatically imported into the Aurora Edit Bin. You can then use it in a sequence.

- 1. Click the New Bin button on the Bin toolbar.
- 2. In the SmartBin Type drop-down list, select Media Import SmartBin.
- 3. Click **Browse** to the right of the Server Path field.

The Browse For Folder window appears.

4. Select the folder to monitor and click **OK**.

The Server Path fills in with the folder location.

5. Click **OK** to create the SmartBin.

Aurora Edit now monitors the Media Import folder and imports new media to this bin automatically.

Chapter 3

Using MediaFrame to manage media

This section contains the following topics:

- Understanding MediaFrame
- Searching for media
- Using Explore to bookmark locations
- Using Collections to categorize clips
- Using metadata to define clips

21 November 2008 Aurora Edit LD User Guide

49

Understanding MediaFrame

MediaFrame is an Aurora Edit plug-in that provides a variety of tools for organizing, managing, and searching media clips.

The MediaFrame plug-in allows Aurora Edit to incorporate some key Aurora Browse asset management functionality within the editor itself. This includes enhanced search capabilities within the bin, scene detection for sources, links to lo-res assets, and metadata entry even in environments that do not have lo-res media.

MediaFrame is configured from Tools | Options | General. It includes a field for the MediaFrame server name or IP, and a checkbox to enable or disable MediaFrame functionality without clearing the field.

Aurora Edit consumes a Browse license when MediaFrame is enabled, so the number of available licenses must be considered when configuring the system.

Once configured, the application presents a number of different touch points in the MediaFrame plug-in architecture:

- Bin—MediaFrame adds the Search, Explore, and Collections tools to the bin.
- Clip Source—MediaFrame provides access to the general, custom, and keyword/keyframe metadata fields from the clip source as well as the Record to Bin and Trim Tools.

Metadata entry is permissioned through MediaFrame/Aurora Browse roles and responsibilities.

- Timeline Storyboard—MediaFrame can display a storyboard in the timeline area to show either scene detection thumbnails or keyword/keyframe thumbnails.
- Sequence Metadata—Sequences are not added to the MediaFrame database until they are linked to placeholders during "Published" sends. Once sent to a publish location, the sequence appears as a searchable asset in the MediaFrame database. In addition, the sequence properties of the published story has a metadata tab for entering additional information.

Note that effects, graphics, Bins, and audio-only files cannot be seen in the MediaFrame database.

Searching for media

Setting search criteria

50

With Aurora Edit and MediaFrame, you can specify various criteria on which to search for media.

1. In the Bin toolbar, click the Search button.

- 2. Enter search criteria in one of these two fields:
 - All or part of the asset name
 - A word or phrase in the asset metadata
- 3. Select how many results to view by clicking the **Limit results to** drop-down box and choosing 50, 100 or 500 assets.
- 4. Click Search.

Search results display in the lower pane of the Bin.

Tips for using search criteria

You can use a variety of methods to define your media search.

To search	Follow these steps
For logical assets	In the Asset Navigator view, under Advanced settings, select the Search in drop-down field. Specify the MediaFrame database and press the Search button. MediaFrame database searches return logical assets that contain metadata and links to any physical assets including high-resolution media and proxy video.
For physical assets	In the Asset Navigator view, under Advanced settings, select the Search in drop-down field. Specify the MDI device and press the Search button. MDI device searches return physical assets. If a red X is displayed against the MDI, the system is communicating with the MDI but the MDI is experiencing a problem. A red dot indicates there is no communication with the MDI, and a green dot indicates the server is communicating with the MDI.
Using text or numbers in the asset name	Enter the search criteria in the Asset Name text field and press the Search button.
	Notes: Do not use wildcards or quotation marks in the Asset Name text field. Do not enter more than one word unless you are searching for an exact match of the multiple words and spaces.
Using text or numbers in the asset metadata fields	Enter the search criteria in the Asset Metadata text field and press the Search button.
	Notes: You can use wildcards or quotation marks in the Asset Metadata text field. If you enter more than one word or phrase, the OR operator is implied unless you specify otherwise.

To search	Follow these steps
By name	Do not enter more than one word in the Asset Name text field unless you want to find both words exactly as typed with spaces.
	The Asset Name field does not recognize quotation marks
	To search for an asset by name, enter text or numbers in the Asset Name text field and click the Search button.
	Results are returned from assets that contain the search term in the name of the asset, even if it is a fragment of the name.
For an exact phrase	How you search for an exact phrase depends on whether you're entering the search term in the Asset Name or the Asset Metadata text field.
	The Asset Name field does not recognize quotation marks.
	If you search within the Asset Metadata text field, enter the phrase in quotation marks.
	If you search within the Asset Name text field, enter the exact phrase.
With wildcards	Wildcard searches can be performed in the Asset Metadata field. You can only use an asterisk at the end of a term, not in the beginning or middle.
	If you want to search using a beginning fragment of a term, use te wildcard asterisk symbol (*) in the Asset Metadata text field.
	Using an asteris after a term returns any asset that contains the term, followed by a space or by more text, in any of the text fields.
	To search using a fragment that is found in the middle or the end of a word in the asset metadata, add a filter under Advanced Settings instead of using the Asset Name or Asset Metadata text field.
Metadata fields	You can limit your search to specific metadata fields or keywords, such as the asset name, the source ID or a keyword, by using the asset metadata text field and specifying the fields to search.
	Assets are returned if they have the word or phrase in any of the specified metadata fields.
	To search foreign metadata or keywords, you need to select these fields in the Filters drop-down list.

To search	Follow these steps
With Boolean operators	You can search with the following Boolean operators: AND, OR, and AND NOT. If you enter more than one term without a specific Boolean operator, the OR operator is implied.
	To search with Boolean operators, use the Asset Metadata text field.
For numbers	You can search for numbers in three ways:
	To find a number in the asset's name, use the Asset Name text field.
	To find a number in the asset's metadata, use the Asset Metadata text field.
	To find a number only in a specific category, such as a specific Creation Date, Modification Date, etc., create a filter and select the property to search on.
	NOTE: You cannot search for single numbers in the Asset Metadata text field. Any single character, letter or number, is treated like a "noise" word and is ignored. To search for a single number in the metadata, create a filter.
With noise words	Certain "noise" words or characters are automatically ignored in a search in the Asset Metadata text field.
	Examples include:
	Prepositions or articles (such as after, before, the, an, etc.)
	Single characters or numbers (a, z, 0, 9, \$, _, etc.)
	Pronouns (who, him, mine, etc.)
	Common verbs (such as will, said, want, etc.)
	To search for noise words, create a filter containing the word or words you want to search for.

Saving a search

You can create a customized search that searches specifically for particular text or properties.

Searches can be saved globally for universal access, or locally for your access only. Global changes are saved to the server when you close the Aurora Edit application. Other users need to reopen Aurora Edit before they can see the changes.

1. In the Bin, click the Search button.

- 2. Enter your search criteria.
- 3. Click the Add Saved Search button.
- 4. Name the search, and if desired make the search accessible globally.

You cannot give a search the same name as one of the default searches (indicated by a lock icon).

Working with searches

With Aurora Edit and MediaFrame, you can specify how searches are organized and saved.

Icon	Description
Asset Navigator MyGlobalSearch	Displays the name of the current search, if any.
	Saves search criteria, either globally or locally.
×	Deletes the current search.
*	Sets the current search to be the default search.
ប	Resets the default search.
9	Undoes the default search reset.
2	Indicates a search saved locally on a PC.
•	Indicates a search saved globally.
@	Indicates a default search (installed with the application, cannot be modified).

Using filters to refine a search

About searching with filters

54

Using a filter, you can search assets by name, description, or other specific criteria. You can also use a filter if you are searching for a fragment of metadata.

You can also use a filter in conjunction with text in the asset name or asset metadata text fields. If you search using a text field and a filter, only assets that have the search term and meet the specified criteria are returned.

You can create an unlimited number of filters and save them as part of a search. Filters can be used as independent search criteria or together with a text search that uses Boolean operators, fragments of asset names, or other asset metadata.

If more than one filter is defined, an AND operator is implied between them.

When you create a filter, you can add it to your list of favorite filters. This allows you to quickly access the filters.

The favorite filters are only accessible on the PC where they were created, but they are available regardless of which search you are using.

Creating a filter

Filters let you customize your searches so that you can quickly locate specific assets.

1. In the Search window of the Bin, click the double arrow or the plus sign next to **Advanced Settings**.

(Which button is displayed is determined by the length of the Search pane.)

The Advanced Settings dialog box displays.

2. Click the Add Filter icon .

The Add Filter dialog box displays.

- 3. Select the Property and Comparison criteria from the drop-down lists.
- 4. If you want to use this filter frequently, check the Add to Favorites box.

If you want to delete the filter from the Favorites list later, you can select Modify Favorites.

5. Click **OK** to add the newly created filter to the active filter list.

The new filter is displayed in the Filters field.

When you want to use this filter to search for media, click the **Search** button.

Working with filters

If you need to, you can modify the characteristics of a filter or delete one you no longer use.

- To modify a filter:
 - a) Select the filter and click Modify Filter

The Edit Filter window opens.

- b) Make any changes to the filter characteristics.
- c) Click OK.

You can also double-click on a listed filter to open the Edit Filter window.

• To remove a filter, select it and click **Delete**.

Using Explore to bookmark locations

The Explore tool allows you to browse your network and save network locations (servers and folders) as Favorites just as you would in the Windows Explorer. Favorites serve as one-click shortcuts to the locations you use most, and also as destinations onto which you can drag assets to transfer them across the network.

To do this task	Follow these steps
Browse the network	 Navigate the network from the All Locations pane. Select a location from the All Locations pane to view its contents in the Explore pane.
Add a favorite location	 Browse the network in the All Locations pane. Right-click on a server or folder and select Add to Favorites Adds the location to Favorite Locations Personal Favorites Add to Global Favorites Adds the location to Favorite Locations Global Favorites
	You can drag Favorites to reorder them, or right-clik a Favorite and select Move Up or Move Down.
Go to a favorite location	Click on a Personal or Global Favorite in the Favorite Locations pane.
Copy an asset	 Right-click on an asset in the Explore pane and select Copy. Right-click on a Favorite and select Paste.
Transfer (move) an asset	 Drag an asset (clip or folder) from the Explore pane onto a Favorite. The Transfer Options window appears.
	 Select Automatically rename destination "K2 Movie" to rename the asset if an asset with that name exists at the destination. Select Save settings for similar transfers to have subsequent clips being transferred keep these settings.

Using Collections to categorize clips

About Collections

Collections provide a way to sort and organize clips within the Bin for easy access.

You can create collections for yourself or for all users to share, and save them for future use or only until you close the Aurora Edit application.

Name	Description
Private	Saves a collection that only you can access
Shared	Saves a collection that all users may access
Temporary	Creates a temporary collection that is deleted when you exit out of Aurora Edit
Logical	Links to clip content (raw video, sound, images), metadata, and proxy assets (low-res footage)
Physical	Links to clip content (raw video, sound, images) only

Creating a collection

You can create collections to sort and organize clips within the Bin for easy access

1. Click the **New Collection** button.

The New Collection window appears.

- 2. Enter a Collection Name.
- 3. Select a Collection Type:
 - Private Saves a collection that only you can access
 - Shared Saves a collection that all users may access
 - Temporary Creates a collection until you close the Aurora Edit application, then it is deleted
- 4. Select the **Content** type:
 - Logical The collection references clip content (raw video, audio, sound, images), metadata, and proxy assets (low-res footage)
 - Physical The collection references clip content (raw video, audio, sound, images) only
- 5. Click OK.

Modifying Collections

Once a collection is created, you can modify the name of the collection, as well as change the Content type, or delete a collection.

To do this task	Follow these steps
Delete a collection	Select the collection and click Delete Collection
Rename a collection	Select the collection, click on the name, and type a new name
Toggle a collection between private and shared	Right-click on the collection and [de]select Shared With Others
Save a collection	Right-click on the collection and [de]select Saved for Future Sessions

Viewing Collection contents

- Select a collection from the top part of the Bin.
 Its contents are displayed in the bottom part of the Bin.
- 2. Click **Refresh Collection** to refresh the collection content display.

Adding clips to a Collection

58

You can only add clips of the same Content type as the collection group.

- 1. Select the clip(s) you want to add to a collection.
- 2. Choose one of these methods to add clips:
 - Right-click on the clip and select Add to Collection | collection_name .
 - If you need to create a new collection, right-click on the clip and select Add to Collection | New Collection, and add the collection properties in the New Collection window.

To remove a clip from a collection, select the clip from the collection contents and press **Delete**.

Using metadata to define clips

About metadata

Metadata is data about data; it can include keywords, timecode information, and other terms that help you find a particular asset.

Metadata adds descriptive information about media assets. An administrator can create customized, predefined metadata fields to speed selection and avoid errors. You can enter information in custom metadata fields before, during, or after assets are ingested. You can also print metadata.

Once metadata has been entered into the Aurora system, it is searchable and you can use it to locate the specific assets recorded at that time.

The types of metadata featured in Aurora Browse are described in the following table.

Type of metadata	Description
Core	Certain metadata brought in through Aurora Ingest, such as Name, Creation Date, Description Field and Keywords appear in Browse with high-resolution associations. Likewise certain metadata added in Aurora Edit as part of Master Clips and Sequences also get added to Browse environment for a common metadata view. An administrator can customize and expand mapping depending on your workflow requirements.
Custom	Metadata in fields that have been created by an administrator. Custom metadata can include text fields, as well as date, number, or Boolean fields.
Logical asset	Metadata about a logical asset, that is, metadata about the MediaFrame database information, physical asset or assets on the server, and proxy assets.
Physical asset	Metadata about a physical asset, or essence, is metadata about raw program material, such as video or audio.

Adding general information

- 1. Select the Source Tool by pressing 2 on the keyboard or clicking the Source Tool button.
- 2. Click the View Metadata button.

The metadata tabs open in the dynamic tool area.

3. Enter information about the clip:

Description
The still image of the frame that the general metadata describes. To change the thumbnail, right click on the image.
The asset name. If the asset has been located using Search, the name is highlighted.
The name of the advanced encoder that encoded the proxy.
Enter an expiration date If the date field is not defined, click the drop-down arrow to bring up a calendar and select a date. If a date has already been entered, you can modify it by typing a new date in the Expires field. Check the hold box if you don't want the asset to expire. The asset cannot be deleted until the hold box is unchecked. The duration indicates the length of the asset.
Click in the Description text field to enter text, if desired. If you press Enter after adding a description, you will see [] symbols immediately after the word in the Description column of the Asset list.
Additional search information.
Refresh the metadata.
Print the general metadata.
Undo the metadata change.
Redo the metadata change.

Using keywords to define clips

Adding keywords

Keywords reference a specific timecode location in the media file; they provide a powerful way to find specific assets.

- 1. Create an In point by playing the footage and clicking Mark In at the starting point for the keyword.
- 2. Create an Out point by clicking Mark Out at the end point for the keyword.
- 3. If you are not in the Source Tool, press 2 on the keyboard or click Source Tool.
- 4. Click the View Metadata button.
- 5. Select the **Keywords** tab.
- 6. Click the Keyword drop-down list and select **Add Keyword**.

The new keyword displays.

7. To change the name of the keyword, double-click on the default keyword name, enter the new name, and click off of the keyword.

The keyword is added to the list.

Adding auto-mark keywords

You can define how newly created keywords or keyframes are named using the Keyword Options dialog box.

- Select the Source Tool by pressing 2 on the keyboard or clicking the Source
 Tool button.
- 2. Click the View Metadata button.

The metadata tabs open in the dynamic tool area.

3. Click the **Keyword Options** icon, next to the Mark In and Mark Out fields.

The Keyword Options dialog box displays.

4. To automatically generate keyword names, check the Auto-Generate keyword names box and fill in the text field.

Once the option is checked, keywords are created using the defined naming rule. (Optionally, you can use "%" to specify where the numbering will be placed.) If the option is not checked, the default keyword name, keyword, is used with an incremental suffix.

5. Click OK.

Deleting keywords

You can delete keywords you no longer wish to use.

Deleting the material between the Mark In and Mark Out points does not delete the keyword. Instead, it moves the keyword's Mark points to the asset's original timecodes.

Adding keyframes

A keyframe is a zero-length keyword.

Rather than being created from the currently selected mark-in and mark-out points, a keyframe is created at the clip player's current play position. Selecting a keyframe moves the clip player's current position to that location, but it doesn't modify the mark-in or mark-out points.

- Use one of these methods to create a keyframe:
 - Press the **Insert** key on the keyboard.
 - On the Keywords tab, click on the arrow next to the Add Keyword button and select Add Keyframe.

The keyframe displays as a notch, similar to a storyboard marker.

Working with keywords

In the Keyword tab of the metadata area, you can add keywords or keyframes and manage your keywords.

Field or Button	r Button Description		
8	Add a keyword		
<i>₽</i>	Add a keyframe		
Ø	Auto-mark keywords		
47	Reassign keyword marks		
	Create a subclip for the selected keyword footage		
×	Delete selected keyword(s)		
a	Refresh the keywords in the list		
	Print the clip metadata		
9	Undo the last metadata change		
C ²	Redo the last metadata change		

Managing custom metadata fields

62

If you have MediaManager privileges, you can add, edit, or delete custom metadata fields.

- Select the Source Tool by pressing 2 on the keyboard or clicking the Source
 Tool button.
- 2. Click the View Metadata button.
- 3. In the Custom tab, click the Manage Fields Manage Fields... icon

The Edit Custom Metadata Fields dialog box displays.

4. Click Add in the Fields list.

The Add Custom Metadata field displays.

5. Enter the Name of the new field.

The name displays in the Custom tab of the metadata section of the Source Tool.

6. Select the Type of field you want to add.

Field types can be text that a user fills in or a list of options.

7. Click **OK**.

The new field is added to the Field list.

8. Click **Close** to exit out of the window.

Using custom metadata fields

Custom fields allow you to enter additional asset metadata such as names, air dates, or source locations.

An administrator can create custom metadata fields.

- 1. Select the Source Tool by pressing 2 on the keyboard or clicking the Source Tool button.
- 2. Click the View Metadata button.
- 3. Click the **Custom** tab.
- 4. Add values to the custom fields by one of the following methods:
 - Select a choice from a drop-down list
 - Type the data into the field
 - If the custom field is a date field, click in the date area and then pick the correct date on the calendar

The field data is associated with the asset.

Printing metadata

You can print the metadata for a clip from all three metadata tabs: General, Keywords, or Custom.

Using MediaFrame to manage media

64

• Click Print from any of the metadata tabs.

Chapter 4

Acquiring media

This section contains the following topics:

- Using clips stored in the Bin
- Using a clip source

21 November 2008 Aurora Edit LD User Guide

65

Using clips stored in the Bin

If you have clips in the Bin before starting a sequence, you can bring them onto the Timeline and use them in a new sequence.

You can be in any of the Aurora Edit tools to load clips from the Bin onto the Timeline.

- 1. Navigate through the Bin until you find the clip you want.
- 2. Double-click the clip to load it into the Timeline.

The clip loads into the clip source of the Timeline.

Using a clip source

You can load any clip from your Bin into the Source Tool, which effectively treats the clip like a live source such as a tape deck.

- 1. Drag the clip into the viewer or press **Shift + C** to load the clip.
- 2. Edit the footage to the Timeline as you would a tape deck.

Chapter **5**

Preparing to edit

This section contains the following topics:

- Creating a new sequence
- Selecting and deselecting tracks
- About editing modes
- Naming source tapes
- Routing audio tracks
- Using variable speed record
- Selecting your source
- Linking to an existing news or sports story
- Using the Assignment List Manager

21 November 2008 Aurora Edit LD User Guide

67


Creating a new sequence

Aurora Edit uses sequences to create your news story; video clips, audio, and effects are all part of your sequence.

The new sequence must be inside a bin in order for you to use it.

1. Click the **Sequence** button on the Bin contents toolbar.

The Sequence Properties window appears:



- 2. Enter a name for the sequence (or use the one Aurora Edit assigns).
- 3. Enter a Description and Keywords for the sequence (optional).

You can use keywords to search for a specific sequence in your bin.

- 4. To use a Start Time other than 00:00:00, enter another time.
- 5. Select the number of Video and Audio Tracks to use for this sequence.

Audio Tracks refers to the number of tracks in the Timeline for mixing, not the number of output tracks.

6. Check the Graphics Track checkbox if you will be adding graphics to this sequence and the Video Effects Track checkbox if you will be adding video effects.

7. Check **Allow Mixed Formats** if you want to mix and match video formats in real time within the same Timeline.

This checkbox is active only when **Allow Mixed Format Timeline** is enabled in **Tools | Options | Timeline**. In addition, all clips that differ from the video format of the Timeline need to be transcoded when the completed sequence is sent to a destination.

8. Click OK.

The new sequence appears in your Bin and the Timeline opens.

You are now ready to add footage to the Timeline.

Changing sequence properties

After creating a sequence, you can change any of the sequence properties as needed.

- 1. If the sequence is open in the Timeline, click the **Properties** button in the Timeline toolbar. If you are in the Bin, right-click on a sequence and choose **Properties**.
- 2. Make any necessary changes.
- 3. Click **OK** to save your changes.


Selecting and deselecting tracks

You can select which tracks you want to record to in the Timeline.

Aurora Edit lets you work with two video tracks and up to eight audio tracks. You can edit from any source audio track onto any record track in the Timeline.

• Click once in the track indicator on the Timeline for each track you want to select or deselect.

Selected track buttons are blue; deselected tracks are light gray.



About editing modes

The Timeline has three editing modes — Overwrite mode (the default), Splice mode, and Fit to Fill, a special mode for creating motion effect clips.

For the first edit and for adding one clip after another, you can use either Overwrite or Splice mode. The difference between these modes is important when you revise and fine tune your sequence, as described in the table below.

Once you use these modes to edit clips to the sequence in your Timeline, you can move clips forward or backward within the sequence or use the Trim tool to trim transitions or to produce split edits.

The Aurora Edit editing modes are:

Tool	Icon	Keyboard Key	Description
Overwrite	2	F9	Replaces existing sections of a sequence with new material, leaving the sequence duration unchanged. Similar to an insert edit in a tape-based system.
Splice	7,	F10	Splices a clip between two existing clips in the Timeline by moving the two clips apart and inserting the new clip between. All clips after the edit point move downstream and lengthen the sequence.
Fit To Fill	1	F11	Fits a clip into a duration you specify in the Timeline.

Naming source tapes

You can identify which Source tape source video material comes from using Tape ID.

Tape ID lets you add a name for the Source tape before recording; you can view the tape name in the Properties tab for the clip.

- Enable Tape ID by choosing Tools | Options | General and clicking Use Tape ID for Capture.
- 2. Press 2 on your keyboard or click the Source Tool button.
- 3. Click the **Tape ID** button; the Tape ID window appears.
- 4. Enter a name for the tape and click **OK**.

You can view the Tape ID by highlighting the clip in the Bin, right-clicking and selecting **Properties**.


Routing audio tracks

70

You can edit audio from any source track onto any record track in the Timeline.

You can work with up to eight audio tracks in the Timeline, though you can record only four tracks per clip. If you have two audio inputs, you may need to assign a different track to your audio source.

- 1. Press **2** on the keyboard or click **Source Tool** to select the Source Tool.
- 2. Click the **Timeline Track** box for the Audio Input channel you need to reassign.



3. Select the new audio track location from the drop-down list.

Using variable speed record

Aurora Edit lets you take advantage of the Dynamic Motion Control on most tape decks and create a slow-motion or fast-motion record on the fly.

In the Source Tool, you set the speed in percentages and click them when you want a change in speed. The default speeds are 75%, 50%, and 0, which you use to create a freeze frame. Variable speed record also works with clip sources.

- 1. Press **2** on the keyboard or click Source Tool to select the Source Tool.
- 2. Click **Enable variable speed controls**.

The percentage windows become active.

3. Choose one of the three default speeds or enter a new percentage.

You can enter positive or negative numbers, as your deck allows.

4. Press **F12** to record your clip.

The clip records to the Timeline with the speed you chose.

NOTE: If you are using a deck source, you can change the speed while recording the clip by clicking one of the other percentage fields.

Selecting your source

You can select your input source from the equipment that has been set up in your working environment. Sources can include tape decks, feeds, or routers.

- 1. Press **2** to select the Source Tool.
- 2. Select a source from the drop-down menu.

The image in the viewing monitor changes to reflect the new source.

Using a clip source

You can load any clip from your Bin into the Source Tool, which effectively treats the clip like a live source such as a tape deck.

- 1. Drag the clip into the viewer or press **Shift + C** to load the clip.
- 2. Edit the footage to the Timeline as you would a tape deck.

Changing sources

You can connect and configure a variety of video and audio sources as input devices to Aurora Edit.

You can also configure a non-remote source, such as a microphone or a router, as an input source and specify the tracks to select when using that input source.

- 1. Press **2** to select the Source Tool.
- 2. Select a source from the drop-down menu.

The image in the viewing monitor changes to reflect the new source.

Using auxiliary input

72

You can connect an auxiliary source as an input for creating sequences, which is helpful if you are using an A-B switch for controlling your sources.

When you enable auxiliary input, Aurora Edit disables deck control from the Timeline and your keyboard so you can use the device's external controls.

- 1. Press **2** to select the Source Tool.
- 2. Click the **G** Use Aux Input button.

The deck controls on Aurora Edit gray out; you can use the external controls of the auxiliary device.

Linking to an existing news or sports story

Aurora Edit can link to scripts on iNEWS, Octopus, and AP/ENPS Newsroom computer systems, which you can use as an aid for creating your sequence.


You can link to a news or sports story when you create a new sequence, as described below, by opening Sequence Properties and clicking the Link to Story icon.

1. Click the 🚡 New Sequence button in the Bin contents toolbar.

You can also link to an existing sequence by opening the sequence and clicking the Story View button in the main toolbar.

2. Click M Link to Story.

The Assignment List window appears, displaying available stories.




- 3. In the Rundown View in the left portion of the Assignment List window, expand the desired rundown by clicking the + icon.
- 4. In the Rundown View, click on the name of the story you want to work on.

The list of available placeholders displays in the right portion of the Assignment List window.

5. If more than one placeholder displays, select the placeholder to which you want to link.

If you know the name of the placeholder to which you want to link, you can type the first character and the active bar automatically moves to the placeholders that starts with that character. Type a few characters of the placeholder name to get to the specific placeholder and click OK.

6. Click **OK**; the Sequence Properties window appears with the name and ID filled in.



7. Click **OK** again; the Timeline opens.

Once a story is linked to a placeholder, the row color for the selected story changes to reflect that the story is being edited. The various row colors represent:

- green = playing
- blue = standing by
- yellow = stopped
- red = not ready

74

Story View functions

Item	Icon	Function
Read Rate	19	Displays the current Read Rate in characters per second.
		Click the arrow to select a specific script reader's (newscaster's) reading speed.
		Click Reset to return to the default reading rate.
		Click Off to turn off the Read Rate function.
Refresh Mode		Selects one of two script refresh modes:
	2 -	 Automatic: Any script change on the NCS side automatically updates the script in the Story View window. This is the default setting. Manual: Script changes onthe NCS side are
		not reflected in the Story View window. You must click Refresh Script to update the window with the most recent script changes.
		The Refresh Script icon flashes yellow for 30 seconds, and then remains yellow to indicate that an updated script is available. Click Refresh Script to load the latest script and revert the icon to green.
Refresh Script	€ •	Refreshes the Story View with any script changes made on the NCS side. If the script is updated on the NCS while in Manual mode, the Refresh Script icon flashes yellow for 30 seconds and then remains yellow to indicate that an updated script is available. Click Refresh Script to load the updated script and revert the Refresh Script icon to green.
Media Object Server (MOS) Object		Toggles the MOS Object Display function on and off.
Display Toggle		When on, an icon marks where placeholders have been put in the script. When off, the placeholder icons disappear from the screen.
Production Command Toggle	[1]	Toggles the production command (e.g., wipe, package, out cue, anchor, etc.) display column on and off.
Link Sequence to Story	<u></u>	Links a sequence to a particular story.

Adjusting the read count in Story View

Aurora Edit allows you to manually modify the Story View read count to match your timeline.

1. Click **Story View** in the Main Toolbar.

The Story View window opens.

- 2. Double-click on the read count number that you want to change.
- 3. Type a new value that indicates the number of seconds into the script, then click **Enter**. For example, if you wanted to insert a 20 second SOT 6 seconds into the script, you could enter 26.

A gap appears in the read count.

Read count adjustments will be reset if you close the Story View window or choose **Reset** from the read rate dropdown list.


When you play a sequence, the Timeline position cursor moves, and the blue highlight in the Story View window moves in concert to match the current Timeline position.

Using the Assignment List Manager

The Assignment List Manager is for editors to receive assignments from the producer, to create additional placeholders for clips, and to reassign placeholders to other editors.

The embedded Assignment List Manager runs on the Aurora Edit workstation and integrates with Aurora Edit; the Aurora Edit toolbar displays part of the Assignment List Manager so you can see the number of assignments you've received.

 In Aurora Edit, double-click the Missing box to open the Assignment List Manager window:



The list of assignments shows each clip/placeholder and its properties:

Column	Description
S	The clip status: displays OK if a clip has been completed, sent to the media server, and is ready for playback. Status is blank if a clip is incomplete and not ready for playback.
Clip Name	The name of the clip/placeholder.
Duration	The duration of the clip when the placeholder was created. This estimated value will be changed later when media is associated with the placeholder. A duration displayed in italics in the Assignment List indicates that the Editorial Duration property has been set to be different than the actual duration of the clip.
Status	MOS status: matches the NCS status. Includes READY/NOT READY, PLAYED, etc.
Category	The category assigned to the clip; you can assign categories based on the editor to receive the assignment, for instance.
Туре	The type of story or sequence an editor needs to create: Voice Over (VO), Sound on Tape (SOT), or other types set in SDB Server Options.
Description	Brief description of the clip an editor needs to create.
Clip ID	The clip ID, which is automatically defined when the placeholder is created.
Date	The date the placeholder was created.

Column	Description
	Protected status; displays P if the clip is protected, which prevents it from being erased or deleted from the database. Column is blank if the clip is unprotected.

Once a story is linked to a placeholder, the row color for the selected story changes to reflect that the story is being edited. The various row colors represent:

- green = playing
- blue = standing by
- yellow = stopped
- red = not ready

Editing and Aurora Playout

News editors use the Assignment List Manager component of Aurora Playout to receive assignments from the producer and return completed assignments.

Producers create those assignments as clip placeholders for use in an upcoming news broadcast. You create clips in Aurora Edit and link them to the placeholders in the Assignment List Manager.

The Assignment List Manager runs on the computer with the Aurora Edit editing system. Editors create clips and sequences in Aurora Edit as usual and send them to a media server. A playlist is received from the NCS or a playback operator uses the clips in Aurora Playout to create a playlist, and then controls the playback of clips to air.

With MediaFrame integration, you can add general metadata, keywords and custom metadata on a placeholder. Once the metadata is added, it will be searchable and editable throughout all MediaFrame clients.

Creating placeholders in the Assignment List

In addition to the assignments you receive from your producer, you can create additional placeholders for clips you want to include in a broadcast.

1. Click the 🛅 New Clip button.

The New Clip Entry window appears with Settings tab and Metadata tab (if MediaFrame is configured):

2. Enter a clip name.

78

The placeholder name identifies the placeholder in your Assignment List Manager, the Assignment List Plug-in on the ENPS system, and the Aurora Playout playlist.

3. Optionally, enter additional information about the placeholder:

- Story Type— If desired, specify whether this is a SOT (story on tape), VO (voice over), etc.
- **Description** Enter a description for the placeholder to help identify the clip you need to create.
- Category Select a category from the drop-down menu. The category
 determines who receives the placeholder as an assignment. Selecting ALL makes
 the placeholder accessible to all editors who select ALL in their Assignment List
 Manager.
- Editorial Duration If desired, enter an estimated duration for the story or select one from the drop-down list. The editor can also enter an editorial duration that is less than the clip length, which is sent back to the NCS for show timing.

NOTE: Editorial Duration has the priority over media duration. Once an Editorial Duration is set; it will not be adjusted to clip duration, even after media is associated with the placeholder. The editor needs to set the final Editorial Duration before the clip is sent for playback.

- **Protected** Check this box to prevent the clip from being deleted from the database.
- Being Edited Check this box to show that the clip for a placeholder is being
 edited. This field allows editors to easily see that a clip is already being worked
 on in another edit room.

NOTE: This field allows users to easily determine that a clip is already being worked on. When checked, these areas designate that the clip is Being Edited: the clip in the Aurora Playout playlist and in the Assignment List Manager changes color, and the text for the clip in the standalone Assignment List Manager changes color.

- 4. If you already configured MediaFrame for use with Aurora Playout, you can enter metadata for the placeholder in the Metadata tab.
 - Name The name of the clip will be the same as the one that you entered in the Settings tab.
 - **Source** Enter the source of the clip.
 - **Expires** Select the expiry date for the placeholder. If no expiry date is needed, you can leave it as the default setting: Not Defined.
 - **Description** The description will be the same as the one that you entered in the Settings tab.
 - **Search Terms** Enter the search term for the clip so that it will be easy to find when you search for it using MediaFrame Search component later.

You can also enter metadata within Keywords tab, which referenced a specific timecode location in the media file. This is done by selecting mark-in/out points on the clip and inserting a keyword for that segment.

Within the Custom tab, you can enter additional asset metadata such as editor, videographer, location and any other fields that had been listed. If you have the Administrator privileges, you can add, edit, or delete custom metadata fields.

5. Click OK.

The Clip ID and Date are automatically set when you create the placeholder.

Viewing by category in the Assignment List

In the Assignment List Manager, you can choose to view assignments within a selected category or all of the assignments in the list.

Select a category from the **Category** drop-down list.



The list displays only the placeholders and clips in that category.

Select All to view all assignment placeholders again.

Changing the clip category in the Assignment List

If you need to, you can change a clip or placeholder category in the Assignment List Manager.

- 1. Right-click on the placeholder and select View Properties.
- 2. Select a new editor, workstation name, or other category from the **Category** list.



3. Click **OK**.

The placeholder appears on the edit workstation when that particular category is selected.

Identifying missing clips

80

In the Assignment List Manager, you can filter the list of clips to show only missing clips.

Click the Missing Clips Only button.

Only placeholders with missing clips will be shown on the Assignment List Manager.

Click the button again to show the entire clip list.

Deleting placeholders in the Assignment List

If you need to, you can delete placeholders from the Assignment List Manager.

However, deleting items using the Assignment List Manager only deletes the placeholder, not the corresponding media. For this reason, you should only delete empty placeholders from the Assignment List Manager and use Housekeeper for deleting clips.

- 1. Select the placeholder that you want to delete and click the **X** Delete button.
- 2. Click **Yes** to answer the question, "Permanently delete selected placeholder(s)?"

The placeholder is deleted from the Assignment List.

Chapter 6

Working in the Timeline

This section contains the following topics:

- Understanding Aurora Edit's Agile Timeline
- Mark Points
- Setting up a split edit
- Controlling a deck from Aurora Edit
- Zooming in on a clip source
- Changing the Timeline view manually
- *Using Auto-Scale to adjust the Timeline view automatically*
- Toggling tracks on the fly
- Moving clips
- Using Quick Edit mode
- Creating your clips
- Playing a sequence
- Saving a sequence
- Splitting clips
- Lifting clips
- Deleting clips
- Saving the Timeline track configuration

21 November 2008 Aurora Edit LD User Guide

83

Understanding Aurora Edit's Agile Timeline

Aurora Edit allows you to mix and match video formats in real-time within the same Timeline.

Administrators can enable mixed-format (Agile) Timelines from Tools | Options | Timeline by checking the **Allow Mixed Format Timeline** checkbox. When this setting is enabled, users are given the option to enable mixed formats when creating a Timeline.

While Aurora Edit allows this real-time mixing and matching of formats within a Timeline, all clips that differ from the Timeline's default video format must be transcoded when sent to a media or playout server. With this in mind, editors may choose to enable or disable mixed-formats on a per-Timeline basis, depending upon their needs. This feature can be configured from the New Sequence or Sequence Properties window.

When disabled, clips that don't match a Timeline's format are transcoded when they are added to the Timeline. When enabled, clips that differ from the Timeline format appear with a blue bar above the clip to indicate that transcoding will take place when the sequence is sent.

Clips on a Timeline cannot be transcoded by selecting **Render All**; these clips remain unrendered until the sequence is sent. You can, however, manually transcode a clip by right-clicking on it and choosing **Render Selected**.

If not transcoded prior to sending, Aurora Edit transcodes them automatically when they are sent via either the local editing machine or a Conform Server.

Note that NTSC and PAL formats cannot be mixed on the Timeline.


Mark Points

About Mark Points

You can set the Mark Points using the Mark In and Mark Out buttons in either the Timeline Tool or the Source Tool.

The steps to create a mark point are the same regardless of which tool you are using, but you will be setting different mark points in the two tools. In the Timeline Tool, you are setting mark points for your sequence; in the Source Tool, you are setting mark points for the input source.

When you make the first edit in a sequence, you can mark In and Out points (optional). If you don't set a Mark In point, recording starts at the current position of the cursor. If you don't set a Mark Out, Aurora Edit creates an Out when you stop recording and the clip is edited into the Timeline. The Timeline automatically moves the cursor to the end of each edit in preparation for the next edit.



Marking In and Out Points

You create mark points to determine which material to record for your sequence.

- 1. Move to the Mark In or Mark Out point in any of the following ways:
 - Click the point on the Timeline where you want to place the points.
 - Press the A, S, D, or F keys on the keyboard to jog through clips in 1-frame or 10-frame increments.
 - Press **G** to move back to the previous cutpoint.
 - Press **H** to move forward to the next cutpoint.
- 2. Press I on the keyboard to Mark In and press **O** to Mark Out.

Setting up a split edit

Aurora Edit lets you set In and Out points to create a pre-defined split edit from the Timeline Tool.

To delay one of the tracks at the beginning of a clip, set different In points for the video and audio, with one starting after the other. You can also extend one track after the other at the end of a clip.

If your clips are already recorded to the Timeline, you can create a split edit using the Cut Point Edit Tool or by extending the edit.

- 1. Press 1 on the keyboard or click \ Timeline Tool to select the Timeline Tool.
- 2. Press I on the keyboard to mark an In point for the video track.
- 3. Click the Show Audio Marks button.

Blue icons indicate audio mark in and out points.

4. Select a Mark In Point for the audio track.

The duration of the split appears in the Duration field.

5. Record your clip.

Controlling a deck from Aurora Edit

If you are using a tape deck, you can control it from the Aurora Edit window or keyboard. Aurora Edit provides transport control buttons like those on a tape deck, which control the Timeline, clip source, and Deck.

Use these controls to locate the material you want to record as a clip. Then use the marking controls to mark the clip or use the transport control buttons on your deck to locate your Mark In and Mark Out points.

1. Use any of these controls to locate the material you want to record as a clip:

Button	Function
<u> </u>	Ejects the tape.
≪(Rewinds the tape.
	Plays the tape.
₽	Fast forwards the tape.
	Stops the tape.
	Moves through the tape (drag the shuttle forward or backward).
-1	Jogs one frame back.
-10	Jogs 10 frames back.
+1	Jogs one frame forward.
+10	Jogs 10 frames forward.
-	Shuttles left in increments of -50%, -75%, -1x, -2x, -3x.
→	Shuttles right in increments of +50%, +75%, +1x, +2x, +3x.
†	Resets shuttle speed to the default (200%); to change the default speed select Tools Options Timeline Default Play Speed and enter the new speed.
 	Selects previous shuttle speed.

- 2. Create mark points using one of the following methods:
 - Use the marking controls to mark the clip
 - Use the transport control buttons on your deck to locate your Mark In and Mark Out points

Zooming in on a clip source

Aurora Edit lets you zoom in on a portion of a clip in order to provide better scrubbing and marking capability.

When a clip is opened in the Trim Tool or Clip Source Tool, you see a scrubber bar with a zoom knob to the right.

The parts of the player are:

- Clip timeline—This bar displays the current position of the clip and the mark in and mark out points.
- Keyword bar—This bar shows a visual indication of keywords or keyframes that have been added through MediaFrame components in the news workflow.
- Zoom indication bar—This bar shows a visual representation of the current ratio of the clip timeline versus the overall clip duration.
- Zoom dial—This control changes the zoom level of a clip, using standard zoom levels of 15 minutes, 5 minutes, 1 minute, 30 seconds, etc.



Tips for using the zoom controls

Aurora Edit provides you with multiple methods for using the zoom controls when viewing media.

There are a few ways to zoom in on media in the viewing window:

- The fastest way to zoom is to hover over the clip timeline, hold the CTRL key
 down, then move the mouse wheel forwards or backwards. You can also move the
 mouse wheel forward and backward without holding the CTRL key, which moves
 the position of the pointer, thus increasing the speed when used in conjunction with
 the CTRL zoom.
- Another way to zoom is to hover over the zoom dial and move the mouse wheel forwards or backwards.
- You can also zoom by manually moving it. Click the zoom dial with your mouse and drag the zoom dial clockwise or counterwise. It's best to hold the mouse and pull away from the dial as you move, providing greater granularity.


Once a clip has been zoomed in, the zoom indication bar provides you with a visual representation of the zoom percentage. You can select and drag this bar through the entire clip. This works as a zoom window that can be placed wherever you like within a clip. Once stopped, you can easily access the clip timeline scrubber above and move easily within the zoom window.

Changing the Timeline view manually

You can zoom in and out of the Timeline to see a specific area of the Timeline or to get an overall perspective of your sequence.

Use one of these methods to change the Timeline view:

• Right-click the natural Turn Auto-Scale On/Off button and select an increment for the Timeline view to display



Press + on your keyboard or click the Zoom In button in the Timeline Toolbar to zoom in the Timeline view. Press - or click the Zoom Out to zoom out the Timeline view.

Using Auto-Scale to adjust the Timeline view automatically

Use Auto Scale to have the Timeline view adjust automatically when your sequence extends beyond the Timeline view.

• Click the Turn Auto-Scale On/Off button in the Timeline.

The Timeline view compresses and displays the entire sequence in the Timeline each time the sequence extends beyond the Timeline window.

To turn off Auto-Scale, click Turn Auto-Scale On/Off again.


NOTE: Auto-Scale turns off automatically once you click . Zoom In or . Zoom Out on the Timeline toolbar.

Toggling tracks on the fly

While you are editing in the Timeline, you can select and deselect tracks at the same time you add clips.

• Click once in the track indicator on the Timeline for each track you want to select or deselect.

Selected track buttons are blue; deselected tracks are light gray.



Moving clips

90

Moving clips in the Timeline

You can rearrange your clips in the Timeline by dragging clips to a new location or using keyboard keys to move your clips.

When you move clips in the Timeline, the result differs slightly based on the current edit mode. If you are in Overwrite Edit Mode, a moved clip covers other clips. If you are in Splice Edit Mode, a moved clip pushes other clips out.

- 1. Press 1 on your keyboard or click \ Timeline Tool to choose the Timeline Tool.
- 2. Click once on the clip in the Timeline you want to move.

An outline appears around the clip you selected.

3. Drag the clip to its new location.

You can also use the following keyboard keys to move clips:

Keyboard Keys	Function
Numberpad 4	Moves the selected clip one frame to the left on the Timeline.
Numberpad 6	Moves the selected clip one frame to the right on the Timeline.
Ctrl + Numberpad 4	Moves the selected clip 10 frames to the left on the Timeline.
Ctrl + Numberpad 6	Moves the selected clip 10 frames to the left n the Timeline.
Z	Moves the selected clip to the previous cut point.
X	Moves the selected clip to the next cut point.

Moving audio clips

You can move an audio clip to any of the eight Aurora Edit audio tracks.

• Drag the audio clip to the desired track.

Copying clips to the Timeline

You can copy clips from the Bin or another sequence to the Timeline for use in a sequence.

Use one of the following methods to copy selected clips to the Timeline:

- When the video source is active in the viewer, click the Copy To Timeline button
- Press **C** on the keyboard
- Drag the clip from the Bin to the Timeline
- Right-click on the clip in the Bin and select Copy To Timeline

Copying and pasting clips

In the Timeline, you can copy and paste items, such as video and audio clips, graphics, effects, and transitions.

- 1. Use one of these methods to select the item(s) to copy or delete:
 - Click once on the clip or track in the Timeline
 - Lasso the area in the Timeline
 - Mark an In and Out point
- 2. Right-click in the Timeline (with the item selected) and select an action:
 - Delete Selected
 - Lift Selected
 - Copy Selected
 - Cut Selected
- 3. If you are pasting a clip or area, place your cursor on the Timeline at the location where you want to copy the material, right-click again and select **Paste Selected** or **Paste Track**.

Copying a selected area of a sequence

In addition to copying clips in your sequence, you can also copy a selected area of a sequence to copy or delete.

Remove any mark points from your sequence before pasting material; Aurora Edit pastes material at the Mark Out point.

- 1. Mark an In Point at the start of the material to move.
- 2. Mark an Out Point at the end of the material.
- 3. Turn off any tracks you don't want to cut or copy.
- 4. Right-click in a track and select one of these functions:
 - Cut Area
 - Copy Area
 - Delete Area
 - Lift Area
- 5. If desired, paste the material into another part of this sequence or another sequence.

Using Quick Edit mode

Quick Edit mode switches you to the Source Tool after an edit to the Timeline, which is good if you prefer to lay down all of your edits and then go back and review your sequence.

- 1. Press 2 to select the Source tool.
- 2. Click the **Quick Edit** button.

You are now in Quick Edit mode.

To stop Quick Editing, click the Quick Edit button again.

Creating your clips

You create clips to make your sequence.

- 1. Play the source to find the media you want.
- 2. Press **F12** to start recording.
- 3. Press the **spacebar** to stop recording immediately, or press **O** on your keyboard to stop recording after adding Out handles.
- 4. Play the sequence.
- 5. Repeat these steps for each additional clip in your sequence.

Playing a sequence

92

As you create a sequence, you may want to review the progress. With Aurora Edit, you can play the sequence as part of the editing process in the Timeline.

- 1. Select the Timeline Tool by pressing 1 on the keyboard or clicking \ Timeline Tool.
- 2. Select one of these commands to play or work through the sequence:

Command	Icon	Keyboard Key	Description
Back 1 Frame	5	A	Moves the position indicator one frame to the left.
Forward 1 Frame	+1	S	Moves the position indicator one frame to the right.
Back 10 Frames	-10	D	Moves the position indicator ten frames to the left.
Forward 10 Frames	+10	F	Moves the position indicator ten frames to the right.
Play From Start		Q	Starts playing from the beginning of the sequence.
Rewind	≪(Е	Rewinds the sequence.
Play	\triangleright	W or Spacebar	Starts playing from the position of the cursor.
Fast Forward	≫	R	Fast Forwards the sequence.
Stop		Spacebar	Stops playing the sequence.
Loop Playback	\$		Plays the sequence in a continuous loop.
N/A		Left arrow	Shuttles left in increments of -50%, -75%, -1x, -2x, -3x.
N/A		Right arrow	Shuttles right in increments of +50%, +75%, +1x, +2x, +3x.
N/A		Up arrow	Resets shuttle speed to default, which is 200%.
N/A		Down arrow	Selects previous shuttle speed.

Saving a sequence


You need to save your sequence periodically to your workstation Bin or to the shared database.

• Press Ctrl + S on the keyboard or click the 🔲 Save button in the Timeline toolbar.

Aurora Edit saves the sequence in the Bin where you created it.

Splitting clips

You can split an existing clip into two clips. For example, you can insert new material between two split sections or split a clip and remove a piece to tighten the sequence.



- 1. Press 1 on the keyboard to choose the Timeline Tool.
- 2. Drag the cursor to the spot where you want to split the clip.

You can also use the A, S, D, and F keys to find the split point.

3. Press \ on the keyboard or click the **Split Clip** button on the Timeline toolbar.


The clip splits in two.

To split only one of the tracks (for example, split the Video track and leave A1 and A2 intact), deselect the track button at the left of the Timeline for tracks you want to be unaffected by the split.

Lifting clips

Lifting clips from the Timeline

You can lift a clip out of a sequence to replace it, or remove a piece of a clip from a sequence after splitting it. Black or silence replaces the lifted portion.



- 1. Press 1 on your keyboard to choose the Timeline Tool.
- 2. Click once on the clip you want to lift.
- 3. Press] on the keyboard or click the Lift Clip button on the Timeline toolbar.

The clip disappears from the sequence.

To fill in the gap created by lifting a clip, Select the first clip after the gap and press **0** on the keyboard or select **Collapse Sequence** from the Command menu. The hole to the left of the selected clip closes. You can also use the **Delete** key to completely remove the clip and close the gap in a single step.

Lifting an area of a sequence

You can also lift an area of the sequence that includes parts of adjoining clips.



- 1. Press 1 if you are not already in the Timeline Tool.
- 2. Select the area to lift by marking an In and an Out point.
- 3. Press Ctrl +] on the keyboard or hold down the Ctrl key while clicking the Lift Clip button.


You can also right-mouse click in the Timeline and select Lift Area.


Deleting clips

Deleting a clip from your sequence

Instead of lifting a clip from the Timeline you can delete a clip and close the gap between the remaining clips in the sequence.

Before deleting an individual track on a clip, be sure to deselect the tracks you don't want to delete by clicking their track indicators on the Timeline.






- 1. Press 1 on your keyboard to choose the Timeline Tool.
- 2. Select the clip in the Timeline that you want to delete. Press the **Ctrl** key to select multiple clips.
- 3. Press **Delete** on your keyboard.

The clip disappears from the Timeline.


Deleting an area from a sequence

96

You can delete an area of the sequence, which can include parts of adjoining clips.







- 1. Press 1 on your keyboard to choose the Timeline Tool.
- 2. Select the area to delete by marking an In and an Out point.
- 3. RIght-click in the Timeline and choose **Delete Area**.

Saving the Timeline track configuration

With Aurora Edit, you can save the current positions of the tracks in the Timeline and use these settings for future timelines.

Settings that get saved are:

- Sync lock
- · Track activation
- · Track height
- Waveform zoom level
- Show/hide audio waveform and fade control points
- 1. Make adjustments to the tracks until you are satisfied with the settings.
- 2. Select Window | Save Track Configurations.

Each new timeline uses these settings.

Chapter **7 Trimming clips**

This section contains the following topics:

- Trimming your clips
- Using handles to add frames to your clips
- Locking the duration of a clip
- Playing Past Out
- Extending your edits
- Trimming your media clips in the Bin

21 November 2008 Aurora Edit LD User Guide

99

Trimming your clips

You may often need to shorten your clips or change the starting or ending frame. In Aurora Edit you trim clips by changing the Mark In and Mark Out points.

- 1. Click once on the clip you want to trim to select it.
- Press 3 on the keyboard or click the S← Trim Tool button in the Timeline toolbar.
 The Trim window appears.
- 3. To trim the beginning of a shot, press the **spacebar** to play the clip and press the **spacebar** again to stop at the frame where you want the clip to start.

You can also use the slider to find the approximate In point and then use the A, S, D, and F keys on the keyboard to find the exact spot.

- 4. Press I on the keyboard to mark a new In point.
- 5. To trim the end of the same clip, play the clip again and stop at the frame where you want the clip to end.
- 6. Press **o** on the keyboard to mark a new Out point.
- 7. Continue trimming other clips in your sequence.

Using handles to add frames to your clips

If you have recorded handles with your clips, you have additional frames to choose from when trimming your clips.

- In the Trim Tool, click the Add Handles button.
 The handles appear as additional frames on the slider in the Viewing Monitor.
- 2. Mark new In and Out points for your clip using the additional material.

Locking the duration of a clip

Sometimes you need to trim a clip while maintaining its duration. The Lock Duration feature allows you to keep the clip duration constant while trimming by using the extra frames in the handles and adjusting the clip.

For instance, if you move the Mark In point 5 frames from the beginning of the clip, the Mark Out point moves automatically 5 frames to maintain the duration.

• In the Trim Tool, click the **b** Lock Duration button.

Playing Past Out


Playing Past Out lets you create an Out point on the fly while viewing media after the Mark Out point, which is useful when verifying the Out point.

- 1. In the Trim Tool, click the Play Past Out button.
- 2. Play the clip.

The clip continues playing past the Mark Out point, letting you see the rest of the footage in the clip.

Extending your edits

Aurora Edit provides a quick way to extend an edit without having to re-record any footage. Use this feature to extend an individual track (video or audio) over the track in the next clip.





1. Deselect any tracks you don't want to extend.

To deselect a track, click once in the track indicator on the Timeline for each track you want to deselect.

- 2. Highlight the clip you want to extend.
- 3. Move the cursor to the position you want to extend the clip to.
- 4. Press **V** on your keyboard.

The clip extends into the next clip. If the clip doesn't have enough handle material to extend as far as you select, Aurora Edit extends it as far as it can.

You can also shorten a clip using this method by marking an In point on a clip and pressing **V** on your keyboard.

Trimming your media clips in the Bin

You can trim clips in the Bin without putting them into the Timeline.

For example, you can record a long section of tape and then create shorter individual clips to edit into a sequence. This process is the same as editing clips in the Timeline, but you can also create subclips using this method. Subclips allow you to create shorter clips without changing the original recorded clip.

1. Double-click the media clip you want to trim.

The Trimmer window appears.

- 2. Press **W** on the keyboard to play the clip.
- 3. Press the I and O buttons on the keyboard to mark new edit points.

To see the extra recorded material, click the Add Handles button.

4. Click OK.

You can also drag other clips into the Trimmer without having to close and reopen the Trimmer window.

Creating SubClips

If you want to create a shorter clip from a larger recorded clip, you can create subclips.

- 1. Press the I and O buttons on the keyboard to mark new edit points.
- 2. Click Create SubClip on the Bin Trimmer window.
- 3. Name the subclip and click **OK**.
- 4. Close the Trimmer and click **No** to save changes; otherwise, the master clip will be modified.

Copying a clip to the Timeline

Aurora Edit allows you to copy a portioin of a larger recorded clip directly to the Timeline.

- 1. Open a sequence window if one is not open.
- 2. Press the I and O buttons on the keyboard to mark new edit points.
- 3. Press **C** on the keyboard or click **Copy to Timeline** on the Bin Trimmer window.

The smaller clip copies to the Timeline at the insert point and is ready for editing.

A quick way to edit

You can edit a sequence quickly using these steps.

- 1. Click Play Past Out on the Bin Trimmer window.
- 2. Play the clip.
- 3. Mark an In point.
- 4. Mark an Out point.
- 5. Copy to the Timeline by pressing **C** on the keyboard while the clip is playing.
- 6. Repeat steps 3-5 to continue your edits.

Chapter 8


Transitions

This section contains the following topics:

- Transitions in Aurora Edit
- Understanding transition types
- Creating a transition
- Changing transitions
- Creating wipes
- Rendering transitions
- Creating transitions for an area of the sequence
- Deleting transitions
- Audio crossfades


Transitions in Aurora Edit

You use the Transition Tool to create and modify transitions.



Understanding transition types

Aurora Edit has five types of transitions—dissolves, wipes, SMPTE wipes, pushes, and slides. To read a description of each transition, double-click its effect icon in the Transition Tool.




Dissolves



A dissolve fades the existing image as the new image becomes visible in its place. You cannot specify the direction or kind of dissolve.


You can create fades using the dissolve transition--to gradually fade the video in, place a dissolve transition at the beginning of a sequence; o fade the video off the screen, place a dissolve transition at the end of the sequence.

Wipes




A wipe moves a new image over an old image. SMPTE wipes are industry standard wipe patterns, and include more complex directional wipes, shape wipes, clock wipes, and matrix wipes.

Pushes



A push moves the second image in the direction chosen onto the screen, looking like the first image is "pushed" out of the way.

Slides



A slide moves either the old image or the new image. The old image moves to reveal the new image or the new image moves to conceal the old image.

A black arrow indicates the direction and path the second image takes moving into the frame. A white arrow indicates a reverse slide, where the first image slides to reveal the second image.

Creating a transition

Transitions are created between clips in your sequence, and are placed on the Timeline as an unrendered video effect.

You need to have handles on your clips in order to apply a transition.

To create a transition:

1. Press **5** on your keyboard or click the **★ Transition Tool** button to select the Transition Tool.

The Transition window appears.

- 2. Click on the transition type and then on the icon for the effect you want.
- 3. Choose the **Position** of the transition:
 - Centered--Centers the transition across the cut point (default)

- End at Cut--Ends the transition at the cut point between clips
- Start at Cut--Starts the transition at the cut point between clips
- Custom--Sets the position by typing it in the Cut Point field. If you don't have enough handle material to complete the custom position you set, Aurora Edit completes as much of the positioning as it can.
- 4. Enter the **Duration** of the transition.


The default duration is 15 frames.

5. Move the mouse over the cut point between the two clips.

The cursor turns into a red X.

6. Click the mouse once to place the effect.

The transitions appears on the Timeline as a pink box with diagonal lines in it, indicating the transitions is unrendered.



When you play the sequence in the Timeline, you see the transitions in the Video window.

Changing transitions

You can change a transition from one type to another or change the properties of the transition.

1. Click once to select the transition on the Timeline.

You can select multiple transitions (by pressing **Ctrl** + clicking on each transition) and apply changes to all of the transitions at once.

A red and green dotted border appears around the transition indicating its properties are displayed in the Transition Tool. If you have more than one

transition selected, the red and green dotted border appears only around the transition for which the properties are displayed.

- 2. Make any changes—type of transition, type of effect, transition position, duration, or border—using the Transition Tool.
- 3. Click Apply.

The new transition replaces the old one on the Timeline.

NOTE: Double-clicking on a transition in the Timeline from any tool selects the Transition Tool and shows the transition's properties.

Creating wipes

Adding a border to a wipe

With Aurora Edit, you can add a border to any wipe or SMPTE wipe.

To add a border, you adjust the border width and softness using the dials in the Transition Tool.



- 1. Use one of the following methods to adjust the wipe border:
 - Click on the dial you want to adjust and move it to the right to increase the value or to the left to decrease the value.
 - Type a value in the box below the dial.
 - Click the up and down spinners beside the value box.
 - To reset a dial to 0, double-click the dial.
- 2. Click Apply.

Wipe border parameters

You can adjust these border parameters:

Option	Definition	Range	Description
Width	Increases or decreases the size of the border.	0-100	0 is no border and 100 is the full border width available.

Option	Definition	Range	Description
O-Soft	Softens the leading edge of the wipe.	0-100	0 is no softness and 100 is the full softness available for the outside region of the border.
I-Soft	Softens the trailing edge of the wipe.	0-100	0 is no softness and 100 is the full softness available for the inside region of the border.

Changing the border color of a Wipe

You can change the color of the wipe border to match a specific color scheme for your station or to provide more visual contrast in a clip.

The default color for a border is white. The Border color is only visible if the Border Width is set to a value greater than zero.

1. Click the **Example Color** button on the Transition Tool.

The Color window appears.

2. Click on the new border color and click **OK**.

The box beside the Change Color button displays the new border color.

Reversing a Wipe

You can reverse the direction of a Wipe transition in your sequence.

- 1. Click the **Reverse** button in the Transition Tool.
- 2. Create the transition.

Rendering transitions

A transition is placed on the Aurora Edit Timeline as an unrendered object, and must be rendered before the sequence can be sent to another destination.

You can render a transition anytime after creating it, and you can render a selected transition or all transitions in your sequence.

Select one of these methods for rendering:

- To render a single transition, double-click once in the Timeline to select the transition and click Render on the Main Toolbar.
- To render all transitions, click **\displaystar** Render All on the Main Toolbar.

A window appears, showing the rendering progress.

Creating transitions for an area of the sequence

You can create a transition on several cutpoints at once by defining an area of your sequence.

The type of transition you select applies to all cutpoints on all active tracks within the defined area. Applying transitions to a defined area of your sequence does not override any existing transitions you already have in your sequence; these transitions remain unchanged. By default, Aurora Edit applies the transitions to all active tracks on the Timeline; including the audio tracks, even if the Auto-Audio Crossfade button is off. If you want a transition to apply to the video tracks only, deselect all of the audio tracks in the sequence.

- 1. Define the area where you want to apply transitions with a Mark In and Mark Out point.
- 2. Define the transition you want to apply to all cutpoints within the marked area.
- 3. Click Transition All.

Transitions appear at all cutpoints within the marked area.

Deleting transitions

Sometimes you need to delete a transition on the Timeline.

- 1. Select the transitions to delete using one of these methods:
 - To delete one transition, click on the transition to select it.
 - To delete several transitions at once, hold down the Ctrl key on the keyboard, then click on each transition you need to delete.
- 2. Press **Delete** on the keyboard.

The transition disappears from the Timeline.

Audio crossfades

About audio crossfades

If you want to soften the transition between two audio clips, you can add an audio crossfade. Aurora Edit lets you create audio crossfades between any two edit points in your sequence. Apply crossfades to only the audio tracks in a clip or with each video transition you create.

Applying crossfades to the audio tracks only

You can apply the audio crossfade to just the audio tracks in your clip.

- 1. Press **5** on the keyboard or click the **X** Transition Tool button to select the Transition Tool.
- 2. Move the mouse over the cut point between the two audio clips where you want to place the transition.

The cursor turns into a red X.

3. Click the mouse once on the audio track to place the effect.

The audio crossfade appears on the Timeline as a blue box with an X in it. Audio crossfades do not have to be rendered.

Applying crossfades automatically with transitions

You can have Aurora Edit apply an audio crossfade each time you add a video transition effect between edit points.

- 1. Press **5** on the keyboard to select the Transition Tool.
- 2. Click the Auto-Apply Crossfade button.

Each time you apply a video transition, an audio crossfade occurs on the audio tracks at the same point. The audio crossfade uses the same settings you are using for the video transitions; position, duration, and cut point.

You can also adjust the settings for the audio crossfade separately from the video transition if desired. Click to highlight the transitions for crossfading, whether all or some of the audio tracks.

Chapter 9 Audio

This section contains the following topics:

- Adjusting audio levels
- Monitoring audio tracks
- Setting Timeline audio settings
- Adjusting audio gain
- Using Audio Automation
- Adding audio narration

Adjusting audio levels


About adjusting audio levels in Aurora Edit

Aurora Edit allows you to adjust many aspects of the audio tracks in your sequence and add additional audio tracks to your sequence.

While Aurora Edit records up to eight audio tracks, you can edit up to 16 tracks.

Using the Audio Mixer Tool, you can adjust levels and pan controls for individual tracks in a sequence or for entire clips. You adjust the audio levels within a clip by adding and manipulating fade control points in the Timeline, which is known as rubber banding. You can also view the audio waveform for a sequence, providing a visual indication of audio levels.


You can also connect an external mixer to Aurora Edit for further adjustments.




Viewing audio levels on the Timeline

You can view audio levels in Aurora Edit on the Timeline in a variety of ways.

• In the Audio Mixer Tool, the fade control line is always visible whether the audio track is expanded or not.



• In each of the Aurora Edit tools, you can view audio levels at any time by clicking the **Expand Track** button next to the audio track you want to view.



- Click Show Audio Fade Control Points to show the points anytime the audio track is expanded.
- Click Show Audio Waveform to show the waveform for the sequence in the expanded track.
- Click the up arrow on the Change Track Height button to shrink the track height or click the down arrow to expand the height of the track.
- Click Mute to mute the selected audio channel or Solo to mute all other audio channels except the selected track

Changing audio levels in a clip

You change audio levels by manipulating the fade control line on the audio track.

- 1. Expand the audio track to reveal the fade control line.
- 2. To adjust the audio level in a clip, do one of the following:
 - To adjust a specific point in a clip, click on the red line to create a fade control point. Using the fade control point as a pivot, click on another point in the audio track and drag the red line to raise or lower the level.
 - To raise the sound level for the entire track in a clip, click the fade control line and drag it up in the track. If fade control points exist, you need to click on a point before raising the level.
 - To lower the sound level, click the fade control line and drag it down.
 - To raise or lower the sound level for the entire track in a clip while preserving
 the positions of the existing fade control points, press the ALT key, click one of
 the fade control points, and while holding down the left mouse button, drag the
 fade control point up or down. Release the mouse button while still holding the
 ALT key.

If your audio levels are still too low or too high after adjusting the fade control line to its maximum or minimum value, you can make further adjustments by changing the audio gain.

Removing fade control points

Fade control points allow you to manipulate audio levels in Aurora Edit and can be removed if needed.

Use one of these methods:

- To remove one fade control point, press **Ctrl + click** on the fade control point. Notice that the cursor changes to a red hand, allowing you to click and remove the control point.
- To remove all of the fade control points, right-click within the audio clip and select Clear Fade Control Points.
- To remove an area of fade control points, set a Mark In and Mark Out point to indicate the area to be removed, right-click on the audio track and select Clear Fade Control Points Area.

Ganging and adjusting multiple audio tracks

You can gang sets of audio tracks if you want to adjust multiple audio tracks simultaneously.

- 1. In the Audio Mixer Tool, check the Gang button for each track you want to adjust.
- 2. Move the slider up or down to set the track volumes.

Monitoring audio tracks

Soloing an audio track

When you Solo a track, all other audio tracks mute until you turn off the Solo feature.

By default, Aurora Edit monitors all audio tracks in a sequence. However, you can specify the tracks to monitor using the Solo button. You can also Solo multiple tracks if you wish.

Solo audio tracks using one of these methods:

- In the Audio Mixer Tool, click the Solo button for each audio track you want to solo.
- In the Timeline, click **Expand Track** in the audio track you want to solo, then click the **Solo** button.

When you activate Solo in one of these tools, the button gets activated automatically in the other tool.

To turn off Soloing, click each Solo button again.

Muting an audio track

When you Mute one or more tracks you hear only the unmuted tracks until you deactivate Muting. Muting is the opposite of Soloing.

By default, Aurora Edit monitors all audio tracks in a sequence. However, you can specify the tracks to monitor using the Mute button. Muting is useful when recording voice-overs to the Timeline.

Mute audio tracks using one of these methods:

- In the Audio Mixer Tool, click the Mute button for each audio track you want to mute.
- In the Timeline, click the **Expand Track** button in the audio track you want to mute, then click the **Mute** button.

When you activate Mute in one of these tools, the button gets activated automatically in the other tool.

To turn off muting, click each Mute button again.

Using the Master Audio Sliders to set output level

You use the Master Audio Sliders to adjust the output level for your final sequence.

When you output audio, the 16 audio tracks are mixed down to four or fewer tracks. The pan direction determines how tracks are mixed. By default, odd-numbered tracks mix to channel one and even-numbered tracks mix to channel two of your output sequence.



1. If you want to adjust pairs of channels simultaneously, check the **Master Gang** checkbox.

If all audio channels are not visible, click **Expand Channels**.

2. Drag the level slider up or down for each pair of channels to set the output volume.

Setting Timeline audio settings

You determine the pan control and channel routing for each track of the timeline using the Timeline audio settings.

Setting the pan control adjusts the sound location for your sequence. You can select where the audio tracks of your sequence output by specifying the number of output channels and routing those channels.

- 1. In the Audio Mixer Tool, click the **Settings** button.
- 2. Select Monitor Mix or Output Mix.

Monitor Mix controls the panning and channel output for the speakers in the edit bay, and does not affect sends to the server, play to tape, or live playout through the Playback Channel.

Output Mix controls the panning and channel output for the actual output of your sequence for playout.

3. Set the pan control by dragging the pan slider for an audio channel to the right or left position; press Alt + click on a pan slider to set the pan direction to center.

By default, odd-numbered channels pan to the left and even-numbers channels pan to the right. Changing the pan direction affects the entire track in a sequence.

4. Route audio channels by selecting the channels you want to output: **1+2**, **3+4**, etc. or **All**.

For a two-channel system, audio channels route by default as follows:

If the pan control is in this position	Audio output routes to
Left	Channel 1
Right	Channel 2
Center	All channels

If you have more than eight audio tracks in your sequence, click the Bank Select arrow to move to Bank 2 and then make your changes for the additional tracks.

Adjusting audio gain

Adjust the audio gain to adjust the audio levels within a clip in your sequence.

Audio may record in at levels that are too low or too high. The Audio Gain feature lets you compensate by adjusting the clip. You can adjust the audio between -41 dB and +10 dB. To adjust an audio clip, you can use the Timeline Tool, the Trim Tool, or the Audio Mixer Tool.

- 1. Select the clip you need to adjust.
- 2. Right-click in the appropriate audio track and choose **Adjust Audio Gain**. The Adjust Audio Gain dialog box appears.
- 3. Enter a new value for the audio gain:

- To lower the gain, enter a value preceded by a minus sign, such as -5.
- To raise the gain, enter a value, such as 5.

4. Click OK.

The new value appears for the audio clip.

Using Audio Automation

You use Audio Automation to adjust volume on the fly while a sequence is playing.

- 1. Press 6 on the keyboard or click the 🍕 Audio Mixer Tool button in the Timeline toolbar.
- 2. Click the **Write Audio Automation** button.
- 3. Click in the Timeline where you want the audio automation to start.
- 4. Press the **spacebar** or click **Play** to play the sequence.
- 5. As the sequence is playing, click on the audio slider in the appropriate channel and raise or lower it.
- 6. When you reach the end of the sequence, press the **spacebar** to stop.

The automation appears as fade control points in the audio tracks.

If you need to, you can go back to adjust the fade control points for each level.

Showing Audio Automation

When you play a sequence with Audio Automation, you may want to see the audio sliders moving along with the video, which show you the audio changes you made while recording.

If you play a sequence without Show Audio Automation on, you see the fade control points from the automation, but the sliders don't move during playback.

• Verify that the Show Audio Automation button is activated in the Audio Mixer Tool.

When you play the sequence, the sliders move along with it.

If you need to do any fine-tuning, you can move any of the fade control points once the sequence has stopped playing.

Removing Audio Automation

You can remove an individual fade control point or all points in a sequence.

Use one of these methods to remove audio automation:

- To remove a single fade control point, press **Ctrl + click** until the cursor changes to a red hand, then click and remove the control point.
- To remove all fade control points, click Clear Audio Automation.

Adding audio narration

With Aurora Edit, you can record and insert narration in your sequences by recording directly to the Timeline.

Before you can record a narration, you need to create a microphone source in Aurora Edit. For instructions on creating a microphone source, see the Aurora Edit Installation and Configuration Guide.

If you've enabled Loop Tones, a tone will sound at the end of each microphone recording. When the loop tones are done playing, the record starts again automatically. You can use loop tones for voiceovers directly to the Timeline in case you make a mistake and need to re-record.

- 1. Open the sequence where you want to add the narration.
- 2. Select the Source Tool by pressing 2 on your keyboard or clicking the Source Tool button in the Timeline Toolbar.
- 3. If necessary, adjust the input levels to prevent overload at the input stage of the source microphone.
- 4. Mark an In and Out point in your sequence where you want the voiceover to record.
- 5. If you want to continually record over the same point until you are satisfied with the performance, click the Loop Record button to enable it.
- 6. If you want the system to display the remaining duration of the record, press the **3** Record Countdown button.
- 7. To start recording, press **F12** on your keyboard or click the **Start Recording**
- 8. To stop recording, press the **spacebar** on your keyboard or click the **Stop Recording** button.

Chapter 10 Advanced editing

This section contains the following topics:

- Converting clip aspect ratios
- Inserting filler between clips
- Creating a Fit To Fill
- Adding a freeze frame to your sequence
- Varying the speed of a clip
- Using control track
- Using Match Frame
- Keyboard shortcuts

Converting clip aspect ratios


About aspect ratio conversion

Aurora Edit lets you modify aspect ratio settings in real-time with standard or custom templates.

When Aurora Edit is initially configured, a default aspect ratio, 4:3 or 16:9, is set through the Options menu. As clips are brought into the Source Tool, Aurora Edit automatically converts those that have a different aspect ratio than the default setting.

Aurora Edit uses a default conversion type, letter box, when down converting from 16:9 to 4:3, and pillar box when up converting from 4:3 to 16:9.

Using the Source Tool, you can manually convert the clip if you wish to use another conversion method to produce a different video image. You can also create preset aspect ratio conversion settings.



Aspect ratio conversion types

Aurora Edit has 8 different conversion types, 4 for up converting to a 16:9 aspect ratio, and 4 for down converting to a 4:3 aspect ratio.

Source clip	Conversion type	Offset choices
4:3 up converting to 16:9	Pillar Box (default)	None
	Half Pillar Box	-100 to +100
	Zoom	None
	Stretch	-100 to +100
16:9 down converting to 4:3	Letter Box (default)	None
	Half Letter Box	-100 to +100
	Crop	-100 to +100
	Compress	None

Manually converting a clip aspect ratio

If the video doesn't look acceptable after Aurora Edit converted the aspect ratio using the default settings, you can change the conversion method to produce better results.

- 1. Load the clip into the Source Tool.
- 2. Click the Aspect Ratio Conversion button.
- 3. Select the conversion type from the drop-down list or select a preset.
- 4. Play the clip to view how the aspect ratio converted the clip.

5. Modify the conversion settings if necessary.

If you want these new conversion settings to be applied to each new clip that comes in as a clip source, click the Save as Default button.

6. Copy the clip to the Timeline.

Creating an aspect ratio preset

You can create custom presets for aspect ratio conversion settings you use frequently.

- 1. In the Source Tool, click the Aspect Ratio Conversion button.
- 2. Select the Conversion Type from the drop-down list.
- 3. Modify the Video Offset, if desired.
- 4. Click the Save Preset button.
- 5. Type a name for the preset and click **OK**.


You can now select this preset and apply it to other clips.


If you need to remove a preset from the drop-down list, select the preset and click **Note** Delete Preset.

Inserting filler between clips

With Aurora Edit, you use filler to place a gap between two shots or to create a dip to silence in the sequence.

You can also use filler to serve as a placeholder for late-arriving material. Inserting filler is both track and edit mode specific.





- 1. Press 1 on your keyboard to choose the Timeline Tool.
- 2. Click once on the clip at the filler start point.
- 3. Right-click and select **Insert Filler**.
 - The Filler Properties window appears.

4. Enter a Duration for the filler and click **OK**.

The Timeline updates with the filler inserted into the sequence.

You can also insert filler between Mark In and Mark Out points on all tracks that are active. You cannot add a transition effect between a clip and filler.

Creating a Fit To Fill

You can create a Fit To Fill between sequence clips. When you use Fit To Fill, Aurora Edit compares the marked source clip's duration to the target duration you mark in the Timeline and adjusts the clip speed to match the target duration.

Fit To Fill only works with a clip that already exists in your Bin.



- 1. Press 9 on the keyboard or click the 🥕 Fit to Fill button in the Timeline toolbar.
- 2. Mark In and Out points in the Timeline for the area to be filled:
 - To Mark an In point, move the cursor to the desired clip beginning and press I on the keyboard.
 - To Mark an Out point, move the cursor to the desired clip end and press **O** on the keyboard.
- 3. In the Bin, double-click on the clip you are using for the fill.
- 4. Mark the selection you want to use by marking an In and Out point.

5. Press **C** on the keyboard or click the **Copy to Timeline** button.

A new clip appears in the Timeline covering the space indicated.

- 6. Click **Cancel** to close the Bin Trimmer window.
- 7. Clear the Mark In and Mark Out points for the new clip by pressing **P** and [on the keyboard.
- 8. Play the sequence to determine if the Fit to Fill works in your sequence.
- 9. Turn off Fit To Fill mode.

If you have a clip in the Bin that's trimmed the way you want it, you can drag it to the Timeline while in Fit To Fill mode to automatically fill the area between the Mark In and Mark Out points. You can also create a freeze frame by setting the In and Out points to the same position.

Adding a freeze frame to your sequence

You can create a freeze frame to use in a sequence; you might typically use a freeze frame at the end of a clip to hold the image.

- 1. Select a clip.
- 2. Move the cursor to the frame you want to freeze.
- 3. Press F3 on the keyboard or right-click and choose Match Frame to Bin.

The viewing monitor displays the frame from the source.

- 4. Mark an In point where you want the frame to occur.
- 5. Click **Enable variable speed controls** and select **0**.
- 6. Press **F12** to start recording.
- 7. Press the **spacebar** to stop recording when you have enough media.

The freeze frame appears as a new clip with an unrendered image.

You can also create a freeze frame by setting the play speed of a clip already on the Timeline to zero. The system uses the Mark In point as the freeze frame.

Varying the speed of a clip

You can vary the clip speed to create slow or fast motion effects in a sequence.

- 1. Click once on the clip you want to change.
- 2. Right-click on the video track for the clip and choose Play Speed.

The Change Playback Speed window appears.

- 3. Enter a new speed percentage for the clip.
- 4. To keep the clip duration constant, check the **Maintain Duration** checkbox.

5. Click OK.

The play speed of the clip changes.

To check a clip's play speed, right-click on the clip and choose Play Speed.

Using control track

Control track lets you see the actual count of a clip or piece of tape instead of using timecode. Control track is available in the Timeline and Source Tools.

1. Click the Control Track button.

The timecode field changes and the text becomes yellow.

2. To switch back to viewing the timecode, click Control Track again.

To reset the control track to zero, click the Reset Control Track button while in Control Track mode.

Using Match Frame

Aurora Edit can match frames on the Timeline with the input source. Use Match Frame if you need to add more material at the beginning or end of a clip. You can Match Frame to either the Bin or Source.

Match Frame to Bin

Match Frame to Bin finds a frame you select from the Timeline and loads it in as a clip source.

- 1. Select a clip on the Timeline.
- 2. Select the frame you want to match.
- 3. Press **Alt + F4** on the keyboard.

Aurora Edit finds the frame on the clip and loads it as a clip source.

Match Frame to source

Match Frame to Source finds a frame you select from a Timeline import source and loads it into the Source Tool, using that frame as the Mark In point.

- 1. Select a clip on the Timeline.
- 2. Select the frame you want to match.
- 3. Press **F4** on the keyboard.

Aurora Edit finds the frame on the source and loads it into the Source Tool as a new Mark In point.

4. To view the frame source, press **F7**.

To use this footage in a clip, press **F12** to record to the Timeline.

Keyboard shortcuts

Keyboard shortcuts let you perform tasks more quickly and efficiently by using the keyboard instead of pointing and clicking with the mouse.

Aurora Edit keyboard shortcuts

To do this	Use this key
Collapse a sequence	0
Copy an area	
Cut an area	
Cut a mark in point	F5
Cut a mark out point	F6
Delete an area	Ctrl + Del
Delete a selection	Del
Deselect all	Shift + D
Extend an edit	V
Insert filler	Ctrl + Shift + F
Lift an area	Ctrl +]
Lift a selection	1
Match frame to Bin	Alt + F4
Match frame to source	Shift + F4
Mixdown selected	Shift + M
Move a selection	Ctrl + M
Render all	Shift + V
Render selected	Ctrl + Shift + R
Select all	Shift + S
Split a clip	\

Edit setup keyboard shortcuts

To do this	Use this key
Add handles	Shift + ~
Auxiliary input	Ctrl + A
Clear all mark points	Alt + P
Clear audio in	Shift + P
Clear audio out	{
Clear mark in	P
Clear mark out	[
Fit to fill	F11
Go to mark in	Ctrl + I
Go to mark out	Ctrl + O
Mark area	Ctrl + F4
Mark audio in	Shift + I
Mark audio out	Shift + O
Mark in	I
Mark out	0
Overwrite mode	F9
Quick edit	Ctrl + 2
Record	F12
Reset control track	N
Show audio marks	Shift + A
Splice mode	F10
Stop record	space
Timecode/control track	В

Play speed keyboard shortcuts

To do this	Use this key
Enable vary speed	Pause
Next vary speed	Page down
Previous vary speed	Page up

Selecting and moving keyboard shortcuts

To do this	Use this key
Move clip left 1 frame	Numpad 4
Move clip left 10 frames	Ctrl + numpad 4
Move clip to the next cut point	X
Move clip to the previous cut point	Z
Move clip right 1 frame	Numpad 6
Move clip right 10 frames	Ctrl + numpad 6
Select next	,
Select the next track	/
Select previous	M
Select the previous track	

Tracks keyboard shortcuts

Use this key
K
L
;
1
Ctrl + K
Ctrl + L
Ctrl +;
Ctrl + '
Ctrl + 8
Ctrl + G
Shift + K
Shift + L
:
Ctrl + Shift + K
Ctrl + Shift + L

To do this	Use this key
Sync lock A7	Ctrl + Shift + ;
Sync lock A8	Ctrl + Shift + '
Sync lock V1	Shift + J
V1	J
V2	Ctrl + J

Transports keyboard shortcuts

To do this	Use this key
Back 1 frame	A
Back 1 second	Ctrl + D
Back 10 frames	D
Eject	Ctrl + Q
Fast forward	R
Forward 1 frame	S
Forward 1 second	Ctrl + F
Forward 10 frames	F
Go to end	End
Go to start	Home
Next cut point	Н
Play	W
Play from start	Q
Previous cut point	G
Reverse play	Shift + W
Rewind	Е
Shuttle default speed	Up arrow
Shuttle fast forward	Right arrow
Shuttle previous speed	Down arrow
Shuttle rewind	Left arrow
Stop	space

Video effects keyboard shortcuts

To do this	Use this key
Add an effect	Shift + 8
Delete all keyframes	Shift + Del
Insert a keyframe	Ctrl + Insert
Modify all keyframes	Shift + insert
Modify a keyframe	Alt + insert
Next keyframe	Page down
Previous keyframe	Page up
Run the effect	Ctrl + W

Chapter 11

Video effects


This section contains the following topics:

- Creating video effects overview
- Understanding video effects
- Moving the foreground image within the viewer window
- Adding a video effect to the Timeline
- Choosing a video effect
- Working with keyframes
- Setting a path for your video effect
- Viewing video effects within your sequence
- Saving video effects
- Rendering video effects
- Layering video effects
- Exporting video effects
- Effects & what they do
- Options for resize or key shape effects

Creating video effects - overview

Adding video effects to your sequences involves choosing the effect you want, determining the effect duration, and adding keyframes to the effect. Aurora Edit also provides a number of preconfigured video effects that you can drag directly onto the Timeline.

You create a video effect using the Video Effects Tool and by following these steps. Each step is further discussed in its own topic.



1. Place an effect on the Timeline.

The effect can be new, blank, or saved in your Bin.

- 2. Define the effect by selecting and modifying an effect and its options.
- 3. Insert a keyframe at the position where the effect starts.
- 4. Continue to insert keyframes to determine the course of the effect.
- 5. Select the path to use for the effect.
- 6. Press **Run** to review the effect.
- 7. Click Render, Render All, or Mixdown to complete the effect(s).
- 8. Save the effect to the Saved Effects Bin if you want to re-use it again.


Understanding video effects

With Aurora Edit you can create a variety of video effects with the clips in your sequence, including blurs, mosaics, color inverting, and mirroring. You can also resize video images and use key shapes to create Picture-in-Picture (PIP) effects.

A video effect overlays the video tracks, allowing you to slide the video underneath it on tracks V1 and V2. The effect characteristics are applied to the clips that reside on the video tracks below it, which lets you swap one video effect for another or one video clip for another.

When you create a Resize or Key Shape effect, one of the video tracks becomes the foreground and the other becomes the background. With a Resize Effect, the foreground image defaults to 50% the size of the background image and is visible. When you apply a Key Shape effect to a single video track, you cannot see the initial key shape until you apply an effect to it. When you add another effect to the Key Shape effect, you can then see the shape and position it.

You can manipulate the foreground image in five different ways:



- X-Axis The image moves left or right.
- Y-Axis The image moves up or down.
- Z-Axis The image moves either closer or farther away, giving the impression that the foreground is getting either larger or smaller, respectively.
- X-Aspect The image stretches or shrinks along the X-Axis.
- Y-Aspect The image stretches or shrinks along the Y-Axis.

Moving the foreground image within the viewer window

Aurora Edit has many controls you can use to alter the size and position of the foreground image.

Moving foreground image—dragging image

You can move the image (or a Resize or Key Shape effect) along the X-Y- and Z-axes by dragging it within the Viewer Window.

- When the mouse cursor changes to a hand, use one of these methods to drag the image:
 - Move the image left, right, up, or down by holding the left mouse button down as you drag the image.
 - Change its position on the Z-Axis by holding down the **Ctrl** key while dragging up and down.
 - Lock the mouse movement to the X-Axis or the Y-Axis by holding down the
 Alt key, depending on the direction you move the mouse after pressing the Alt
 key.

Moving foreground image—using the joystick

You use the joystick to position the foreground image along the X- and Y-axes outside of the viewing area.

- 1. From the Effects and Options tabs, click the joystick.
- 2. Move it in any direction to reposition the video image.

Moving foreground image—moving the resize slider

You change the image size (the Z-Axis) by moving the resize slider up to enlarge the image and down to make it smaller.

Moving foreground image—adjusting the dials

You can use the resize and key shape parameter dials to change for X-, Y-, and Z-Axis positions, and X- and Y-Aspect changes.

- Adjust the dials using one of these methods:
 - Click the dial and drag right to increase the value or drag left to decrease the value. Double-click a dial to reset it to 0.
 - Enter a value in the box below a dial.
 - Click the up and down spin controls beside a value box.

Moving foreground image—using the keyboard

You can use the arrow keys on the keyboard to move the foreground image.

- To move the image along the X-Axis, use the left and right arrows
- To move the image along the Y-Axis, use the up and down arrows
- To move the image along the Z-Axis, click **Ctrl +** use the up and down arrows
- To move the image along the X-Aspect, click **Shift** + use the left and right arrows
- To move the image along the Y-Aspect, click **Shift +** use the up and down arrows

Adding a video effect to the Timeline

Creating a new video effect involves placing a blank effect template on the Timeline. The blank effect will contain the keyframes that comprise the effect.

There must be an effects (FX) track present to add a blank effect to the Timeline. When you first create a sequence you can check the **Video Effects Track** checkbox to add an effects track to the Timeline.

If you are working with a sequence without an effects track, click the **Sequence**Properties button on the Timeline Toolbar and check the Video Effects Track checkbox to create the track.

- 1. Click **Add Effect** within the Video Effects Tool.
- 2. Enter the duration of the effect (the default is 1 second).
- 3. Click **OK**.

The effect appears on the Timeline at the pointer location.

Other ways to add a video effect to the Timeline

There are several ways to add a blank effect to the Timeline.

• Highlight the clip(s) for the effect and click Add Effect or Shift + 8.

You can automatically create a Resize effect by selecting overlapping clips on the two video tracks and clicking **Add Effect**.

Aurora Edit places the effect on the effects track with the same duration as the selected clip(s) and sets the correct track for the effect. For example, if you select a clip on Video Track 1 and add an effect, V1 is automatically designated as the track that receives the effect.

 Mark In and Out points on the Timeline to set the effect duration and click Add Effect.

The effect appears on the Timeline at the location and with the duration set by the mark points. If you mark an In point or an Out point but not both, you must

enter an effect duration in the pop-up window and click **OK**. The Mark Point you set marks either the beginning of the effect (if you marked an In point) or the end of the effect (if you marked an Out point).

• Right-click on the Timeline, choose **Add Effect**, enter the effect duration (the default is 1 second) and click **OK**.

The effect appears on the Timeline at the pointer location.

Changing the duration of a video effect

You can change the duration of the video effect using the Extend Edit feature.

- 1. To lengthen or shorten an effect, select the effect on the Timeline.
- 2. Place the pointer where you want the effect to end or begin.
- 3. Press **v** on the keyboard.

The effect duration moves to the new pointer position, thereby lengthening or shortening the effect.

Using saved effects in your sequence

Aurora Edit provides a number of preconfigured effects that you can add to your sequence and modify to suit your needs.

You must have the complete Aurora Edit Effects Package to use all of these effects. If you don't have the package you can still use the effects Dip to Black and White, Fade from Black, and Fade to Black.

The preconfigured effects are stored in an Effects Bin, and include these effects—Dip to Black and White, Dip to Color, Fades, Flash Dissolve, Spotlight, and White Flash. Saving effects saves their duration, but the duration of an effect you place on the Timeline depends upon on the way you add the effect to your sequence.

Select one of these methods to add a saved effect to your sequence:

- Drag and drop the saved effect onto the Timeline the effect duration is exactly as it was when saved and the keyframes are in the same positions.
- Highlight the clip(s) for the effect and drag the saved effect onto the Timeline
 — the effect duration and keyframes adjust to match the duration of the selected clip(s).
- Mark In and Out points on the Timeline to define the effect duration and then
 drag a saved effect onto the Timeline the effect duration and keyframes
 adjust to fit the duration between the mark points.
- Click **Open**, select the effect, and click **Open** the duration follows the above guidelines based on whether you select mark points or a clip for the effect.

Once you have the effect on the Timeline, you can use the Video Effects Tool to modify the effect.

Importing video effects

You can use effects that are located on another Aurora Edit workstation, another computer, a network server, or a diskette, by importing them into your Aurora Edit sequence.

You can only import effects with a .vef suffix. You can import effects to the Bin or directly to the Timeline, depending on which window has focus.

Aurora Edit provides some pre-configured video effects, which you can add to your sequence quickly without having to define and adjust characteristics. The effects are located at **C: | Program Files | Grass Valley | Aurora Edit | Effects**.

1. Choose File | Import | Effect.

The Import Effect window appears.

- 2. Navigate to the effect you want to import and select it.
- 3. Click Import.

A progress bar indicates the import status.


Choosing a video effect

After you add a blank effect to the Timeline, you choose the video effect to create in your sequence.

- 1. Press 8 on your keyboard or click the law Video Effects Tool button on the Timeline Toolbar
- 2. Click the **Add Effect** button, enter the duration of the effect, and click **OK**.

A new blank effect is added to the Timeline.

3. Check the checkbox next to the effect you want to use.



4. Adjust the effect settings as necessary.

Using video effect options

Video effect options let you further customize your effect in Aurora Edit.

- 1. Press 8 on your keyboard or click the Video Effects Tool button in the Timeline Toolbar.
- 2. Click the effect on the FX track you want to modify.
- 3. Click the **Options** tab in the Video Effects Tool.
- 4. Select the option you want to use:

Option	Description
Blend	Lets you change the opacity or edge softness of a resize or key shape effect.
Border	Lets you apply a border to a resize or key shape effect, change the color and size of the border, and adjust border placement around the image.
Crop	Lets you trims the foreground image of a resize or key shape effect.
Drop Shadow	Lets you apply a drop shadow to the foreground image and change the shadow's color and opacity.
Path Control	Lets you apply different paths to a particular keyframe or part of an effect; overrides the chosen effect path.
` <u> </u>	· · · · · · · · · · · · · · · · · · ·

5. Adjust the effect settings as necessary.

6. To save your settings, click **Insert** for a new keyframe or click **Modify Keyframe** if the keyframe already exists.

Adding effect properties

You may want to add some descriptive information about the video effect you create. Effect properties help you remember the characteristics of the effect.

- 1. On the FX track, click the effect for which you want to add properties.
- 2. Click the **Properties** tab in the Video Effects Tool.
- 3. Enter the effect name and a description.

Working with keyframes

Understanding keyframes

Aurora Edit uses keyframes to synchronize a clip's video effects with the video and audio. A keyframe is a set of characteristics defining the image at a specific instant in time.

Keyframe characteristics include size, location, borders, drop shadow, and cropping but do not include the video image, which resides on the video track.

After creating a video effect, you insert a keyframe to mark the effect's location and characteristics on the Timeline. All effects need at least one keyframe.

If you want the effect to play consistently through the clip, you only need one keyframe. If you want the effect to change throughout the clip, continue to adjust characteristics and insert keyframes throughout the clip as necessary.



Within the Video Effects Tool, some parameters are keyframeable and some are not. That is, if a parameter is keyframeable, the parameter can change from one keyframe to the next. If a parameter is not keyframeable, that parameter is used for the entire effect and cannot change across keyframes. The type of effect is not keyframeable.

Inserting keyframes

Keyframes can be added to any point of a video effect, and are used to mark the video effect's location and characteristics on the Timeline.

You can add keyframes to any point of a video effect. There are two general approaches for inserting keyframes. In the first approach, you step through the video and insert a new keyframe at each point where you want the effect to move. This method is useful when creating a blur or mosaic effect or when you want to move an effect to cover or highlight a specific area.

In the second approach, you set up the first keyframe and insert it into the effect. Then set up a second keyframe and insert it. Aurora Edit automatically places the second and subsequent keyframes one second after the previous one. This method is useful with resizing effects such as Picture-in-Picture that are less dependent on exact frame positions than on the effect's path and speed.

- 1. Place the pointer at the spot where you want the keyframe.
- 2. Configure the video effect characteristics using the Video Effects Tool.
- 3. Press Insert on your keyboard or click the Insert button on the Video Effects Tool.
 - A keyframe appears on the FX track on the Timeline. This keyframe places all of the video effect characteristics on a single data point on the Timeline.
- 4. Continue defining the effect and inserting keyframes as necessary.

Once inserted, you can adjust a keyframe's position by clicking it and then dragging it left or right.

Modifying keyframes

Aurora Edit provides some standard tools for modifying keyframes:

Icon	Tool	Description
*	Cut	Removes a keyframe and places it on the clipboard for pasting into another position or effect.
	Сору	Copies a keyframe for pasting into another position or effect.
	Paste	Pastes the properties of a cut or copied keyframe in a new position.
%	Delete All	Deletes all of an effect's keyframes.
>	Modify	Changes the characteristics of an existing keyframe.
©	Modify All	After modifying the characteristics of a single keyframe, allows you to apply those changes to all keyframes within the effect. When modifying all keyframes, you can choose the type of modification you want:

Icon	Tool	Description
		 RelativeAlters each keyframe in relation to it current status AbsoluteAlters all keyframes to the value set in the modifying keyframe, regardless of each keyframe's current status
		Original Effect Relative Medification Absolute Modification
	D	with Original Values Acquist by +1 Set to +1
&	Restore	Restores default settings to the current effect position.
0	Clear	Allows you to return to an original keyframe if you have altered it and want to use the previous settings instead.

Setting a path for your video effect

Each video effect you create has a path that determines how the effect behaves from keyframe to keyframe.

You can apply paths only to an entire effect, not just a particular keyframe or part of an effect. If you want to apply a path to a specific keyframe, use the Path Control feature in the Options tab.

1. In the Effect box of the Video Effects Tool, select a path from the Path drop-down list.



2. To see how the path affects your sequence, click Run.

Video effect paths

Video effects have paths which determine how the effect plays from keyframe to keyframe.

Aurora Edit has four path types:

Path Type	Example	Description
Hold		The effect characteristics hold for the duration of the keyframe and then change instantaneously to the next keyframe. For example, the image jumps from its location in one keyframe to a new location in the next keyframe.
Linear		The effect plays in a constant direction and at a constant rate of speed from keyframe to keyframe. For example, the image moves from one location to the next in a straight line at the same speed.
S-Linear		The effect plays in a constant direction but at a variable rate of speed from keyframe to keyframe. For example, the image moves from one location to the next in a straight line; it begins slowly, speeds up, then slows down again as it approaches the next keyframe. Because of the changing speed, S-Linear changes appear less abrupt than linear changes.
Curve		The effect plays in a variable direction and at a variable rate of speed, causing a rounded path through the keyframe. For example, the image moves from one location to the next in a smoothly curved line. The Curve path is the least abrupt type of path control; both direction and rate of speed are kept smooth and steady in appearance.

Viewing video effects within your sequence

Once you create an effect, you can view it with the clip to see if you need to make further adjustments.

- View the video effect with your clip by:
 - Pressing Ctrl + W on your keyboard
 - Clicking the Run button in the Effect area of the Video Effects Tool.

The current video effect plays on the clip.

Saving video effects

Video effects you create can be saved and used again in another sequence.

You save effects the same way you save clips and sequences — in a bin. You can retrieve a saved effect and drag it onto a Timeline in another sequence. When you

save a video effect, the effect characteristics such as its duration and keyframes are saved with it.

- 1. Click the **Save** button in the Effect box in the Video Effects Tool.
- 2. Select a bin for the effect and enter a name.
- 3. Click Save.

Rendering video effects

Video effects on the Timeline need to be rendered before sending them to another Aurora Edit workstation or server. Aurora Edit automatically renders effects before sending a sequence, but you can manually render effects in the Timeline.

All unrendered transitions that reside under real-time effects appear as straight cuts until the transition is rendered. Field interpolated slow-motion also becomes frame-based until rendered.

- 1. Select the effect to render.
- 2. Render the effect using one of the following methods:
 - Click the Render Effects button in the Main Toolbar.
 - Render all video effects at the same time by clicking the Render All button.

Layering video effects

Aurora Edit allows you to apply more than one effect to a clip. You can mix down an effect into the video clip below it and then add another effect on the FX track that affects the same clip.

Mix Down modifies the video clip (or clips) in which the effect occurs. For example, if the effect was on V2, the effect collapses into V2. If both video tracks are being affected, the effect collapses onto V1.

- 1. Select the effect.
- 2. Mix down the effect using one of these methods:
 - Click the **E** Mix Down button on the main toolbar.
 - Right-click on the effect and select Mix Down Selected.

A progress bar indicates rendering status.

Once an effect is rendered, it is removed from the FX track and becomes part of the video clip below it. A new master clip is also created and saved in the Rendered Clips bin.

Exporting video effects

Video effects can be exported (as a .vef file) to locations outside of the Aurora Edit application, such as folders on your computer, to another computer on your network, or to a diskette.

- 1. Highlight the effect you want to export from the Bin or on the Timeline.
- 2. Choose File | Export | Effect.

The Export Effect window appears.

3. Select a location for the effect and click **Save**.

The video effect exports as a .vef file.

Effects & what they do

How video effects work together

Most video effects can be used alone or in conjunction with other effects to create a different, more complex effect. The Blur effect is the only effect that cannot be used alone; you must combine it with the Key Shape effect.

This table shows which video effects can be combined within Aurora Edit.

Effects	Resize	Key Shape	Blur	Mosaic	Color Effect	Proc Amp	Color Correct	Color Invert	Mirror Vert	Mirror Horiz	Luma Key
Resize	X					X		X	X	X	
Key Shape		X	X	X	X	X		X	X	X	
Blur		X	X								
Mosaic		X		X							
Color Effect		X			X						
Proc Amp	X	X				X		X	X	X	
Color Correct							X				
Mirror Vert.	X	X				X		X	X	X	
Mirror Horiz.	X	X				X		X	X	X	
Luma Key	X					X					X

You can only use the Blur effect in conjunction with the Key Shape effect.

Understanding video effects and keyframes

Within the Video Effects Tool, some parameters are keyframeable and some are not.

That is, if a parameter is keyframeable, the parameter can change from one keyframe to the next. If a parameter is not keyframeable, that parameter is used for the entire effect and cannot change across keyframes.

The type of effect is not keyframeable. The following table lists the type of effect, its parameters and options, and whether each is keyframeable.

Effect	Parameter	Keyfra	meable
		Yes	No
	Track Selection		X
	Path	X	
Resize and Key Shape Effects	X-Position	X	
	Y-Position	X	
	Z-Position	X	
	X-Aspect	X	
	Y-Aspect	X	
	Shape		X
Blur	Defocus	X	
	O-Soft		X
Mosaic	Size	X	
	O-Soft		X
Color Effect	Opacity	X	
	Color	X	
Proc Amp	Gain	X	
	Chroma	X	
	Setup	X	
	Hue	X	
	Background	X	
Color Correct	White Balance	X	
	White Clip	X	
	Black Balance	X	
	Gamma Balance	X	
Mirror Vertical			X
Mirror Horizontal			X
Luma Key	Clip	X	

Effect	Parameter		Keyframeable	
		=	Yes	No
	Gain		X	

Resize video effect

With the Resize video effect, you can enlarge the video image or create a Picture-In Picture (PIP).

You can use the Resize effect with a single video track or with both video tracks (V1 and V2). You can also use a Resize effect in conjunction with the Proc Amp, Color Invert, Mirror Vertical, and Mirror Horizontal effects. When you use resize with one video track, you are generally enlarging the image. Enlarging lets you zoom in on a still image, remove a logo, or highlight print. When you use resize with two video tracks, you create a Picture-in-Picture (PIP) with V2 in the foreground and V1 in the background.

To resize an image, use the slide control or adjust the dials.



Option	Range	Description		
X-Position	-32 to +32 (4:3) -128 to +128 (16:9)	Moves the image left or right.		
Y-Position	-24 to +24 (4:3) -72 to +72 (16:9)	Moves the image up or down.		
Size	0 to 4	Moves the image closer or farther away.		
X-Aspect	0 to 4	Adjusts the image width left to right.		
Y-Aspect	0 to 4	Adjusts the image height top to bottom.		
Shape	Change the shape of the Key Shape effect by clicking the Change button on the Effects tab, selecting a new shape, and clicking OK.			

Key Shape video effect

You can use the Key Shape effect with a single video track or with both video tracks (V1 and V2). You can also use a key shape effect in conjunction with these effects: Blur, Mosaic, Color Effect, Proc Amp, Color Invert, Mirror Vertical and Mirror Horizontal.

When you use a Key Shape effect with one video track, you can create a variety of effects. You can apply a Blur or Mosaic effect in conjunction with the key shape to block out a face. You can also use this effect for other purposes, including creating a highlight with Proc Amp and bringing up the gain of the video image through a small hole, adding a gray blotch if the Blur and Mosaic effects aren't sufficient, or creating a spotlight effect.

You use two video tracks with the Key Shape effect in much the same way as you use a PIP. However, a Key Shape effect only provides the shape instead of resizing the image. In order to see the key shape image, you need to choose V2 to be over V1 in the Video Effects Tool (Select V2/V1 from the Track drop-down box in the Effects tab). The key shape appears to "punch a hole" through V1 with the V2 image displaying in the key.

To position a Key Shape effect, drag the image in the Video Window or use the Left and Right arrow keys on the keyboard.

Option	Range	Description
X-Position	-32 to +32 (4:3) -128 to +128 (16:9)	Moves the key shape left or right.
Y-Position	-24 to +24 (4:3) -72 to +72 (16:9)	Moves the key shape up or down.
Size	0 to 4	Moves the key shape closer or farther away.
X-Aspect	0 to 4	Stretches or shrinks the key shape from the left and right.
Y-Aspect	0 to 4	Stretches or shrinks the key shape from the top and bottom.
Shape		the Key Shape effect by clicking the Change button on ing a new shape, and clicking OK.

Blur & mosaic video effects

Blur video effect

You use the Blur effect to cover up an image that needs to be protected or disguised.

When you select the Blur effect, the Key Shape effect automatically turns on. This is because you need the Key Shape effect to select the size, shape, and position of the blur. You cannot create a Blur effect without using the Key Shape effect as well.

When covering up an image throughout a clip, you probably have to move the blur effect several times in order to cover the image as the clip plays. You can do this quickly using the keyboard keys.



Option	Range	Description
Defocus	0 to 5	0 is no blur and 5 is the heaviest blur.
O-Soft	0 to 100	0 is no softness and 100 is full softness for the outside region of the shape.

Mosaic video effect

You use the Mosaic effect to cover up an image that needs to be protected or disguised.

When you select the Mosaic effect, the Key Shape effect automatically turns on. This is because you need the Key Shape effect to select the size, shape, and position of the mosaic. Unlike the Blur effect, however, you can turn off the Key Shape effect, giving the entire image a mosaic effect.

When covering up an image throughout a clip, you probably have to move the mosaic effect several times in order to cover the image as the clip plays. You can do this quickly using the keyboard keys.



Option	Range	Description
Size	0 to 5	0 is no mosaic at all and 5 is the largest block size.
O-Soft	0 to 100	0 is no softness and 100 is full softness for the outside region of the shape.

Creating a Blur or Mosiac effect

You can use the Aurora Edit keyboard to create a blur or mosiac effect.

- 1. Add a blank effect to the Timeline and select it.
- 2. Check the Blur or Mosiac checkbox to choose the effect.
- 3. Find a size and shape for the effect that you like.

Move the slider up or down to change the size of the effect; check the Key Shape box on the Effects tab and click **Change** to change the shape.

- 4. Move the blur or mosiac pattern over the image at the beginning of the effect.
- 5. Hit **Insert** on the keyboard.

This places a keyframe in the effect on the Timeline.

- 6. Using the A, S, D, and F keys, step through the clip to determine if you need to move the effect pattern in order to cover the image.
- 7. If you need to move the effect, use the left, right, up, and down arrow keys to place the blur or mosiac pattern over the image.
- 8. Hit **Insert** on the keyboard.
- 9. Continue until the end of the clip.

If you need to resize the effect, press the Ctrl + Up and Down keys.

Color Effect

Use the Color Effect to create an area of color, either as a standalone effect or in conjunction with the Resize or Key Shape effects.

You can change the color and the opacity to create the effect you want.

Option	Range	Description
Opacity	0 to 100	0 is not visible at all and 100 is opaque.
Color	Standard Windows color picker	Change the color by clicking the Change button on the Effects tab and selecting a new color.

Proc Amp video effect

You adjust video levels using the Proc Amp effect. You use this effect either as a standalone effect or in conjunction with the Resize or Key Shape effects.

You use four controls — Gain, Chroma, Setup, and Hue — to alter the entire image or part of the video image.

One way to use the Proc Amp effect is to spotlight an image. You create a key shape within a single track of video, check the Background checkbox, and increase the Gain in order to bring out the spotlight within the video image.



brightness.
·
ts the color
ases the
re spectrum
erting all of
adjust the
a

Color correction video effect

You adjust the colors in a video image using the Color Correct effect.

For a quick color correction, just use the White Balance parameter. For a complete color correction, use the parameters in this order for best results:

- · Black Balance
- White Balance
- White Clip
- Gamma Balance

You can adjust colors individually using the dials or automatically. To adjust a dial, click the dial and drag right to increase the value or drag left to decrease the value. Double-click a dial to reset it to 0.

You can also make adjustments entering a value in the box below a dial or by clicking the up and down spin controls beside a value box.

Parameter	Option	Range	Description	
White Balance	Red	-100 to +100	Increases or decreases the component's	
ଙ୍ଗ	Green	_	overall level (gain) relative to the other colors; used to achieve "true white" in	
00	Blue	_	a specific part of the image. You can	
	All		adjust each color individually or use the automatic adjustment (select a white area of the image you want to adjust to using the eyedropper).	
White Clip	Red	0 to 108	Limits the values of the red, green, and	
	Green	_	blue components of an image. You can adjust each color individually or use the automatic adjustment (select a white area of the image you want to adjust to	
	Blue			
	All		using the eyedropper).	
Black Balance	Red	-20 to +20	Changes the pedestal of the red, green,	
131	Green	_	and blue components of an image; provides a black or null offset for each	
_	Blue	_	color component. You can adjust each color individually or use the automatic	
	All		adjustment (select a white area of the image you want to adjust to using the eyedropper).	
Gamma Balance	Red	1.00 to 4.40	Lets you bring out more detail in a color component; applies different values of gamma to the red, green, and blue	
	Green	_		
	Blue	_	components of an image. You adjust each color individually.	
	All		cach color murridually.	


Using automatic color correction

You can have Aurora Edit correct color parameters automatically.

Click a parameter button for the parameter you want to adjust.
 Select from White Balance, White Clip, Black Balance, or Gamma Balance.

2. Using the eyedropper on the video image, drag a box around an area that represents the best color for the parameter you're adjusting.

For example, select the "whitest" area if you are adjusting White Balance.



3. Let go of the mouse.

Aurora Edit adjusts the color in the video image automatically.

4. Repeat steps 1-3 for the other parameters.

Mirror Vertical video effect

The Mirror Vertical video effect flips the image vertically providing an upside-down view of the image.

You use the Mirror Vertical effect either as a standalone effect or within the Resize or Key Shape effects. The Mirror Vertical effect is either On or Off.

Mirror Horizontal video effect

The Mirror Horizontal video effect flips the image horizontally providing a reverse view of the image.

You use the Mirror Horizontal effect either as a standalone effect or within the Resize or Key Shape effects. One way to use the Mirror Horizontal effect is to reverse an interview subject either within a PIP or to change story interviews from one side to the other. The Mirror Horizontal effect is either On or Off.

Luma Key video effect

Keying inserts part of one picture into another to create a composite picture. The Luma Key effect uses the color brightness of an incoming source to specify where to cut the hole in the background.

Option	Range	Description
Clip	0 to 100	Adjusts the luminance (brightness) level in the key signal above which the foreground or key fill video becomes visible over the background video.
Gain	0 to 100	Adjusts the sharpness of the key edge.
Invert	On or Off	Lets you see the video below the clip level; used for keying from dark graphics on a light background.

Options for resize or key shape effects

Blend options for Resize and Key Shape effects

Blend options affect the characteristics of the resize or key shape.

Option	Range	Description
Opacity	0-100	Opacity affects the entire foreground image. The default is 100%, which shows the foreground image and hides the background image. As you change the opacity percentage, the foreground image blends into the background image. Use the opacity option to create fade-ins and fade-outs with Picture-in-Picture (PIP) and to create half-dissolves without fully exposing the background image.0 is not visible at all and 100 is fully visible.
O-Soft	0-100	The O-Soft option softens the hard line that surrounds the outside of the foreground image. You use O-Soft to blend the outside border of the foreground into the background.0 is no softness and 100 is the full softness available for the outside region of the shape.
I-Soft	0-100	The I-Soft option softens hard images that are found on the inside border of an image. One way to use I-Soft is to soften a white border for the inside of a PIP.0 is no softness and 100 is the full softness available for the inside region of the shape.

Border options for Resize and Key Shape effects

You can apply a border to any Resize or Key Shape effect for a 4:3 or 16:9 screen image.

You can also change the color and size of a border and add the border from different directions.

Using any of the key shapes, you can alter the border from the left, right, top, bottom, or on all sides. This may mean your image can have an uneven border. To ensure your borders apply evenly, use the dial **AII**.

Screen Image	Option	Range	Description
4:3	Left	0-8	The 4:3 image is divided into 8 equal sections,
	Right	0-8	making the border larger as the number increases.
	Тор	0-6	_
	Bottom	0-6	_
	All	0-4	_
	Color	Standard Windows color picker	Change the color of the border by clicking the Color icon on the Options tab and selecting a new color.
	Туре	1 choice	Inside border only.
16:9	Left	0-32	The 16:9 image is divided into 32 equal sections,
	Right	0-32	making the border larger as the number increases.
	Тор	0-18	_
	Bottom	0-18	_
	All	0-16	_
	Color	Standard Windows color picker	Change the color of the border by clicking the Color icon on the Options tab and selecting a new color.
	Type	1 choice	Inside border only.

Cropping options for Resize effects

You can crop a Resize effect for a 4:3 or 16:9 screen image.

Cropping an image trims the foreground image from whatever side you select, either left, right, top, bottom, or from all sides. You can also use cropping to center an image or cut out any unwanted video.

Screen Image	Option	Range	Description
4:3 Left Right Top Bottom	Left	0 to 8	The 4:3 image is divided into 8 equal sections,
	Right	0 to 8	making the crop larger as the number increases.
	Тор	0 to 6	_
	Bottom	0 to 6	_
	All	0 to 4	_
	Lock Crop	On or Off	Locks the size of the image box so you can move the video within it without changing the size of the image box.

Screen Image	Option	Range	Description
16:9	Left	0 to 32	The 16:9 image is divided into 32 equal sections,
	Right	0 to 32	making the crop larger as the number increases.
	Тор	0 to 18	-
	Bottom	0 to 18	-
	All	0 to 16	-
	Lock Crop	On or Off	Locks the size of the image box so you can move the video within it without changing the size of the image box.

Drop shadows for Resize and Key Shape effects

You can apply a drop shadow to the foreground image in your effect for a 4:3 or 16:9 screen image.

In addition to adding the drop shadow, you can change its color, opacity, and amount of offset. To position the drop shadow, use the X-Offset and Y-Offset parameters.

Screen Image	Option	Range	Description
4:3	Opacity	0 to 100	0 is not visible at all and 100 is opaque.
	X-Offset	-4 to +4	-4 is the far left of the foreground and +4 is the far right.
	Y-Offset	-3 to +3	-3 is the upper most limit and +3 is lowest limit from the foreground.
	All	-4 to +4	-4 places the X-Offset at the left and the Y-Offset at the upper most limit while +4 places the X-Offset at the right and the Y-Offset at the lowest limit from the foreground.
	Color	Standard Windows color picker	Change the color of the drop shadow by clicking the Color icon on the Options tab and selecting a new color.
16:9	Opacity	0 to 100	0 is not visible at all and 100 is opaque.
	X-Offset	-16 to +16	-16 is the far left of the foreground and +16 is the far right.
	Y-Offset	-9 to +9	-9 is the upper most limit and +9 is the lowest limit from the foreground.
	All	-9 to +9	-4 places the X-Offset at the left and the Y-Offset at the upper most limit while +4 places the X-Offset

Screen Image	Option	Range	Description
			at the right and the Y-Offset at the lowest limit from the foreground.
	Color	Standard Windows color picker	Change the color of the drop shadow by clicking the Color icon on the Options tab and selecting a new color.

Path Control for keyframes

You can apply different path types to specific keyframes in your sequence with the Path Control option.

Option	Range	Description
Tension	-10 to +10	Controls the length of the tension vector.
Continuity	-10 to +10	Determines the angle of the path into and out of the keyframe.
Bias	-10 to +10	Determines whether the path is pulled towards the previous or the following keyframe.
Path	None	See Video effect paths topic for a description of each path type.
	Hold	_
	Linear	_
	S-Linear	_
	Curve	_

Chapter 12

Sending and exporting output

This section contains the following topics:

- Sending sequences
- Associating a sequence with an Aurora Playout placeholder
- Storing sequences on Aurora Edit
- Exporting a Final Cut Pro EDL
- Using the Conform Manager

Sending sequences

Sending your completed sequences to a playback server is the most common way to use Aurora Edit. You can also send your sequences to another Aurora Edit workstation or to a network server.

If you have a Profile Video Server, K2 Media Client, or M-Series iVDR, you can send your sequences to the server for almost instant playback to air. Once you establish a network between the media server and other Aurora Edit workstations, you can send clips and sequences to other Aurora Edit workstations as well as the media server.

1. Go to the Bin and highlight the sequence you wish to send by clicking on the sequence title.

If the sequence is open on the Timeline, you don't need to go to the Bin.

- 2. Press $\mathbf{F2}$ on the keyboard or click the $^{\mathbf{A}}$ Send \mathbf{To} File button in the toolbar.
 - The Select Destination window appears, showing all available locations.
- 3. Click on the box where you want to send the sequence.

You can use the Video ID of a sequence instead of the sequence name by selecting the **Use Video ID** box in the Select Destination window. If no Video ID appears with the sequence, that box is grayed out.

4. If you want to change the name of the sequence, enter it in the **Send As**: field.

You cannot change the **Send Type** field.


5. Click **Send** or press **Enter** on the keyboard to send your sequence.

Associating a sequence with an Aurora Playout placeholder

If you create a clip or sequence on Aurora Edit for a specific placeholder in Aurora Playout, you need to send it back to a playout Media Server so it can be played to air.

- 1. Select the completed sequence in the Aurora Edit Bin.
 - If you have the completed sequence open in Aurora Edit, it is already selected.
- 2. Press **F2** on the keyboard or click the A. Send To File button in the toolbar.

The Send To Selected Destinations window appears, displaying the list of open Aurora Playout placeholders.



3. Select the placeholder to assign to your completed sequence.

If the sequence was already linked to a story or placeholder, the window automatically selects the Aurora Playout placeholder.

4. Enter a **Duration** for the sequence, if desired.

When sending a linked story to an Aurora Playout destination, you have the opportunity to change the Editorial Duration. The duration is sent back to the Newsroom Computer System as the actual on-air duration of the sequence for more accurate rundown timing. If left unchanged, the total duration of the story is sent by default.

5. Click Send.

The clip is automatically sent to the Media Server. Once the clip is sent, the placeholder no longer appears in your Assignment List and the number of missing items at the top of the screen decreases by one.

Storing sequences on Aurora Edit

Instead of sending your sequences to a playback server, you can save them on your Aurora Edit workstation to use later.

To save a completed sequence, you send it to a bin on the same computer you are using. You can then create master clips instead of saving the entire sequence and the clips it uses.

It is a good idea to create a bin specifically for holding stored sequences, such as HFR (Hold For Release).

- 1. Click once on the sequence title that you want to send.
- 2. Press **F2** or click the A Send To File button.

The Select Destination window appears, showing all available locations.

- 3. Click on the box for your system.
- 4. Click **Send** to send your sequence.

Your sequence archives as a single clip.

Exporting a Final Cut Pro EDL

With Aurora Edit, you can bring sequences into Apple's Final Cut Pro application for additional editing and refinement.

Aurora Edit supports these formats for exporting as a Final Cut Pro EDL:DV25, DV50, DV100, XDCAM, and LGOP

Files are transferred using Aurora Edit's XML EDL format and Apple's XML interchange format. These components of the sequence are transferred:

- Clips
- · Rendered effects and titles
- Dissolves (other wipes are converted to a dissolve)
- Varispeed
- Fit To Fill
- Audio voice disguise (but not EQ)
- 1. Choose File | Export | Final Cut Pro EDL.

The Export Final Cut Pro EDL window opens.

- 2. In the **Save in:** drop-down list, select the location where you want to export the files.
- 3. Name the sequence you are exporting.
- 4. Click Save.


The sequence saves as an .XML file.

You can now import this XML file into Apple's Final Cut Pro application for further refinement and editing.

Using the Conform Manager

The Aurora Edit Conform Manager tracks the status of EDL files sent to a specified Conform Server, allowing you to quickly monitor multiple Conform Servers and their current job queue.

Once an item is in the queue, you can stop the current job if you need to reprioritize or re-edit a sequence. You can also filter the jobs that display in the Conform Manager, letting you see only those jobs you need to monitor.



- 1. In the Aurora Edit main toolbar, click the Conform Manager button. The Conform Manager opens.
- 2. Click the Current Job Queue or Completed Job Queue tabs to view and control the
- progress of sent EDL files.

Field or button	Description
Conform Server	A drop-down list of the Conform Servers available to you at your location
Add	Lets you add a Conform Server to the Conform Manager
Remove	Lets you remove a Conform Server from the Conform Manager
Stop/Continue	Click to Stop the selected Conform Server; click Continue to start this service again
Job ID	The Conform Manager assigns a unique ID to each job that comes in; each job increments the ID by one

Sending and exporting output

168

Field or button	Description
Requester	Name of the person (or machine or filepath???) who sent the job
Job Name	Name of the clip as sent to the Conform Server
Status	Gives updated status on the completion of a job; status messages include "Job completed successfully", "Job failed, cannot Render effects in the movie"
Start Time	Indicates when the job began conforming
Percent Complete	On the Current Job Queue tab, specifies what percentage of the job has completed; updates automatically
Elapsed Time	On the Completed Job Queue tab, specifies how long the job took
Filter the results	Lets you define what jobs to view; you can filter by Requester or by Time Since Completion, specified in hours and minutes
Stop Selected Job(s)	Click to stop conforming jobs you have selected
Close	Click to exit out of the Conform Manager



Appendix A Software Licenses

This section contains the following topics:

- cmemdc
- cping
- **CSizingToolBar**
- CTextProgressCtrl
- **MIT**
- mozilla
- **Paintlib**
- resizeable lib
- tconvert
- zlib

21 November 2008 Aurora Edit LD User Guide 169

cmemdc

License

You may freely use or modify this code provided this Copyright is included in all derived versions. See below.

CMemDC - memory DC

/Author: Keith Rule

Email: keithr@europa.com

Copyright 1996-2002, Keith Rule

You may freely use or modify this code provided this Copyright is included in all derived versions.

History

10/3/97 Fixed scrolling bug. Added print support. - KR

11/3/99 Fixed most common complaint. Added background color fill. - KR

11/3/99 Added support for mapping modes other than MM_TEXT as suggested by Lee Sang Hun. - KR

02/11/02 Added support for CScrollView as supplied by Gary Kirkham. - KR

This class implements a memory Device Context which allows flicker free drawing.

Related Links

Software Licenses on page 169

cping

License

Copyright

- You are allowed to include the source code in any product (commercial, shareware, freeware or otherwise) when your product is released in binary form.
- You are allowed to modify the source code in any way you want except you cannot modify the copyright details at the top of each module.
- If you want to distribute source code with your application, then you are only allowed to distribute versions released by the author. This is to maintain a single distribution point for the source code.

Related Links

Software Licenses on page 169

CSizingToolBar

License

CSizingControlBar Version 2.43

Created: Jan 24, 1998 Last Modified: August 03, 2000

See the official site at www.datamekanix.com for documentation and the latest news.

Copyright (C) 1998-2000 by Cristi Posea. All rights reserved.

This code is free for personal and commercial use, providing this notice remains intact in the source files and all eventual changes are clearly marked with comments.

You must obtain the author's consent before you can include this code in a software library.

No warrantee of any kind, express or implied, is included with this software; use at your own risk, responsibility for damages (if any) to anyone resulting from the use of this software rests entirely with the user.

Send bug reports, bug fixes, enhancements, requests, flames, etc. to cristi@datamekanix.com or post them at the message board at the site.

The sources and a short version of the docs are also available at www.codeproject.com . Look for a "Docking Windows" section and check the version to be sure you get the latest one;)

Hint: These classes are intended to be used as base classes. Do not simply add your code to these file - instead create a new class derived from one of CSizingControlBarXX classes and put there what you need. See CMyBar classes in the demo projects for examples.

Modify this file only to fix bugs, and don't forget to send me a copy.

Acknowledgements:

- Thanks to Harlan R. Seymour for his continuous support during development of this code.
- Thanks to Dundas Software for the opportunity to test this code on real-life applications.
- Some ideas for the gripper came from the CToolBarEx flat toolbar by Joerg Koenig. Thanks, Joerg!
- Thanks to Robert Wolpow for the code on which CDockContext based dialgonal resizing is based.
- Thanks to the following people for various bug fixes and/or enhancements: Chris Maunder, Jakawan Ratiwanich, Udo Schaefer, Anatoly Ivasyuk, Peter Hauptmann.
- And, of course, many thanks to all of you who used this code, for the invaluable feedback I received.

Related Links

Software Licenses on page 169

CTextProgressCtrl

License

Written by Chris Maunder (chrismaunder@codeguru.com)

Copyright 1998.

Modified: 26/05/98 Jeremy Davis, jmd@jvf.co.uk

Added colour routines

TextProgressCtrl is a drop-in replacement for the standard CProgressCtrl that displays text in a progress control.

This code may be used in compiled form in any way you desire. This file may be redistributed by any means PROVIDING it is not sold for profit without the authors written consent, and providing that this notice and the authors name is included. If the source code in this file is used in any commercial application then an email to the me would be nice.

This file is provided "as is" with no expressed or implied warranty. The author accepts no liability if it causes any damage to your computer, causes your pet cat to fall ill, increases baldness or makes you car start emitting strange noises when you start it up.

Expect bugs.

Please use and enjoy. Please let me know of any bugs/mods/improvements that you have found/implemented and I will fix/incorporate them into this file.

Chris Maunder is the original author.

Related Links

Software Licenses on page 169

MIT

License

Copyright (c)

Permission is hereby granted, free of charge, to any person obtaining a copy of this software and associated documentation files (the "Software"), to deal in the Software without restriction, including without limitation the rights to use, copy, modify, merge, publish, distribute, sublicense, and/or sell copies of the Software, and to permit persons to whom the Software is furnished to do so, subject to the following conditions:

The above copyright notice and this permission notice shall be included in all copies or substantial portions of the Software.

THE SOFTWARE IS PROVIDED "AS IS", WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO THE WARRANTIES OF MERCHANTABILITY, FITNESS FOR A PARTICULAR

PURPOSE AND NONINFRINGEMENT. IN NO EVENT SHALL THE AUTHORS OR COPYRIGHT HOLDERS BE LIABLE FOR ANY CLAIM, DAMAGES OR OTHER LIABILITY, WHETHER IN AN ACTION OF CONTRACT, TORT OR OTHERWISE, ARISING FROM, OUT OF OR IN CONNECTION WITH THE SOFTWARE OR THE USE OR OTHER DEALINGS IN THE SOFTWARE.

Related Links

Software Licenses on page 169

mozilla

License

Mozilla Public License 1.1 (MPL 1.1)

- 1. Definitions.
 - 1.0.1. "Commercial Use" means distribution or otherwise making the Covered Code available to a third party.
 - 1.1. "Contributor" means each entity that creates or contributes to the creation of Modifications.
 - 1.2. "Contributor Version" means the combination of the Original Code, prior Modifications used by a Contributor, and the Modifications made by that particular Contributor.
 - 1.3. "Covered Code" means the Original Code or Modifications or the combination of the Original Code and Modifications, in each case including portions thereof.
 - 1.4. "Electronic Distribution Mechanism" means a mechanism generally accepted in the software development community for the electronic transfer of data.
 - 1.5. "Executable" means Covered Code in any form other than Source Code.
 - 1.6. "Initial Developer" means the individual or entity identified as the Initial Developer in the Source Code notice required by Exhibit A.
 - 1.7. "Larger Work" means a work which combines Covered Code or portions thereof with code not governed by the terms of this License.
 - 1.8. "License" means this document.
 - 1.8.1. "Licensable" means having the right to grant, to the maximum extent possible, whether at the time of the initial grant or subsequently acquired, any and all of the rights conveyed herein.
 - 1.9. "Modifications" means any addition to or deletion from the substance or structure of either the Original Code or any previous Modifications. When Covered Code is released as a series of files, a Modification is:
 - A. Any addition to or deletion from the contents of a file containing Original Code or previous Modifications.
 - B. Any new file that contains any part of the Original Code or previous Modifications. 1.10. "Original Code" means Source Code of computer software code which is described in the Source Code notice required by Exhibit A as Original Code, and which, at the time of its release under this License is not already Covered Code governed by this License.

- 1.10.1. "Patent Claims" means any patent claim(s), now owned or hereafter acquired, including without limitation, method, process, and apparatus claims, in any patent Licensable by grantor.
- 1.11. "Source Code" means the preferred form of the Covered Code for making modifications to it, including all modules it contains, plus any associated interface definition files, scripts used to control compilation and installation of an Executable, or source code differential comparisons against either the Original Code or another well known, available Covered Code of the Contributor's choice. The Source Code can be in a compressed or archival form, provided the appropriate decompression or de-archiving software is widely available for no charge.
- 1.12. "You" (or "Your") means an individual or a legal entity exercising rights under, and complying with all of the terms of, this License or a future version of this License issued under Section 6.1. For legal entities, "You" includes any entity which controls, is controlled by, or is under common control with You. For purposes of this definition, "control" means (a) the power, direct or indirect, to cause the direction or management of such entity, whether by contract or otherwise, or (b) ownership of more than fifty percent (50%) of the outstanding shares or beneficial ownership of such entity.

2. Source Code License.

- 2.1. The Initial Developer Grant. The Initial Developer hereby grants You a world-wide, royalty-free, non-exclusive license, subject to third party intellectual property claims: (a) under intellectual property rights (other than patent or trademark) Licensable by Initial Developer to use, reproduce, modify, display, perform, sublicense and distribute the Original Code (or portions thereof) with or without Modifications, and/or as part of a Larger Work; and
- (b) under Patents Claims infringed by the making, using or selling of Original Code, to make, have made, use, practice, sell, and offer for sale, and/or otherwise dispose of the Original Code (or portions thereof).
- (c) the licenses granted in this Section 2.1(a) and (b) are effective on the date Initial Developer first distributes Original Code under the terms of this License.
- (d) Notwithstanding Section 2.1(b) above, no patent license is granted: 1) for code that You delete from the Original Code; 2) separate from the Original Code; or 3) for infringements caused by: i) the modification of the Original Code or ii) the combination of the Original Code with other software or devices.
- 2.2. Contributor Grant. Subject to third party intellectual property claims, each Contributor hereby grants You a world-wide, royalty-free, non-exclusive license (a) under intellectual property rights (other than patent or trademark) Licensable by Contributor, to use, reproduce, modify, display, perform, sublicense and distribute the Modifications created by such Contributor (or portions thereof) either on an unmodified basis, with other Modifications, as Covered Code and/or as part of a Larger Work; and (b) under Patent Claims infringed by the making, using, or selling of Modifications made by that Contributor either alone and/or in combination with its Contributor Version (or portions of such combination), to make, use, sell, offer for sale, have made, and/or otherwise dispose of: 1) Modifications made by that Contributor (or portions thereof); and 2) the combination of Modifications made by that Contributor with its Contributor Version (or portions of such combination).
- (c) the licenses granted in Sections 2.2(a) and 2.2(b) are effective on the date Contributor first makes Commercial Use of the Covered Code.

(d) Notwithstanding Section 2.2(b) above, no patent license is granted: 1) for any code that Contributor has deleted from the Contributor Version; 2) separate from the Contributor Version; 3) for infringements caused by: i) third party modifications of Contributor Version or ii) the combination of Modifications made by that Contributor with other software (except as part of the Contributor Version) or other devices; or 4) under Patent Claims infringed by Covered Code in the absence of Modifications made by that Contributor.

3. Distribution Obligations.

3.1. Application of License.

The Modifications which You create or to which You contribute are governed by the terms of this License, including without limitation Section 2.2. The Source Code version of Covered Code may be distributed only under the terms of this License or a future version of this License released under Section 6.1, and You must include a copy of this License with every copy of the Source Code You distribute. You may not offer or impose any terms on any Source Code version that alters or restricts the applicable version of this License or the recipients' rights hereunder. However, You may include an additional document offering the additional rights described in Section 3.5.

3.2. Availability of Source Code.

Any Modification which You create or to which You contribute must be made available in Source Code form under the terms of this License either on the same media as an Executable version or via an accepted Electronic Distribution Mechanism to anyone to whom you made an Executable version available; and if made available via Electronic Distribution Mechanism, must remain available for at least twelve (12) months after the date it initially became available, or at least six (6) months after a subsequent version of that particular Modification has been made available to such recipients. You are responsible for ensuring that the Source Code version remains available even if the Electronic Distribution Mechanism is maintained by a third party.

3.3. Description of Modifications.

You must cause all Covered Code to which You contribute to contain a file documenting the changes You made to create that Covered Code and the date of any change. You must include a prominent statement that the Modification is derived, directly or indirectly, from Original Code provided by the Initial Developer and including the name of the Initial Developer in (a) the Source Code, and (b) in any notice in an Executable version or related documentation in which You describe the origin or ownership of the Covered Code.

3.4. Intellectual Property Matters

(a) Third Party Claims .

If Contributor has knowledge that a license under a third party's intellectual property rights is required to exercise the rights granted by such Contributor under Sections 2.1 or 2.2, Contributor must include a text file with the Source Code distribution titled "LEGAL" which describes the claim and the party making the claim in sufficient detail that a recipient will know whom to contact. If Contributor obtains such knowledge after the Modification is made available as described in Section 3.2, Contributor shall promptly modify the LEGAL file in all copies Contributor makes available thereafter and shall take other steps (such as notifying appropriate mailing lists or newsgroups) reasonably calculated to inform those who received the Covered Code that new knowledge has been obtained.

(b) Contributor APIs.

If Contributor's Modifications include an application programming interface and Contributor has knowledge of patent licenses which are reasonably necessary to implement that API, Contributor must also include this information in the LEGAL file. (c) Representations.

Contributor represents that, except as disclosed pursuant to Section 3.4(a) above, Contributor believes that Contributor's Modifications are Contributor's original creation(s) and/or Contributor has sufficient rights to grant the rights conveyed by this License.

3.5. Required Notices.

You must duplicate the notice in Exhibit A in each file of the Source Code. If it is not possible to put such notice in a particular Source Code file due to its structure, then You must include such notice in a location (such as a relevant directory) where a user would be likely to look for such a notice. If You created one or more Modification(s) You may add your name as a Contributor to the notice described in Exhibit A. You must also duplicate this License in any documentation for the Source Code where You describe recipients' rights or ownership rights relating to Covered Code. You may choose to offer, and to charge a fee for, warranty, support, indemnity or liability obligations to one or more recipients of Covered Code. However, You may do so only on Your own behalf, and not on behalf of the Initial Developer or any Contributor. You must make it absolutely clear than any such warranty, support, indemnity or liability obligation is offered by You alone, and You hereby agree to indemnify the Initial Developer or such Contributor as a result of warranty, support, indemnity or liability terms You offer. 3.6. Distribution of Executable Versions.

You may distribute Covered Code in Executable form only if the requirements of Section 3.1-3.5 have been met for that Covered Code, and if You include a notice stating that the Source Code version of the Covered Code is available under the terms of this License, including a description of how and where You have fulfilled the obligations of Section 3.2. The notice must be conspicuously included in any notice in an Executable version, related documentation or collateral in which You describe recipients' rights relating to the Covered Code. You may distribute the Executable version of Covered Code or ownership rights under a license of Your choice, which may contain terms different from this License, provided that You are in compliance with the terms of this License and that the license for the Executable version does not attempt to limit or alter the recipient's rights in the Source Code version from the rights set forth in this License. If You distribute the Executable version under a different license You must make it absolutely clear that any terms which differ from this License are offered by You alone, not by the Initial Developer or any Contributor. You hereby agree to indemnify the Initial Developer and every Contributor for any liability incurred by the Initial Developer or such Contributor as a result of any such terms You offer.

3.7. Larger Works.

You may create a Larger Work by combining Covered Code with other code not governed by the terms of this License and distribute the Larger Work as a single product. In such a case, You must make sure the requirements of this License are fulfilled for the Covered Code.

4. Inability to Comply Due to Statute or Regulation.

If it is impossible for You to comply with any of the terms of this License with respect to some or all of the Covered Code due to statute, judicial order, or regulation then You must: (a) comply with the terms of this License to the maximum

extent possible; and (b) describe the limitations and the code they affect. Such description must be included in the LEGAL file described in Section 3.4 and must be included with all distributions of the Source Code. Except to the extent prohibited by statute or regulation, such description must be sufficiently detailed for a recipient of ordinary skill to be able to understand it.

5. Application of this License.

This License applies to code to which the Initial Developer has attached the notice in Exhibit A and to related Covered Code.

6. Versions of the License.

6.1. New Versions.

Netscape Communications Corporation ("Netscape") may publish revised and/or new versions of the License from time to time. Each version will be given a distinguishing version number.

6.2. Effect of New Versions.

Once Covered Code has been published under a particular version of the License, You may always continue to use it under the terms of that version. You may also choose to use such Covered Code under the terms of any subsequent version of the License published by Netscape. No one other than Netscape has the right to modify the terms applicable to Covered Code created under this License.

6.3. Derivative Works.

If You create or use a modified version of this License (which you may only do in order to apply it to code which is not already Covered Code governed by this License), You must (a) rename Your license so that the phrases "Mozilla", "MOZILLAPL", "MOZPL", "Netscape", "MPL", "NPL" or any confusingly similar phrase do not appear in your license (except to note that your license differs from this License) and (b) otherwise make it clear that Your version of the license contains terms which differ from the Mozilla Public License and Netscape Public License. (Filling in the name of the Initial Developer, Original Code or Contributor in the notice described in Exhibit A shall not of themselves be deemed to be modifications of this License.)

7. DISCLAIMER OF WARRANTY.

COVERED CODE IS PROVIDED UNDER THIS LICENSE ON AN "AS IS" BASIS, WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, WARRANTIES THAT THE COVERED CODE IS FREE OF DEFECTS, MERCHANTABLE, FIT FOR A PARTICULAR PURPOSE OR NON-INFRINGING. THE ENTIRE RISK AS TO THE QUALITY AND PERFORMANCE OF THE COVERED CODE IS WITH YOU. SHOULD ANY COVERED CODE PROVE DEFECTIVE IN ANY RESPECT, YOU (NOT THE INITIAL DEVELOPER OR ANY OTHER CONTRIBUTOR) ASSUME THE COST OF ANY NECESSARY SERVICING, REPAIR OR CORRECTION. THIS DISCLAIMER OF WARRANTY CONSTITUTES AN ESSENTIAL PART OF THIS LICENSE. NO USE OF ANY COVERED CODE IS AUTHORIZED HEREUNDER EXCEPT UNDER THIS DISCLAIMER.

8. TERMINATION.

8.1. This License and the rights granted hereunder will terminate automatically if You fail to comply with terms herein and fail to cure such breach within 30 days of becoming

aware of the breach. All sublicenses to the Covered Code which are properly granted shall survive any termination of this License. Provisions which, by their nature, must remain in effect beyond the termination of this License shall survive.

- 8.2. If You initiate litigation by asserting a patent infringement claim (excluding declatory judgment actions) against Initial Developer or a Contributor (the Initial Developer or Contributor against whom You file such action is referred to as "Participant") alleging that:
- (a) such Participant's Contributor Version directly or indirectly infringes any patent, then any and all rights granted by such Participant to You under Sections 2.1 and/or 2.2 of this License shall, upon 60 days notice from Participant terminate prospectively, unless if within 60 days after receipt of notice You either: (i) agree in writing to pay Participant a mutually agreeable reasonable royalty for Your past and future use of Modifications made by such Participant, or (ii) withdraw Your litigation claim with respect to the Contributor Version against such Participant. If within 60 days of notice, a reasonable royalty and payment arrangement are not mutually agreed upon in writing by the parties or the litigation claim is not withdrawn, the rights granted by Participant to You under Sections 2.1 and/or 2.2 automatically terminate at the expiration of the 60 day notice period specified above.
- (b) any software, hardware, or device, other than such Participant's Contributor Version, directly or indirectly infringes any patent, then any rights granted to You by such Participant under Sections 2.1(b) and 2.2(b) are revoked effective as of the date You first made, used, sold, distributed, or had made, Modifications made by that Participant.
- 8.3. If You assert a patent infringement claim against Participant alleging that such Participant's Contributor Version directly or indirectly infringes any patent where such claim is resolved (such as by license or settlement) prior to the initiation of patent infringement litigation, then the reasonable value of the licenses granted by such Participant under Sections 2.1 or 2.2 shall be taken into account in determining the amount or value of any payment or license.
- 8.4. In the event of termination under Sections 8.1 or 8.2 above, all end user license agreements (excluding distributors and resellers) which have been validly granted by You or any distributor hereunder prior to termination shall survive termination.

9. LIMITATION OF LIABILITY.

UNDER NO CIRCUMSTANCES AND UNDER NO LEGAL THEORY, WHETHER TORT (INCLUDING NEGLIGENCE), CONTRACT, OR OTHERWISE, SHALL YOU, THE INITIAL DEVELOPER, ANY OTHER CONTRIBUTOR, OR ANY DISTRIBUTOR OF COVERED CODE, OR ANY SUPPLIER OF ANY OF SUCH PARTIES, BE LIABLE TO ANY PERSON FOR ANY INDIRECT, SPECIAL, INCIDENTAL, OR CONSEQUENTIAL DAMAGES OF ANY CHARACTER INCLUDING, WITHOUT LIMITATION, DAMAGES FOR LOSS OF GOODWILL, WORK STOPPAGE, COMPUTER FAILURE OR MALFUNCTION, OR ANY AND ALL OTHER COMMERCIAL DAMAGES OR LOSSES. EVEN IF SUCH PARTY SHALL HAVE BEEN INFORMED OF THE POSSIBILITY OF SUCH DAMAGES. THIS LIMITATION OF LIABILITY SHALL NOT APPLY TO LIABILITY FOR DEATH OR PERSONAL INJURY RESULTING FROM SUCH PARTY'S NEGLIGENCE TO THE EXTENT APPLICABLE LAW PROHIBITS SUCH LIMITATION. SOME JURISDICTIONS DO NOT ALLOW THE EXCLUSION OR LIMITATION OF INCIDENTAL OR CONSEQUENTIAL DAMAGES, SO THIS EXCLUSION AND LIMITATION MAY NOT APPLY TO YOU.

10. U.S. GOVERNMENT END USERS.

The Covered Code is a "commercial item," as that term is defined in 48 C.F.R. 2.101 (Oct. 1995), consisting of "commercial computer software" and "commercial computer software documentation," as such terms are used in 48 C.F.R. 12.212 (Sept. 1995). Consistent with 48 C.F.R. 12.212 and 48 C.F.R. 227.7202-1 through 227.7202-4 (June 1995), all U.S. Government End Users acquire Covered Code with only those rights set forth herein.

11. MISCELLANEOUS.

This License represents the complete agreement concerning subject matter hereof. If any provision of this License is held to be unenforceable, such provision shall be reformed only to the extent necessary to make it enforceable. This License shall be governed by California law provisions (except to the extent applicable law, if any, provides otherwise), excluding its conflict-of-law provisions. With respect to disputes in which at least one party is a citizen of, or an entity chartered or registered to do business in the United States of America, any litigation relating to this License shall be subject to the jurisdiction of the Federal Courts of the Northern District of California, with venue lying in Santa Clara County, California, with the losing party responsible for costs, including without limitation, court costs and reasonable attorneys' fees and expenses. The application of the United Nations Convention on Contracts for the International Sale of Goods is expressly excluded. Any law or regulation which provides that the language of a contract shall be construed against the drafter shall not apply to this License.

12. RESPONSIBILITY FOR CLAIMS.

As between Initial Developer and the Contributors, each party is responsible for claims and damages arising, directly or indirectly, out of its utilization of rights under this License and You agree to work with Initial Developer and Contributors to distribute such responsibility on an equitable basis. Nothing herein is intended or shall be deemed to constitute any admission of liability.

13. MULTIPLE-LICENSED CODE.

Initial Developer may designate portions of the Covered Code as Multiple-Licensed. Multiple-Licensed means that the Initial Developer permits you to utilize portions of the Covered Code under Your choice of the NPL or the alternative licenses, if any, specified by the Initial Developer in the file described in Exhibit A.

EXHIBIT A -Mozilla Public License.

"The contents of this file are subject to the Mozilla Public License Version 1.1 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at http://www.mozilla.org/MPL/

Software distributed under the License is distributed on an "AS IS" basis, WITHOUT WARRANTY OF ANY KIND, either express or implied. See the License for the specificlanguage governing rights and limitations under the License.

The Original Code is		·
The Initial Developer of the Or	iginal Code is	Portion
created by	are Copyright (C)	
	All Rights Reserved.	
Contributor(s):		

Alternatively, the contents of this file may be used under the terms of the lice	ense
(the [] License), in which case the provisions of [] License are application	able
instead of those above. If you wish to allow use of your version of this file only ur	ıder
the terms of the [] License and not to allow others to use your version of this	file
under the MPL, indicate your decision by deleting the provisions above and repla	ace
them with the notice and other provisions required by the [] License. If you do	not
delete the provisions above, a recipient may use your version of this file under ei	ther
the MPL or the [] License."	

[NOTE: The text of this Exhibit A may differ slightly from the text of the notices in the Source Code files of the Original Code. You should use the text of this Exhibit A rather than the text found in the Original Code Source Code for Your Modifications.]

Related Links

Software Licenses on page 169

Paintlib

License

If you redistribute paintlib, you should redistribute the whole library including documentation and copyright. If that is not possible, you must make it clear that you're distributing a changed version. In no event may any part of the library be distributed without this copyright notice.

Before the legalese starts, here's the translation to plain english:

- 1. Do whatever you want with paintlib. Just don't come running to me with a lawyer if something goes wrong.
- 2. If you redistribute paintlib, you should redistribute the whole library including documentation and copyright. If that is not possible, you must make it clear that you're distributing a changed version. In no event may any part of the library be distributed without this copyright notice.
- 3. If you use paintlib in your program, you must acknowledge this, preferably in the about box and the documentation.

The legalese itself is a derivative work. I modified the LIBPNG copyright notice. Thanks, guys :-).

The paintlib source code and all documentation are copyright (c) 1996-1999 Ulrich von Zadow.

The paintlib source code is supplied "AS IS". Ulrich von Zadow and other authors disclaim all warranties, expressed or implied, including, without limitation, the warranties of merchantability and of fitness for any purpose. The authors assume no liability for direct, indirect, incidental, special, exemplary, or consequential damages, which may result from the use of paintlib, even if advised of the possibility of such damage.

Permission is hereby granted to use, copy, modify, and distribute this source code, or portions hereof, for any purpose, without fee, subject to the following restrictions:

- 1. The origin of this source code must not be misrepresented.
- 2. Altered versions must be plainly marked as such and must not be misrepresented as being the original source.
- 3. This Copyright notice may not be removed or altered from any source or altered source distribution.
- 4. Executables containing paintlib or parts of it must state that the software "contains paintlib code. paintlib is copyright (c) 1996-1998 Ulrich von Zadow.". This notice must be displayed in at least one place where the copyright for the software itself is displayed. The documentation must also contain this notice.

Note that libpng, libtiff and the jpeg library have their own terms of use. You can find these in the documentation of the libraries.

Related Links

Software Licenses on page 169

resizeable lib

License

This file is part of ResizableLib

http://sourceforge.net/projects/resizablelib

/Copyright (C) 2000-2004 by Paolo Messina

/http://www.geocities.com/ppescher - mailto:ppescher@hotmail.com

The contents of this file are subject to the Artistic License (the "License").

You may not use this file except in compliance with the License.

You may obtain a copy of the License at:

http://www.opensource.org/licenses/artistic-license.html

If you find this code useful, credits would be nice!

The Artistic License

Preamble

The intent of this document is to state the conditions under which a Package may be copied, such that the Copyright Holder maintains some semblance of artistic control over the development of the package, while giving the users of the package the right to use and distribute the Package in a more-or-less customary fashion, plus the right to make reasonable modifications.

Definitions:

• "Package" refers to the collection of files distributed by the Copyright Holder, and derivatives of that collection of files created through textual modification.

- "Standard Version" refers to such a Package if it has not been modified, or has been modified in accordance with the wishes of the Copyright Holder.
- "Copyright Holder" is whoever is named in the copyright or copyrights for the package.
- "You" is you, if you're thinking about copying or distributing this Package.
- "Reasonable copying fee" is whatever you can justify on the basis of media cost, duplication charges, time of people involved, and so on. (You will not be required to justify it to the Copyright Holder, but only to the computing community at large as a market that must bear the fee.)
- "Freely Available" means that no fee is charged for the item itself, though there may be fees involved in handling the item. It also means that recipients of the item may redistribute it under the same conditions they received it.
- You may make and give away verbatim copies of the source form of the Standard Version
 of this Package without restriction, provided that you duplicate all of the original copyright
 notices and associated disclaimers.
- You may apply bug fixes, portability fixes and other modifications derived from the Public Domain or from the Copyright Holder. A Package modified in such a way shall still be considered the Standard Version.
- 3. You may otherwise modify your copy of this Package in any way, provided that you insert a prominent notice in each changed file stating how and when you changed that file, and provided that you do at least ONE of the following:
 - a) place your modifications in the Public Domain or otherwise make them Freely Available, such as by posting said modifications to Usenet or an equivalent medium, or placing the modifications on a major archive site such as ftp.uu.net, or by allowing the Copyright Holder to include your modifications in the Standard Version of the Package.
 - b) use the modified Package only within your corporation or organization.
 - c) rename any non-standard executables so the names do not conflict with standard executables, which must also be provided, and provide a separate manual page for each non-standard executable that clearly documents how it differs from the Standard Version.
 - d) make other distribution arrangements with the Copyright Holder.
- 4. You may distribute the programs of this Package in object code or executable form, provided that you do at least ONE of the following:
 - a) distribute a Standard Version of the executables and library files, together with instructions (in the manual page or equivalent) on where to get the Standard Version.
 - b) accompany the distribution with the machine-readable source of the Package with your modifications.
 - c) accompany any non-standard executables with their corresponding Standard Version executables, giving the non-standard executables non-standard names, and clearly documenting the differences in manual pages (or equivalent), together with instructions on where to get the Standard Version.
 - d) make other distribution arrangements with the Copyright Holder.
- 5. You may charge a reasonable copying fee for any distribution of this Package. You may charge any fee you choose for support of this Package. You may not charge a fee for this Package itself. However, you may distribute this Package in aggregate with other (possibly

- commercial) programs as part of a larger (possibly commercial) software distribution provided that you do not advertise this Package as a product of your own.
- 6. The scripts and library files supplied as input to or produced as output from the programs of this Package do not automatically fall under the copyright of this Package, but belong to whomever generated them, and may be sold commercially, and may be aggregated with this Package.
- 7. C or perl subroutines supplied by you and linked into this Package shall not be considered part of this Package.
- 8. The name of the Copyright Holder may not be used to endorse or promote products derived from this software without specific prior written permission.
- 9. THIS PACKAGE IS PROVIDED "AS IS" AND WITHOUT ANY EXPRESS OR IMPLIED WARRANTIES, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTIBILITY AND FITNESS FOR A PARTICULAR PURPOSE.

The End

Related Links

Software Licenses on page 169

tconvert

License

TCONVERT.H

SCA Software International S.A.

http://www.scasoftware.com

scaadmin@scasoftware.com

Copyright (c) 2000 SCA Software International S.A.

Date: 01.05.2000

Author: Zoran M.Todorovic

This software is provided "AS IS", without a warranty of any kind. You are free to use/modify this code but leave this header intact.

Related Links

Software Licenses on page 169

zlib

License

Zlib

zlib.h -- interface of the 'zlib' general purpose compression library version 1.2.2, October 3rd, 2004

Copyright (C) 1995-2004 Jean-loup Gailly and Mark Adler

This software is provided 'as-is', without any express or implied warranty. In no event will the authors be held liable for any damages arising from the use of this software.

Permission is granted to anyone to use this software for any purpose, including commercial applications, and to alter it and redistribute it freely, subject to the following restrictions:

- 1. The origin of this software must not be misrepresented; you must not claim that you wrote the original software. If you use this software in a product, an acknowledgment in the product documentation would be appreciated but is not required.
- 2. Altered source versions must be plainly marked as such, and must not be misrepresented as being the original software.3. This notice may not be removed or altered from any source distribution.

Jean-loup Gailly Mark Adler

jloup@gzip.org madler@alumni.caltech.edu

The data format used by the zlib library is described by RFCs (Request for Comments) 1950 to 1952 in the files http://www.ietf.org/rfc/rfc1950.txt (zlib format), rfc1951.txt (deflate format) and rfc1952.txt (gzip format).

Related Links

Software Licenses on page 169

Glossary

ASK

The central registry for all the MediaFrame components. Other software components refer to the ASK component to establish communication and exchange commands and data as well as populate fields and lists.

Asset

See Logical Asset and Physical Asset.

Asset Details

The MediaFrame view that contains detailed information about the assets, including all the associated metadata and storyboard and video proxy information.

Asset List

The MediaFrame view that lists all the assets in a search or a folder.

Asset Navigator

The MediaFrame view that is used for searching logical assets or browsing for physical assets.

Device

In Aurora Browse, a term used to designate a component that contains physical asset. Devices have MDIs that represent the device's assets in a way that is understandable by the other components of the system. This allows the MediaFrame server to coordinate the activity of the system. Different devices perform different functions in the MediaFrame system. For example, the K2 MDI device is used for transferring assets, while the News MDI is used for Aurora Edit assets and the Flashnet (SGL) MDI is used for archiving assets.

Essence

See Physical asset.

FTP

File Transfer Protocol is a common IT protocol for the bulk movement or transfer of large volumes of data. K2 servers can handle multiple FTP transfers simultaneously at faster than real-time speeds.

185

HD

High Definition video.

Logical Asset

A logical asset is a combination of the MediaFrame database information, physical asset or assets on the server, and proxy assets. A logical asset has a globally unique Universal resource Name (URN) that uniquely identifies it.

Material

A high-resolution clip, upon which the low-resolution proxy is based.

MDI

Managed Device Interface.

MediaFrame

A metadata storage and asset management architecture deployed in the Aurora suite. This architecture shares media asset management (MAM) components with other applications and systems such as servers, Aurora Ingest, and Aurora Edit workstations.

MediaFrame Status

A tool in Aurora Browse that tracks the status of the various components of Aurora Browse.

Metadata

Data about data. For example, metadata can include keywords, descriptions, and other terms that you would use to search for an asset in a database.

Offline

In Aurora Browse, offline refers to an asset that has been archived. An asset can be both offline and online simultaneously.

Online

In Aurora Browse, online refers to an asset that is located on the high-resolution server. An asset can be both offline and online simultaneously.

Physical Asset

A physical asset, or essence, is the raw program material, represented by pictures, sound, text video, etc. It carries the actual message or information.

Proxy

A low-resolution clip that represents high-resolution material.

SD

Standard Definition video.

Storyboard

A series of video thumbnails used to show scene changes in an asset.

Storyboard proxy

The low-resolution video clip that provides the thumbnails for the storyboard.

Subclip

A clip created by referencing a portion of media from another clip.

Thumbnail

A frame of video used for visual identification of a clip. By default, the thumbnail is generated in the K2 server from the 16th frame of video. You can select a new thumbnail using the Storyboard.

Thumbnail view

The MediaFrame view that shows the Asset List information with thumbnails instead of strictly textual information.

Transfer Monitor

A tool in Aurora Browse that monitors asset transfers.

Up Conversion

Conversion of an SD (standard definition) video format to an HD ((high definition) video format.

Index

A	audio mixer 22	
11. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	Audio Mixer Tool 28	
adding audio narration 123	Aurora Edit	
adjusting	description 14	
audio gain 121	keyboard shortcuts 132	
audio levels 116	viewing monitor 21	
audio output level 120	window 16	
read count in Story View 76	Aurora Playout	
adjusting audio 22	associating placeholder 164	
Agile Timeline 84	editing and 78	
asset	auto-mark keywords 61	
adding general information 59		
Assignmen List Manager	В	
viewing by category 80	5	
Assignment List Manager	Bin 17	
changing clip category 80	changing thumbnail size 44	
creating placeholders 78	contents 18	
deleting placeholders 81	creating 40	
identifying missing clips 80	displaying columns 43	
using 76	organizing 41	
audio	saving position 42	
adjusting gain 121	toolbar 18	
adjusting levels 116	trimming clips in 102	
audio mixer 22	viewing in details view 42	
Audio Mixer Tool 28	viewing thumbnails 44	
changing levels in clip 118	window 40	
ganging multiple tracks 119	Bin, contents toolbar 18	
moving clips 91	Bin, contents toolear 10	
muting track 119	С	
narration 123	C	
setting output level 120	changing	
soloing track 119	master clip properties 47	
Timeline settings 120	thumbnail size in Bin 44	
viewing levels on Timeline 116	changing audio levels in clip 118	
audio automation	changing clip category in Assignment List 80	
removing 122	clip	
showing 122	changing audio levels 118	
using 122	changing master properties 47	
audio crossfades	copy and paste 91	
automatic with transitions 113	copying 46	
description 112	copying 40 copy to Timeline 102	
audio formats	moving audio 91	
supported 14	moving audio 71	
supported 14		

clips	dissolve transitions 107		
copying to Timeline 91	dynamic tool window 20		
creating 92	aj namo teer windew ze		
deleting 46	E		
deleting from sequence 96	L		
lifting from Timeline 94	editing		
missing in Assignment List 80	Aurora Playout 78		
moving in Timeline 90	overview 14		
trimming 100	editing modes 70		
using handles 100	editing window 18		
clip source	edit setup keyboard shortcuts 133		
zooming in 87	export		
columns	Final Cut Pro EDL 166		
displaying in Bin 43	video effects 150		
Conform Manager 167	extending edits 101		
controlling deck from Aurora Edit 86	2		
copy	F		
clips to Timeline 91	•		
copy and paste	fade control points		
clips 91	removing 118		
copying	files		
area of sequence 92	sorting 44		
clip or sequence 46	Filter		
clip to Timeline 102	creating 55		
creating	favorites 55		
clips 92	searching with 54		
Fit To Fill 129	filters		
new bin 40	deleting 55		
new sequence 68	modifying 55		
creating, placeholders in Assignment List 78	Final Cut Pro EDL		
creating transitions	exporting 166		
Transition Tool 27	Fit To Fill 129		
114H5H5H 100127	foreground image		
D	moving in viewer window 139		
D	freeze frame 130		
deck			
controlling from Aurora Edit 86	G		
delete	•		
filters 55	ganging multiple audio tracks 119		
transitions 112			
deleting	Н		
area from sequence 96			
clip from sequence 96	handles		
clips/sequences 46	add frames to clips 100		
keyword 61	head frame selection 45		
placeholders in Assignment List 81			
details view of Bin 42			

I	M		
import	main toolbar 16		
video effects 143	main window in Aurora Edit 16		
	mark points		
K	creating 85		
	description 84		
Keyboard keys	master audio sliders 120		
clip/track selection 32	master properties		
deck transport 31	changing 47		
editing 32	Match Frame to Bin 131		
mark point 33	Match Frame to source 131		
other keys 35	MediaFrame		
tool selection 30	description 50		
track selection 34	Media Import SmartBin 48		
transport command 31	metadata		
keyboard shortcuts Aurora Edit 132	printing 63		
	metadata fields		
edit setup 133	managing 62		
play speed 133 select/move 134	using custom 63		
tracks 134	missing clips		
transports 135	in Assignment List 80 modes		
video effects 136			
keyframe	editing 70 moving		
adding 61	audio clips 91		
keyframes	clips in Timeline 90		
description 145	muting		
inserting 146	audio track 119		
modifying 146	audio track 119		
path control 162	N		
keyword	IN		
add 62	narration		
adding 60	audio 123		
deleting 61	new bin		
manage 62	creating 40		
keywords			
auto marking 61	0		
L	organizing your Bins 41		
layering video effects 149	P		
lifting clips from Timeline 94	•		
linking to news story	path control for keyframes 162		
story view functions 75	placeholder		
	associating sequence with 164		
	placeholders		
	creating in Assignment List 78		

placeholders (continued)	sequences		
deleting in Assignment List 81	deleting 46		
playback server	settings		
sending sequences 164	Timeline audio 120		
playing clips	Shared SmartBins 48		
viewing monitor 21	showing audio automation 122		
playing past out 101	size of thumbnails in Bin 44		
play speed keyboard shortcuts 133	slide transitions 108		
printing metadata 63	SmartBins		
properties	description 47		
changing sequence 69	Media Import 48		
push transitions 107	Shared 48		
•	Transfer 47		
R	soloing audio track 119		
11	sorting media files 44		
read count	Source Tool 25		
adjusting in Story View 76	storing files in Bin 17		
removing	storyboard 22		
audio automation 122	Story View		
fade control points 118	adjusting read count 76		
rendering	story view functions 75		
video effects 149	supported media formats 14		
rendering transitions 111	••		
	т		
S	-		
	thumbnails		
saving	thumbnails storyboard 22		
saving Bin position 42	thumbnails storyboard 22 thumbnail view of Bin 44		
saving Bin position 42 video effects 148	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18		
saving Bin position 42 video effects 148 search	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141		
saving Bin position 42 video effects 148 search how to organize 54	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141 agile 84		
saving Bin position 42 video effects 148 search how to organize 54 saving 53, 54	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141 agile 84 audio settings 120		
saving Bin position 42 video effects 148 search how to organize 54 saving 53, 54 setting criteria 50	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141 agile 84 audio settings 120 changing view manually 88		
saving Bin position 42 video effects 148 search how to organize 54 saving 53, 54 setting criteria 50 tips for using criteria 51	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141 agile 84 audio settings 120 changing view manually 88 copy a clip to 102		
saving Bin position 42 video effects 148 search how to organize 54 saving 53, 54 setting criteria 50 tips for using criteria 51 select/move keyboard shortcuts 134	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141 agile 84 audio settings 120 changing view manually 88 copy a clip to 102 copying clips to 91		
saving Bin position 42 video effects 148 search how to organize 54 saving 53, 54 setting criteria 50 tips for using criteria 51 select/move keyboard shortcuts 134 selecting	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141 agile 84 audio settings 120 changing view manually 88 copy a clip to 102 copying clips to 91 lifting clips 94		
saving Bin position 42 video effects 148 search how to organize 54 saving 53, 54 setting criteria 50 tips for using criteria 51 select/move keyboard shortcuts 134 selecting head frame 45	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141 agile 84 audio settings 120 changing view manually 88 copy a clip to 102 copying clips to 91 lifting clips 94 moving clips 90		
saving Bin position 42 video effects 148 search how to organize 54 saving 53, 54 setting criteria 50 tips for using criteria 51 select/move keyboard shortcuts 134 selecting head frame 45 sequence	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141 agile 84 audio settings 120 changing view manually 88 copy a clip to 102 copying clips to 91 lifting clips 94 moving clips 90 viewing audio levels 116		
saving Bin position 42 video effects 148 search how to organize 54 saving 53, 54 setting criteria 50 tips for using criteria 51 select/move keyboard shortcuts 134 selecting head frame 45 sequence adding freeze frame 130	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141 agile 84 audio settings 120 changing view manually 88 copy a clip to 102 copying clips to 91 lifting clips 94 moving clips 90 viewing audio levels 116 Timeline Tool 24		
saving Bin position 42 video effects 148 search how to organize 54 saving 53, 54 setting criteria 50 tips for using criteria 51 select/move keyboard shortcuts 134 selecting head frame 45 sequence adding freeze frame 130 changing properties 69	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141 agile 84 audio settings 120 changing view manually 88 copy a clip to 102 copying clips to 91 lifting clips 94 moving clips 90 viewing audio levels 116 Timeline Tool 24 Timeline toolbar 19		
saving Bin position 42 video effects 148 search how to organize 54 saving 53, 54 setting criteria 50 tips for using criteria 51 select/move keyboard shortcuts 134 selecting head frame 45 sequence adding freeze frame 130 changing properties 69 copying 46	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141 agile 84 audio settings 120 changing view manually 88 copy a clip to 102 copying clips to 91 lifting clips 94 moving clips 90 viewing audio levels 116 Timeline Tool 24 Timeline toolbar 19 toolbar		
saving Bin position 42 video effects 148 search how to organize 54 saving 53, 54 setting criteria 50 tips for using criteria 51 select/move keyboard shortcuts 134 selecting head frame 45 sequence adding freeze frame 130 changing properties 69 copying 46 copying selected area 92	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141 agile 84 audio settings 120 changing view manually 88 copy a clip to 102 copying clips to 91 lifting clips 94 moving clips 90 viewing audio levels 116 Timeline Tool 24 Timeline toolbar 19 toolbar Bin 18		
saving Bin position 42 video effects 148 search how to organize 54 saving 53, 54 setting criteria 50 tips for using criteria 51 select/move keyboard shortcuts 134 selecting head frame 45 sequence adding freeze frame 130 changing properties 69 copying 46 copying selected area 92 creating 68	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141 agile 84 audio settings 120 changing view manually 88 copy a clip to 102 copying clips to 91 lifting clips 94 moving clips 90 viewing audio levels 116 Timeline Tool 24 Timeline toolbar 19 toolbar Bin 18 Bin contents 18		
saving Bin position 42 video effects 148 search how to organize 54 saving 53, 54 setting criteria 50 tips for using criteria 51 select/move keyboard shortcuts 134 selecting head frame 45 sequence adding freeze frame 130 changing properties 69 copying 46 copying selected area 92 creating 68 deleting area 96	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141 agile 84 audio settings 120 changing view manually 88 copy a clip to 102 copying clips to 91 lifting clips 94 moving clips 90 viewing audio levels 116 Timeline Tool 24 Timeline toolbar 19 toolbar Bin 18		
saving Bin position 42 video effects 148 search how to organize 54 saving 53, 54 setting criteria 50 tips for using criteria 51 select/move keyboard shortcuts 134 selecting head frame 45 sequence adding freeze frame 130 changing properties 69 copying 46 copying selected area 92 creating 68 deleting area 96 deleting clip 96	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141 agile 84 audio settings 120 changing view manually 88 copy a clip to 102 copying clips to 91 lifting clips 94 moving clips 90 viewing audio levels 116 Timeline Tool 24 Timeline toolbar 19 toolbar Bin 18 Bin contents 18		
saving Bin position 42 video effects 148 search how to organize 54 saving 53, 54 setting criteria 50 tips for using criteria 51 select/move keyboard shortcuts 134 selecting head frame 45 sequence adding freeze frame 130 changing properties 69 copying 46 copying selected area 92 creating 68 deleting area 96	thumbnails storyboard 22 thumbnail view of Bin 44 Timeline 18 adding video effect 141 agile 84 audio settings 120 changing view manually 88 copy a clip to 102 copying clips to 91 lifting clips 94 moving clips 90 viewing audio levels 116 Timeline Tool 24 Timeline toolbar 19 toolbar Bin 18 Bin contents 18 main in Aurora Edit 16		

Tools (continued)	V		
dynamic tool window 20	-		
Source 25	video effect		
Timeline 24	adding to Timeline 141		
Transition 27	changing duration 142		
Trim 26	choosing 143		
Video Effects 29	paths 147		
track	video effects		
muting audio 119	adding keyframes 146		
soloing audio 119	description 139		
status of EDL sends 167	exporting 150		
tracks	how work together 150		
ganging audio 119	importing 143		
tracks keyboard shortcuts 134	keyboard shortcuts 136		
Transfer SmartBins 47	layering 149		
transitions	moving foreground image 139		
audio crossfades 113	rendering 149		
changing 109	saving 148		
creating 108	setting path 147		
deleting 112	Video Effects Tool 29		
dissolves 107	Video Effects Tool 29		
pushes 107	video formats		
rendering 111	mixing 84		
slides 108	supported 14		
types 106	view		
wipes 107	Bins detail 42		
Transition Tool 27, 106	Bin thumbnails 44		
transports keyboard shortcuts 135	change Timeline manually 88		
trimming	viewing by category		
clips 100	Assignment List 80		
clips in Bin 102	viewing monitor 21		
trimming clips			
Trim Tool 26	W		
Trim Tool 26			
	window		
U	Bin 40		
J	wipe transitions 107		
using			
Assignment List 76	Z		
audio automation 122			
	zoom controls		
	clip source 87		
	tips 88		

Index